

2017

Perceived weight discrimination and 10-year risk of allostatic load among US adults

Maya Vadiveloo

University of Rhode Island, maya_vadiveloo@uri.edu

Joisemer Mattei

Follow this and additional works at: https://digitalcommons.uri.edu/nfs_facpubs

**The University of Rhode Island Faculty have made this article openly available.
Please let us know how Open Access to this research benefits you.**

This is a pre-publication author manuscript of the final, published article.

Terms of Use

This article is made available under the terms and conditions applicable towards Open Access Policy Articles, as set forth in our [Terms of Use](#).

Citation/Publisher Attribution

Maya Vadiveloo, Josiemer Mattei; Perceived Weight Discrimination and 10-Year Risk of Allostatic Load Among US Adults, *Annals of Behavioral Medicine*, Volume 51, Issue 1, 1 February 2017, Pages 94–104, <https://doi.org/10.1007/s12160-016-9831-7>
Available at: <https://doi.org/10.1007/s12160-016-9831-7>

This Article is brought to you for free and open access by the Nutrition and Food Sciences at DigitalCommons@URI. It has been accepted for inclusion in Nutrition and Food Sciences Faculty Publications by an authorized administrator of DigitalCommons@URI. For more information, please contact digitalcommons@etal.uri.edu.

Vadiveloo et al erratum to **Annals of Behavioral Medicine 9831 ANBM-D-1600034.2**

Perceived weight discrimination and 10-year risk of allostatic load among US adults

Maya Vadiveloo, PhD RD¹ and Josiemer Mattei, PhD MPH²

Author Affiliations

¹ Department of Nutrition and Food Sciences, University of Rhode Island

² Department of Nutrition, Harvard T.H. Chan School of Public Health

Corresponding author:

Josiemer Mattei, PhD, MPH

Harvard T.H. Chan School of Public Health

Department of Nutrition

665 Huntington Ave, Bldg 2

Boston, MA 02115 USA

Email: jmattei@hsph.harvard.edu

Phone: 617-432-3017

Fax: 617-432-2435

Conflict of Interest: The authors have nothing to disclose.

Running Title: Weight discrimination and allostatic load.

Acknowledgements: This work was supported by the NHLBI (grant numbers HL49086, HL60692). Funding was also provided by a Mentored Career Development Award to Promote Faculty Diversity in Biomedical Research from the NHLBI (J.M., grant number K01-HL120951), and an NIH Ruth L Kirschstein Postdoctoral Fellowship (M.V., grant number 5 T32 DK 7703-19). NIH had no role in the design, analysis or writing of this article.

ERRATUM:

There is an error in the Acknowledgements regarding funding support. The Acknowledgements should read.

Acknowledgements: The MIDUS 1 study (Midlife in the U.S.) was supported by the John D. and Catherine T. MacArthur Foundation Research Network on Successful Midlife Development. The MIDUS 2 research was supported by a grant from the National Institute on Aging (P01-AG020166) to conduct a longitudinal follow-up of the MIDUS 1 investigation. The research was further supported by the following grants M01-RR023942 (Georgetown), M01-RR00865 (UCLA) from the General Clinical Research Centers Program and UL1TR000427 (UW) from the National Center for Advancing Translational Sciences (NCATS), National Institutes of Health.

Funding was also provided by a Mentored Career Development Award to Promote Faculty Diversity in Biomedical Research from the NHLBI (J.M., grant number K01-HL120951), and an NIH Ruth L Kirschstein Postdoctoral Fellowship (M.V., grant number 5 T32 DK 7703-19). NIH had no role in the design, analysis or writing of this article.