12-24-2014

Basaltic Volcaniclastics from the Challenger Deep Forearc Segment, Mariana Convergent Margin: Implications for Tectonics and Magmatism of the Southernmost Izu–Bonin–Mariana Arc

Robert J. Stern

Minghua Ren

Katherine A. Kelley

University of Rhode Island, kelley@uri.edu

Yasuhiko Ohara

Follow this and additional works at: <https://digitalcommons.uri.edu/gsofacpubs>

Fernando Martinez

The University of Rhode Island Faculty have made this article openly available.
Please let us know how Open Access to this research benefits you.

This is a pre-publication author manuscript of the final, published article.

Terms of Use

This article is made available under the terms and conditions applicable towards Open Access Policy Articles, as set forth in our [Terms of Use](#).

Citation/Publisher Attribution

Stern, Robert J.; Ren, Minghua; Kelley, Katherine A.; Ohara, Yasuhiko; Martinez, Fernando; Bloomer, Sherman H. (2014). "Basaltic volcaniclastics from the Challenger Deep forearc segment, Mariana convergent margin: Implications for tectonics and magmatism of the southernmost Izu- Bonin- Mariana arc." *Island Arc*. 23(4): 368-382.

Available at: <http://onlinelibrary.wiley.com/doi/10.1111/iar.12088/abstract>

This Article is brought to you for free and open access by the Graduate School of Oceanography at DigitalCommons@URI. It has been accepted for inclusion in Graduate School of Oceanography Faculty Publications by an authorized administrator of DigitalCommons@URI. For more information, please contact digitalcommons-group@uri.edu.

Authors

Robert J. Stern, Minghua Ren, Katherine A. Kelley, Yasuhiko Ohara, Fernando Martinez, and Sherman H. Bloomer

Basaltic volcanoclastics from the Challenger Deep forearc segment, Mariana convergent margin: Implications for tectonics and magmatism of the southernmost IBM arc

Journal:	<i>Island Arc</i>
Manuscript ID:	Draft
Manuscript Type:	Research Article
Date Submitted by the Author:	n/a
Complete List of Authors:	Stern, Robert; U Texas at Dallas, Geosciences Ren, Minghua; U Nevada Las Vegas, Geoscience Kelley, Katherine; University of Rhode Island, GSO Ohara, Yasuhiko; Hydrographic and Oceanographic Department of Japan, Martinez, Fernando; University of Hawaii, Hawaii Institute of Geophysics and Planetology Bloomer, Sherman; Oregon State U, Geosciences
Key words:	Subduction, Mariana Arc, basalt, Challenger Deep

SCHOLARONE™
Manuscripts

Basaltic volcanoclastics from the Challenger Deep forearc segment, Mariana convergent margin: Implications for tectonics and magmatism of the southernmost IBM arc

Robert J. Stern^{1*}, Minghua Ren², Katherine A. Kelley³, Yasuhiko Ohara⁴, Fernando Martinez⁵, Sherman H. Bloomer⁶

¹Geosciences Dept., U. Texas at Dallas, 800 W. Campbell Road, Richardson TX 75080 USA

² Dept. Geosciences, University of Nevada, Las Vegas, Las Vegas, NV 89154-4010, USA

³ Graduate School of Oceanography, University of Rhode Island, Narragansett Bay Campus, Narragansett, Rhode Island, USA

⁴ Japan Agency for Marine-Earth Science and Technology, Natsushima, Yokosuka and Hydrographic and Oceanographic Department of Japan, Koto-ku, Tokyo, Japan

⁵ Hawai'i Institute of Geophysics and Planetology, SOEST, University of Hawai'i at Manoa, Honolulu, Hawaii, USA

⁶ Geosciences Department, Oregon State University, 128 Kidder Hall, Corvallis, Oregon 97331, USA

* Corresponding author rjstern@utdallas.edu, Tel. +001-972-883-2442 Fax +001-972-883-2537

ABSTRACT

Convergent margin igneous activity is generally limited to 100-200 km from the trench except where spreading ridges are subducted or in association with Subduction-Transform Edge Propagators (STEP faults). The southernmost Mariana forearc, facing the Challenger Deep, subducts Mesozoic seafloor and is not in a STEP fault setting but includes at least one site where tholeiitic basalts recently erupted close to the trench, the SE Mariana Forearc Rift (SEMFR). Here we present evidence of young basaltic volcanism from another site ~100 km west of SEMFR. Shinkai 6500 diving during YK1308 (Dive 1363) recovered volcanoclastics from ~5.5 to 6 km deep in the inner wall of the Mariana Trench, ~50 km NE of the Challenger Deep. Glassy fragments are tholeiitic basalts similar to MORB except for much higher contents of magmatic water (~2% H₂O vs. <0.2% H₂O in MORB) and spikes in trace element diagrams at Rb-Cs-Ba, K, Pb, and Sr. Dive 1363 basalt glasses are similar to basalts from SEMFR erupted near the trench and to basalts of the Mariana Trough backarc basin. Basalt fragments and palagonitized matrix dominate the three samples we studied, but small xenocrysts and xenoliths derived from mantle peridotite and Neogene volcanics are also present, probably torn from the vent walls. Dive 1363 hyaloclastites erupted at 3-6 km water depth accompanied by vigorous degassing of volatiles, most likely CO₂. These results provide further evidence that the forearc adjacent to the Challenger Deep has been invaded by asthenospheric mantle and is unusually weak. The weakness of the overriding plate may result in weak coupling between the subducting Pacific plate and overriding Mariana plate and this may be partly responsible for the great depth of the Challenger Deep.

Keywords: Subduction, Mariana Arc, basalt, Challenger Deep

INTRODUCTION

The southernmost part of the ~1500 km-long Mariana arc system - where the Mariana Trench bends sharply west (Fig. 1a) - is a region that is tectonically active and poorly understood. Here, the Pacific Plate subducts almost orthogonally beneath the easternmost Philippine Sea (Mariana Plate) at about 30 mm/year (Bird 2003). Because the plate boundary trends E-W here, it cuts across the southern part of the Mariana Trough, an actively spreading back-arc basin (BAB; Fig. 1a). This combination of strong convergence and extension is associated with the deepest point on Earth's solid surface, the Challenger Deep. It also causes the adjacent part of the Mariana Trough just north of the Trench to be seismically and magmatically active and to deform rapidly and complexly. We know from GPS studies that the southernmost Marianas (Fig. 1b) is the most rapidly deforming part of the 3500 km long Izu-Bonin-Mariana (IBM) arc system (Kato *et al.* 2003), but we are only beginning to understand how deformation and magmatism are distributed over this deeply submerged region.

Tectonics of the southernmost Marianas have a strong influence on the Mariana Trough BAB. Fryer (1995) first noted that the Mariana Trough had a different expression south of ~14°N and concluded that this reflected a different tectonic style in this region relative to that farther north. For most of its ~1200 km length, the Mariana Trough opens slowly E-W along a ridge system with slow-spreading axial valley morphology producing a variable but somewhat thin (3.5-4 km) volcanic crust estimated from gravity and bathymetry values (Kitada *et al.*, 2006). South of ~14°N the spreading center bends increasingly westward and develops a fast-spreading axial-high morphology, although actual spreading rates are not likely high (Martinez *et al.*, 2000). Gravity data suggest

somewhat thicker crust in this area (6.7 km) (Kitada et al., 2006). The complexly deformed region – which we call the Southernmost Mariana Trough-Trench Complex (SMTTC) – is delimited on the east by the West Santa Rosa Bank Fault (WSRBF) Fryer et al., (2003). WSRBF can be traced as a ~5 km scarp south of 13°N, diminishing in relief northwards until it is replaced by a northeast-trending fault scarp south of Tracey Seamount (Fig. 1b). The northern limit of the region affected by SMTTC tectonics lies ~13°30'N, about where the Mariana volcanic front loses definition southward. This is also about where the BAB spreading center changes from an axial rift in the north into the inflated Malaguana–Gadao Ridge (MGR; Fig. 1b), which is underlain by the only known magma chamber in the Mariana Trough BAB (Becker et al. 2010). The Southern Mariana Forearc Ridge (Fig. 1B) separates the Mariana Trough to the north from the trench and Challenger Deep to the south; where this ridge has been sampled, it is composed of Miocene arc volcanics (Ohara et al., in preparation).

More evidence that the SMTTC is unusually active comes from how the locus of arc volcanism is disrupted in this region. For ~3000 km north from Tracey seamount (~13°40'N) all the way to Japan, discrete and well-developed volcanoes of the IBM active arc define a pronounced string of stratovolcanoes that is separated from the trench by a broad (~150-200 km wide) forearc. As is characteristic for other magmatic arcs, IBM arc volcanoes are typically found ~100-150 km above the subducted Pacific Plate. Such a line of discrete, long-lived volcanoes is typical for mature convergent margins and is known as the 'magmatic front' (Matsuda & Uyeda, 1971). The magmatic front marks where fluids and sediment melts released from the subducting plate trigger melting of convecting asthenosphere, and arc volcanoes build up over time where these melts rise to

the surface. South of Tracey seamount, the line of arc volcanoes is poorly defined (Fig. 1B, Stern et al., 2013), despite the fact that the southern Mariana Trough is underlain by a subducted slab that can be traced to 150 km depth (Gvirtzman & Stern, 2004). Poor definition of the magmatic arc SW of 13°40'N reflects tectonic instability in the SMTTC. Multiple sites of extension frequently divert the supply of arc magmas, not allowing magma supply to focus beneath discrete volcanoes so that these can grow to become large stratovolcanoes, as is seen for the arc to the north (Stern et al., 2013).

Complex deformation in the SMTTC reflects three interacting causes: 1) subduction of the Pacific plate, which induces asthenospheric convection at the same time that it supplies magma and fluids to the overlying mantle, causing flux melting; 2) BAB opening, which keeps lithosphere thin and causes decompression melting; and 3) rapid rollback of a narrow, short slab, which adds trench-normal extensional stresses to the overriding plate. Gvirtzman and Stern (2004) concluded that the plate-coupling zone along the Challenger Deep forearc segment was unusually narrow, only 50 km wide compared to ~150 km wide beneath the forearc farther north. The unusually narrow plate coupling zone allows convecting asthenosphere to penetrate closer to the trench than is found for other forearcs, and this allows asthenosphere to be fluxed by shallow, slab-derived hydrous fluids and melt (Ribeiro et al., 2013a, b). The result is an unusually weak forearc that is volcanically active much closer to the trench than normally occurs. It is not easy to identify where igneous activity occurs in this complexly deforming region. The Southeast Mariana forearc rift (SEMFR) marks one such region of forearc igneous activity, floored by 2.7–3.7 Ma low-K tholeiitic basalts (Ribeiro et al., 2013a, b). SEMFR lavas were produced by partial melting of a BAB-like mantle source,

metasomatized by sediment melt and aqueous fluids released from dehydration of the subducted oceanic crust. SEMFR melts were probably generated when the Mariana Trough backarc basin (BAB) first began to open in this region. But where else does igneous activity occur in this enigmatic and complexly-deforming region, and how close to the trench does igneous activity occur? In this contribution we present new evidence that MORB-like basalts recently erupted very close to the trench, ~100 km west of SEMFR.

SAMPLE COLLECTION

Regional multibeam bathymetry in the area was obtained by US Law of the Sea mapping project (Armstrong, 2011) as well as on R/V Yokosuka (Fig.2 A). In Dec. 2011 to Jan. 2012 R/V Thomas G Thompson obtained two swaths of deep-towed (~500 m altitude) IMI-30 sidescan sonar imagery over the area (Martinez et al., 2012, Fig. 2B). Samples were collected during dive #1363 of the manned submersible Shinkai 6500 on Sept. 10, 2013 as part of JAMSTEC research cruise of R/V Yokosuka (YK1308). The dive site was located ~ 11°38'N, 143°E, ~ 30 km north of the trench axis, ~7.5 km west of the Shinkai Seep Field (Ohara et al., 2012), and ~60 km ENE of the Challenger Deep (Fig. 2). The dive traversed north up the inner wall of the Mariana Trench from 6094 m to 5584 mbsl and was intended to search for additional forearc seeps and communities. Previous studies suggest that the Moho is exposed at ~5500 mbsl near the study area, so we expected to recover peridotites. 18 samples were collected during this dive, consisting of peridotites and moderately lithified volcanoclastic sediments (hyaloclastites), composed of sand-sized, reddish-brown matrix with pieces of basaltic

glass up to 2 cm across (Fig. 3). Three samples of volcanoclastic sediment (R05, R06, and R15; see Fig. 2 for locations) from Shinkai dive 1363 were studied. Dive 1364 continued the traverse up the slope (5608 – 5197 m; Fig. 2A) and encountered similar volcanic-rich sediments but these were much less common than peridotites.

The samples that we studied are all basaltic volcanoclastics. Our chemical studies focus on glass fragments but we also examined the texture and composition of the volcanoclastic matrix (Fig. 4). The matrix shows no lamination or bedding, is poorly sorted and well indurated, and we interpret the samples as fragments from a volcanoclastic, bottom-hugging gravity flow. These probably moved from the eruption site as laminar mass flows (Fischer 1984) and must have been deposited downhill from their eruption vent. We have no constraints about how many different pyroclastic flows were sampled. Because the three samples we examined are similar in appearance and contain basaltic glass of very similar composition, they could be from the same flow. We have no constraints on the width or thickness of the volcanoclastic flow(s).

The volcanoclastic matrix is full of rock and mineral fragments of various shapes and sizes, including delicate fragments such as those highlighted with yellow “D” in Fig. 4. Such delicate fragments are unlikely to have suffered much buffeting from grain-to-grain contacts during transport, and must have been supported during transport downslope by the strength and buoyancy of the matrix. We infer that the volcanoclastic deposit formed as a submarine mudflow or lahar as it moved downslope from the eruption site. One sample (1364-R03) is a harzburgite with a 4 cm thick semi-lithified muddy volcanic sandstone rim, suggesting that the harzburgite may have been a clast dislodged in the vent or picked up during volcanoclastic flow. Although palagonite is common in the

matrix, the glass fragments are fresh and unaltered. Manganese coating on volcanoclastic samples is thin to nonexistent, and we infer from this and freshness of glass fragments that the flow occurred sometime in the last million years.

ANALYTICAL METHODS

Glass fragments, microlites in glass fragments, and matrix components were studied. Rock samples were examined using electron backscatter imaging and this allowed us to determine major element compositions of mineral phases and glass fragments using the electron microprobe at U Nevada Las Vegas using a JAX8900 electron microprobe analyzer equipped with four wavelength-dispersive spectrometers. Basaltic volcanoclastics and matrix were placed in 1" epoxy mount and polished and carbon-coated prior to analyses. Elements Si, Ti, Al, Cr, Fe, Mn, Mg, Ca, Na, K, P, F, Cl and S were analyzed at 15 keV acceleration voltage, beam current 10 nA, defocused beam of 20 micrometers for glasses, with a peak counting time of 10 seconds for Na and 30 seconds for other elements. For mineral grains, beam condition were 15 keV acceleration voltage, 20 nA beam current, defocused beam of 10 micrometers, with a peak counting times of 20 seconds for Na and 30 seconds for other elements. Since the high-Si glass fragments are about 10 to 15 micrometers across, the beam size had to be set at 10 micrometers, possibly leading to loss of Na. Calibration standards used for glass analyses were: Smithsonian VG2 basaltic glass for Si and Ca, almandine for Al, chromite for Cr, ilmenite for Ti, pyrope for Fe and Mg, rhodonite for Mn, albite for Na, microcline for K, apatite for P, fluorite for F, AgCl for Cl, and barite for S. For high Si glass, Smithsonian

tektite glass was used for Si calibration. For mineral grains in matrix, Si, Al, and Ca used Smithsonian plagioclase for calibration.

Water and CO₂ contents in one chip from each of 3 samples were determined by Fourier Transform Infrared (FTIR) spectroscopy at the Graduate School of Oceanography, University of Rhode Island, using a Thermo Nicolet iS50 bench FTIR coupled with a Continuum IR microscope. The sample area was purged with dry, CO₂-free air to minimize atmospheric interferences, and analytical conditions used a custom aperture that varied from 100x100 µm to 60x60 µm, depending on crystallinity of the matrix glass. Data were collected in transmission using a 250 µm MCT-A detector, and reduced following methodologies outlined by Kelley and Cottrell, 2012. Owing to the microcrystalline nature of these glasses, thin wafer preparation (30-40 µm) was required for two glasses in order to expose enough optically clear glass for volatile analysis, rendering dissolved CO₃²⁻ below detection.

Trace element abundances were determined by Laser Ablation Inductively-Coupled Plasma Mass Spectrometry (LA-ICP-MS) at the Graduate School of Oceanography, University of Rhode Island, using a Thermo X-Series 2 quadrupole ICP-MS coupled with a New Wave UP213 Nd-YAG laser ablation system. Data were collected using 80 µm spots and a 5 Hz repeat rate, normalized to ⁴³Ca as the internal standard, and calibrated against 8 natural-composition reference glasses from the USGS and MPI-DING series (BCR-2G, BIR-1G, BHVO-2G, KL2-g, ML3B-g, StHls-g, T1-g, GOR-132-g), following methods outlined by Kelley et al. (2003) and Lytle et al. (2012).

RESULTS

Complete microprobe analyses are provided in Supplementary Documents 1 (major element compositions of glass fragments), 2 (compositions of minerals in glass), and 3 (compositions of small minerals and rock fragments in matrix). These results are discussed in order of glass, minerals in glass, and minerals in matrix below.

153 major element analyses of 14 fragments were carried out for R05, 131 analyses of 13 fragments for R06, and 145 analyses of 13 fragments from R15 were carried out, for a total of 429 analyses. These analyses gave very similar compositions, indicating that the glass fragments are basalt (Table 1). Analytical totals are consistently ~97.5-98%, suggesting the presence of considerable (~2 wt. %) water and other magmatic volatiles, similar to what is reported for BAB tholeiites (Kelley et al., 2006). The composition of these glasses are otherwise remarkably MORB-like (Table 2), especially in terms of low abundances of incompatible major elements: TiO_2 , Na_2O , and K_2O . These characteristics of Dive 1363 basaltic glasses are comparable to basaltic rocks from the SE segment of the SE Mariana Forearc rift (SE-SEMFR) to the east, which erupted in a comparable near-trench position to that of the Dive 1363 basaltic glass samples (Fig. 1B, Table 1; Ribeiro et al., 2013a, b).

Abundances of magmatic H_2O and CO_2 in glass fragments are also presented in Table 1. Dive 1363 basalt glasses contain 1.97 – 2.29 wt. % H_2O and 94 ppm CO_2 for the one sample with detectable dissolved CO_2^{2-} . Volatile (H_2O - CO_2) saturation pressure for this sample, as modeled using VolatileCalc (Newman & Lowenstern, 2002) is 642 bars, consistent with a hydrostatic eruption depth of 6545 m, which is near the collection depth of the sample. The fact that the carbon dioxide is not completely outgassed suggests that magmatic water did not outgas significantly and that the mean of 2.1 wt. % H_2O is a

useful approximation of the water content in the basaltic magma when it erupted. This is much higher H₂O contents than found in most MORB glasses and is the single most important way that MORB and Dive 1363 glasses differ; primitive NMORB contains ~ 0.15% H₂O (Michael 1995), less than 10% of what the 1363 basalts contain. Dive 1363 glasses are very similar to the one sample of SE-SEMFR basalt glass analyzed for water and CO₂ (Ribeiro et al. submitted)

Dive 1363 glasses have Mg# (=100Mg/Mg + Fe) ranging from 52 to 57, significantly lower than Mg# ~ 65, expected for unfractionated, primitive basalts. Dive 1363 glass fragment Mg# is similar to that of MORB and SE-SEMFR basalt, all of which show similar extents of fractionation. CIPW norms (Table 1) indicate that Dive 1363 basalts are quartz-normative tholeiites, similar to SE-SEMFR basalts but differing from typical MORB, which is often olivine-normative basalt.

Trace element concentrations for the three Dive 1363 basaltic glass samples are listed in Table 2, along with some key trace element ratios and mean compositions of SE-SEMFR basalt and MORB. Dive 1363 basalts have chondrite-normalized Rare Earth Element (REE) patterns with concave-downward patterns and modest light REE depletions (Fig. 5). These REE patterns are very similar to those of MORB and SE-SEMFR basalts. All three Dive 1363 glasses show maxima in the middle REE (Nd – Gd) – also like SEMFR and MORB; and all three show a modest decrease in the heavy REE, from Tb to Lu. Extended trace element patterns (spider diagrams; Fig. 6) emphasize strong similarities and subtle differences between Dive 1363 glasses and SE-SEMFR basalts on the one hand and MORB on the other. One significant difference is that Dive 1363 basalts have a modest negative Nb-Ta anomaly (Th/Nb ≈ 0.1) whereas MORB

generally does not ($\text{Th/Nb} = 0.08$). In addition, Dive 1363 samples have a somewhat higher ratio of fluid-mobile incompatible elements (e.g., Rb) relative to similarly incompatible but fluid-immobile elements (e.g., Zr) than do MORB (Table 2). There are also indications from lower Ti/V that Dive 1363 magmas originated from a somewhat more oxidized mantle source region than do most MORB (Table 2).

Small crystals of plagioclase and clinopyroxene occur in the glasses. Plagioclase in all three samples is mostly bytownite. 27 analyses of plagioclase in R05 yields a range of An₆₇₋₈₃, mean = An_{74.7}±3.6 (1 standard deviation). 26 analyses of plagioclase in R06 yields a range of An₆₈₋₉₅, mean = An_{77.8}±9. 46 analyses of plagioclase in R15 yields a range of An₆₇₋₈₈, mean = 77.2±7. Clinopyroxene in all three samples is anhedral augite with similar compositions. 18 analyses of one clinopyroxene in R05 yielded Wo_{43.4}±2.3 En_{46.5}±1.7 Fs_{9.2}±1.2 Ac_{0.9}±0.16. Eight analyses of one clinopyroxene in R06 yielded a mean of Wo₄₃±2 En₄₇±2 Fs₉±1 Ac_{0.8}±0.2. □ Twelve analyses of clinopyroxene in R15 yielded a mean of Wo₄₂±2 En₄₇±2 Fs₁₀±0.75 Ac_{0.9}±0.35. □ The compositions of plagioclase and clinopyroxenes in all three samples are essentially identical. □ □ These mineral compositions indicate crystallization from fractionated magma. There is one anhedral amphibole and one anhedral ilmenite found in one R15 basaltic glass fragment, the amphibole can be classified as Tschermakite.

Rock and mineral fragments in the volcanoclastic matrix include olivine, orthopyroxene, serpentine, epidote, amphibole, magnetite, clinopyroxene, plagioclase, quartz, basaltic glass, and high-Si glass. Electron microprobe analyses are listed in Supplementary Document 3.

71 fragments in R05 matrix were analyzed. We identified four olivines (Fo 90.6-91.6), one orthopyroxene (Wo5.3 En71.4 Fs23.2 Ac0.2), one epidote, one amphibole (Magnesio-hornblende), four magnetite, one high-Si glass, 26 clinopyroxenes, 23 plagioclases, and eight basaltic glasses. Excepting 4 sodic plagioclases (An6-49), all other plagioclases (An 67-91), clinopyroxenes (En38-45), and basaltic glasses are similar to those in the large basaltic glass and the included plagioclase and clinopyroxene. Twenty six fragments were analyzed in the R06 matrix. There are two olivines (Fo78 and Fo81), one serpentine, one quartz, seven clinopyroxene (En 38-47), six plagioclase (An73-86), nine basaltic glasses. The olivine is different from olivines from R05 and R15 samples. All plagioclases, clinopyroxenes, and basaltic glasses are similar to the large basaltic glass and the included plagioclase and clinopyroxene. Forty five fragments were analyzed in R15 matrix. There are seven olivine (Fo90-92), six serpentine, one epidote, two amphibole, eight clinopyroxene (En41-45), eight plagioclase, 10 basaltic glass, and one high-Si glass. R15 olivine (Fo >90) is identical to R05 olivine, but different from R06 olivine (Fo78-81). R15 matrix clinopyroxene (En41-45) is slightly different from clinopyroxene in basaltic glass, the matrix clinopyroxene have higher Al_2O_3 and TiO_2 than clinopyroxene in basaltic glass. There are two high Na plagioclase grains (An43-56), other plagioclases (An73-85) are similar to the plagioclase in basaltic glass. There are two basaltic glass grains have higher MgO (15.4-16.6wt%) and lower Al_2O_3 (4.9-6.2 wt%) than other basaltic glasses, which are similar to the large basaltic glasses ($\text{Al}_2\text{O}_3 \sim 16-17$ wt%, $\text{MgO} \sim 4-6$ wt%).

DISCUSSION

The MORB-like composition of the YK-1308 6K1363 glasses that we have analyzed indicate derivation from melting of oceanic asthenosphere, but it is surprising that such melts were generated so close to the deepest trench on Earth.

These results are intriguing but more work is needed to determine the extent of young BAB igneous activity near the Challenger Deep before we can understand its significance. Here we briefly discuss three implications of our results: 1) What was the eruptive style and where did the eruption occur? 2) What are the petrogenetic implications of Dive 1363 basalts? and 3) What are the implications of our results for future studies of the region?

1) Eruption style and vent location:

The three rock samples that we studied formed by a frothy eruption of basaltic magma that was broadly MORB-like but with high water and which may have contained high SO₂ and/or CO₂ contents prior to eruption. This magma degassed vigorously as it erupted. We have no direct information about where the eruption occurred, but because these are laminar density flows (lahars), they must have originated somewhere upslope along the inner trench wall to the north of where they were collected. They could not have originated from the north side of the S. Mariana Forearc Ridge (Fig. 1B). The eruption site may have occurred on the bathymetric highs north of the dive site ('*' in Fig. 1b and 7). Regional HMR-1 sonar backscatter imagery (Fryer et al., 2003) over the region (Fig. 7) shows no obvious volcanic features around the dive site, but the entire trenchward slope is characterized by high backscatter, indicating steep slopes of lightly sedimented basement. There is a low backscatter region surrounding the local forearc

high labeled with an “*” in Fig. 7. We don’t know what seafloor materials are exposed in the low backscatter region but it could be volcanoclastics. Deep towed IMI-30 sidescan sonar imagery of the dive area (Fig. 2) also does not give clear indications of young local volcanic structures, as imaged and sampled farther to the east in the SEMFR area (Martinez et al., 2012). Basement morphology indicates generally low sediment thickness with local ponds (light shaded areas, Fig. 2B). Imaged lobe-like morphologies may be landslide or debris flow fronts.

We note that the volatile saturation pressure of the glass from R15, which has reliable CO₂ contents, suggests a much higher eruption pressure, closer to 6 km. This suggests that the magma erupted so rapidly that it did not have time to fully degas before quenching, or the vent is closer to the dive site than we propose above. The preservation of delicate fragments also suggests a nearby eruption site. Clearly more work is needed to identify the eruption site.

The eruption was sufficiently violent to be something like a version of a deepwater (>3km) ‘Strombolian-style’ eruption. At pressures lower than that for mixed SO₂-CO₂-H₂O fluid saturation, magmas that are rich in these volatiles are likely to erupt more explosively than will fluid-poor magmas such as normal MORB. Violent deepwater eruptions are poorly known, but such an eruption style is required for fragmenting and quenching the erupting basaltic magma to form glass. Because the ridge to the north is as shallow as 3km and samples were collected from as deep as 6km, the eruption must have occurred at 300-600 bars hydrostatic pressure. Even at such pressures, mixed SO₂-CO₂-H₂O fluid can be oversaturated in basaltic magmas and SO₂ and CO₂ can begin to exsolve below the seafloor. The eruption that formed these

volcaniclastic flows could have been like that recently observed at West Mata volcano in the Lau Basin (Resing et al., 2011), although hydrostatic pressures resisting vesiculation and fragmentation would be significantly greater at the >3km water depth of Mariana forearc eruption than at the ~1100m eruption depth of W Mata (300 vs. 110 bars hydrostatic pressure).

Clearly the matrix was derived from several sources, principally basaltic magma but also incorporating fragments of the peridotite and older volcanic substrate. One source was the eruption itself, which provided fragments of basaltic glass and associated plagioclase and clinopyroxene (Fig. 4A, B, C). Contributions from ultramafic sources are also revealed by fragments of Fo90 olivine and serpentinite (Fig. 4B, C). High silica glass and amphibole grains (Fig. 4A, C) probably sample underlying Miocene volcanics. We also identified fragments of high Si glasses, SiO₂ 71-73%, along with an albite, several grains of andesine, and a few grains of epidote.

It seems likely that the fragments of peridotite xenocrysts and serpentinite fragments found in the volcaniclastic matrix could have been torn off the vent walls accompanying sub-seafloor exsolution of magmatic volatiles. It is also possible that non-basaltic fragments were picked up from rock exposures during lahar flow. Fragmentation was rapid enough and transport distance was short enough that sufficient heat was retained by fragments to partially anneal the deposit after it came to rest.

2) Petrogenetic implications

As noted above, Dive1363 glasses are broadly MORB-like but with unusually high abundances of magmatic water. Some trace element ratios are MORB-like, for example

$\text{La/Nd} = 0.42 - 0.44$. The similarity is also clear from chondrite-normalized Rare Earth Element (REE) patterns (Fig. 5). Major and trace element compositions of the three Dive 1363 samples are remarkably similar to each other and to basalts from SEMFR to the east and to global MORB (All-MORB of Gale et al. 2013).

Dive 1363 basalts show extended trace element patterns (spider diagrams; Fig. 6) that are similar to those of SE-SEMFR basalts to the east. This serves to further emphasize the strong similarities and subtle differences between Dive 1363 glasses and SEMFR basalts on the one hand and MORB on the other. Major element compositions and REE patterns are remarkably similar for Dive 1363, SEMFR, and MOR basalts. One subtle difference with MORB is that Dive 1363 basalts show modest negative Nb-Ta anomalies ($\text{Th/Nb} \approx 0.1$) whereas MORB generally does not ($\text{Th/Nb} = 0.08$). In addition, Dive 1363 basalts have a somewhat higher ratio of fluid-mobile incompatible elements like Rb relative to similarly incompatible but fluid-immobile Zr than do MORB (Table 2). There are also indications - based on lower Ti/V - that Dive 1363 magmas originated from a somewhat more oxidized mantle source region than do most MORB (Table 2). Ti/V is thought to proxy for mantle oxidation state, with oxidized arc magmas having low Ti/V (<20) compared to higher values for more reduced MORB and OIB (20-100; Shervais, 1982). Mean SEMFR basalt has $\text{Ti/V} = 19$ but the three Dive 1363 basalt glasses have higher and more MORB-like Ti/V of 24-25.

$\text{La/Nb} = 1.4$ was argued by Condie (2001) to distinguish convergent margin lavas (with higher ratios) from basalts formed in other tectonic environments such as MORB and oceanic hotspots. The three samples of Dive 1363 basalt glass have $\text{La/Nb} = 1.31 - 1.43$, intermediate between All-MORB ($\text{La/Nb} \sim 1$) and mean SEMFR basalt ($\text{La/Nb} = 1.78$).

Nb/Yb is thought to be a proxy for depletion of the mantle source, <1 for depleted mantle, >1 for undepleted or enriched mantle (Pearce 2008). DIVE 1363 basalts have Nb/Yb = 1.05 – 1.16, somewhat lower than MORB (Nb/Yb = 1.44) but somewhat higher than mean SEMFR lavas (Nb/Yb = 0.83).

Pb/Ce is thought to track contributions from subducted sediments to the mantle source, with values approaching 0.5 for arc lavas (Miller et al., 1994), much higher than the Pb/Ce of MORB (~ 0.04). The three samples of Dive 1363 glass have Pb/Ce ~ 0.08 , much closer to MORB than to arc magmas and indicating a barely detectable contribution from subducted sediments. Plank (2005) argued that Th/La tracked sediment contributions, with mantle Th/La < 0.20 and arc and sediments Th/La > 0.20 . The three samples of 1363 basalt, mean SEMFR, and global MORB have indistinguishable Th/La = 0.08, again indicating that subducted sediments contributed negligibly to the source of the 1363 basalt glasses.

3) Implications for future research:

YK1308 6K1363 volcanoclastics represents the second place in the southernmost Mariana forearc where we have found evidence of young basaltic volcanism close to the trench, the other being SEMFR, 130 km to the east. Igneous activity so close to a convergent plate margin is common only where BAB spreading ridges intersect the trench at Subduction-Transform Edge Propagators, or STEP faults (Govers & Wortel, 2005). However, in these setting the lower plate motion at the trench is primarily transcurrent rather than convergent and these sites mark the lateral termination of subduction zones (Govers & Wortel, 2005). The Challenger Deep forearc segment is not in a STEP fault

geometry. What it has in common with STEP fault margins is active extension of the upper plate that advects asthenospheric mantle leading to melting and volcanism at the trench. Another difference from STEP fault margins is that upper plate extension at these margins is focused to narrow spreading centers whereas in the southern Mariana margin it is diffuse.

Identification of sites in the inner trench wall that erupt tholeiitic basalt demonstrate that BAB asthenosphere penetrates unusually far into the forearc and that lithosphere beneath the SMTTC is thin. Gvirtzman and Stern (2005) argued that weak coupling between the downgoing Pacific plate and the overriding Mariana plate allowed the subducting plate to bend and sink more steeply than normally observed, and was an important contributing cause to the great depth of the trench here. Evaluating this possibility should be an important geoscientific research focus for the 21st century and will require interdisciplinary field, laboratory, and theoretical studies of what is happening on both sides of the Challenger Deep. On the Mariana margin, we need to look for more sites of recent volcanism in the inner trench wall. There are likely to be other sites of basaltic volcanism here that are yet to be discovered, and other regions of this forearc should be investigated for signs of volcanic activity. This includes summit regions of individual highs on the Southern Mariana Forearc Ridge as well as the N-S depression at 143°15'E (Fig. 1B). In addition, an OBS field program in the SMTTC is needed to define regions of shallow seismic activity, depth to the base of the lithosphere, and the geometry of the downgoing slab. Modeling studies to understand why the Challenger Deep forearc segment is so weak are needed to support these efforts. The Pacific plate south of the trench also needs to be swathmapped and geophysically investigated to see if evidence of

unusually strong bending exists, such as outer trench normal faults and seismicity.

CONCLUSION

We have found a second site of young basaltic volcanism in the Challenger Deep forearc segment. Shinkai 6500 diving during YK1308 (Dive 1363) recovered volcanoclastics from ~5.5 to 6km deep in the inner wall of the Mariana Trench, ~50 km NE of the Challenger Deep. Abundant fragments of glassy fragments of tholeiitic basalts analyzed from three different samples are compositionally similar to MORB except for much higher contents of magmatic water (~2% H₂O vs. <0.2% H₂O in MORB) and spikes in trace element diagrams at Rb-Cs-Ba, K, Pb, and Sr. Dive 1363 basalt glasses are similar to basalts from SEMFR erupted near the trench and to basalts of the Mariana Trough backarc basin, and these melts may be derived from similar hydrous asthenosphere that underlies the southern Mariana backarc basin and forearc. Basalt fragments and palagonitized matrix dominate the three samples we studied, but small xenocrysts and xenoliths derived from mantle peridotite and Neogene volcanics are also present, probably torn from the vent walls. Dive 1363 hyaloclastites erupted at 3-6 km water depth accompanied by vigorous degassing of volatiles, most likely CO₂. These results provide further evidence that the forearc adjacent to the Challenger Deep has been invaded by asthenospheric mantle and is unusually weak. Thin lithosphere of this region may result in weak coupling between the subducting Pacific plate and overriding Mariana plate, which may be partly responsible for the great depth of the Challenger Deep.

ACKNOWLEDGEMENTS

Funding for this research includes NSF grant OCE-0961811 to Martinez; NSF OCE-[0961559](#) and NSF EAR- [1258940](#) to Kelley, and NSF-OCE 0961352 to Stern. We gratefully acknowledge the support of the crews of R/V Yokosuka and DSV Shinkai, R/V Thomas G. Thompson and the Hawaii Mapping Research Group without whom this research would have been impossible.

REFERENCES

ARMSTRONG A. A. 2011. Cruise Report USNS Sumner, U.S. Extended Continental Shelf Cruise to Map Sections of the Mariana Trench and the Eastern and Southern Insular Margins of Guam and the Northern Mariana Islands, http://ccom.unh.edu/publications/Armstrong_2011_cruise_report_SU10-02_Marianas.pdf.

BECKER N. C., FRYER P., & MOORE G. F. 2010. Malaguana-Gadao Ridge: Identification and implications of a magma chamber reflector in the southern Mariana Trough, *Geochemistry Geophysics, Geosystems* **11**(4), Q04X13.

BOYNTON W. V., 1985. Chapter 3. Cosmochemistry of the Rare Earth Elements: Meteorite studies, *In* Henderson, P. (ed.), *Rare Earth Element Geochemistry* Developments in Geochemistry Vol. 2, pp. 115-1522, Elsevier, Amsterdam.

BROUNCE M., KELLEY K.A., COTTRELL E., in revision. Variations in $\text{Fe}^{3+}/\Sigma\text{Fe}$ ratios of Mariana Arc basalts and primary fO_2 of the mantle wedge. *Journal of Petrology*

CONDIE K.C. 2001. *Mantle Plumes and their Record in Earth History*. Cambridge U. Press, 306 p.

EABY-DIXON J., & STOLPER E. 1995. An Experimental Study of Water and Carbon Dioxide Solubilities in Mid-Ocean Ridge Basaltic Liquids. Part II: Applications to Degassing. *Journal of Petrology* **36**, 1633-1646.

FISHER R.V. 1984. Submarine volcanoclastic rocks. *In* Kokelaar B.P. & HOWELLS M.F. (eds.) *Marginal Basin Geology: Volcanic and Associated Sedimentary and Tectonic Processes in Modern and Ancient Marginal Basins*. Geological Society, London, Special Publication Vol. 16, pp. 5-27.

FRYER P., BECKER N., APPELGATE B., MARTINEZ F., EDWARDS, M. & FRYER G. 2003. Why is the Challenger Deep so deep? *Earth and Planetary Science Letters* **211**, 259-269.

GALE A., DALTON C.A., LANGMUIR C.H., SU Y. & SCHILLING J.-G. 2013. The mean composition of ocean ridge basalts. *Geochemistry, Geophysics, Geosystems* **14**, doi:10.1029/2012GC004334.

GOVERS R., & WORTEL M. J. R. 2005. Lithosphere tearing at STEP faults: Response to edges of subduction zones. *Earth and Planetary Science Letters* **236**, 505-523.

GVIRTZMAN Z. & STERN R.J. 2004. Bathymetry of Mariana Trench-Arc System and Formation of the Challenger Deep as a Consequence of Weak Plate Coupling. *Tectonics* TC2011, doi:10.1029/2003TC001581

HOFMANN A.W. 1988. Chemical differentiation of the Earth: the relationship between mantle, continental crust, and oceanic crust. *Earth and Planetary Science Letters* **90**, 297-314.

KELLEY K.A. & COTTRELL E. 2012. The influence of magmatic differentiation on the oxidation state of Fe in a basaltic arc magma. *Earth and Planetary Science Letters* **329-330**, 109-121.

KELLEY K. A., PLANK T., GROVE T.L., STOLPER E.M., NEWMAN S. & HAURI E. 2006. Mantle melting as a function of water content beneath back-arc basins. *Journal of Geophysical Research: Solid Earth* **111**, doi:10.1029/2005JB003732.

KITADA K., SEAMA N., YAMAZAKI T., NOGI Y., & SUYEHIRO K. 2006. Distinct regional differences in crustal thickness along the axis of the Mariana Trough, inferred from gravity anomalies. *Geochemistry, Geophysics, Geosystems* **7** (4)
DOI: 10.1029/2005GC001119

LYTLE M.L., KELLEY K.A., HAURI E.H., GILL J.B., PAPIA D., ARCULUS R.J., 2012.

Tracing mantle sources and Samoan influence in the northwestern Lau back-arc basin.

Geochemistry, Geophysics, Geosystems **13**, doi:10.1029/2012gc004233.

MARTINEZ F., FRYER P. & BECKER N. 2000. Geophysical characteristics of the southern Mariana Trough, 1° 50' N-13° 40 ' N, *Journal of Geophysical Research: Solid Earth* **105**(B7), 16591-16607.

MARTINEZ F., KELLEY K. A. and STERN R. J. 2012. Creation and Deformation of Hydrous Lithosphere at the Southern Mariana Margin, *EGU General Assembly 2012*, Abstract EGU2012-6643

MATSUDA T. & UYEDA S. 1971. On the Pacific type orogeny and its model - extension of the paired belts concept and possible origin of marginal seas. *Tectonophysics* **11**, 5-27.

NEWMAN S. & LOWENSTERN J.B. 2002. VolatileCalc: a silicate melt-H₂O-CO₂ solution model written in Visual Basic for Excel. *Computers & Geosciences* **28**, 597-604.

OHARA Y., REAGAN M.K., FUJIKURA K., WATANABE H., MICHIBAYASHI K., ISHII T., STERN R.J., PUJANA I., MARTINEZ F., GIRAUD G., RIBEIRO J., BROUNCE M., KOMORI N. & KINO M. 2012. A serpentinite-hosted ecosystem in the Southern Mariana Forearc. *Proceedings of the National Academy of Science* www.pnas.org/cgi/doi/10.1073/pnas.1112005109

PEARCE J. A. 2008. Geochemical fingerprinting of oceanic basalts with applications to ophiolite classification and the search for Archean oceanic crust. *Lithos* **100**, 14-48.

PLANK T. 2005. Constraints from Thorium/Lanthanum on Sediment Recycling at Subduction Zones and the Evolution of the Continents. *Journal of Petrology* **46**, 921-944.

RESING, J.L. & 23 others. 2011. Active submarine eruption of boninite in the northeastern Lau Basin. *Nature Geoscience* **4**, 799-806.

RIBEIRO J., STERN R. J., KELLEY K., MARTINEZ F., ISHIZUKA O. & MANTON W. I. 2013. Nature and distribution of slab-derived fluids and mantle sources beneath the SE Mariana Forearc Rift. *Geochemistry, Geophysics, Geosystems* **14**, doi: 10.1002/ggge.20244

SANDWELL D.T. & SMITH W.H.F. 1997. Marine gravity anomaly from Geosat and ERS 1 satellite altimetry. *Journal of Geophysical Research (Solid Earth)* **102**, 10039-10054.

SHERVAIS J. W. 1982. Ti-V plots and the petrogenesis of modern and ophiolitic lavas. *Earth and Planetary Science Letters* **59**, 101-118.

STERN R.J., TAMURA Y., MASUDA H., FRYER P., MARTINEZ F., ISHIZUKA O., & BLOOMER S.H., 2013. How does the Mariana Arc end in the south? *The Island Arc* **22**, 133-148.

SUN S. – S. & McDONOUGH W.F., 1989. Chemical and isotopic systematics of oceanic basalts: Implications for mantle composition and processes. In Saunders A.D. & Norry M.J. (eds.) *Magmatism in the Ocean Basins*, Geological Society of London, Special Publication 42, pp. 313-345.

Fig. 1. Location of the study area. (a) Bathymetric map of the Mariana convergent margin in the Western Pacific, including Mariana Trench, Mariana Arc, and Mariana Trough (back-arc basin). Map was compiled from available bathymetric data including decimated one-minute grid for Mariana Trough (Kitada et al., 2006).. Swath-mapped bathymetry is recompiled and matched to predicted bathymetry from Sandwell and Smith (1997). Red line is back-arc basin spreading axis from Martinez and Taylor (2003). Islands are black, the largest and southernmost is Guam, USA. Dashed box outlines region shown in (b). (b) Bathymetry of the southern Mariana Trough, showing location of spreading ridge (inflated Malaguana–Gadao Ridge (MGR) in the south, axial rift of Mariana Trough spreading ridge (MTSR) farther north) and Fina Nagu Volcanic Chain (FNVC), also West Santa Rosa Bank Fault (WSRBF), Alphabet Seamount Volcanic Province (AVSP), Southern Mariana Forearc Ridge (S Mar FA Rg), Southeast Mariana Forearc Rift (SEMFR), Challenger Deep (CD), and Shinkai Seep (SS). The active magmatic arc southwest of Tracey Seamount is poorly constrained due to the unknown age of arc-like features (e.g. FNVC), but active volcanism is present from Tracey Seamount in the northeast to Toto caldera. Most data are from ‘Law of the Sea’ mapping carried out by the University of New Hampshire group (Armstrong, 2010) with additional data from US-NGDC and JAMSTEC databases. Small dashed box shows study area in Fig. 2, large dashed box shows HMR-1 sonar image in Fig. 7. Possible eruption sites are marked with ‘*’.

Fig. 2: A) Detailed bathymetric map showing bathymetry around YK1308 Shinkai dives 1363 and 1364 and location of Shinkai Seep (SSP) (Ohara et al., 2012). B) IMI30 sidescan sonar image of region. High backscatter shown with darker shading. C)

Photograph from Shinkai 6500 submersible showing typical seafloor observed during Dive 1363. Fragments and cobbles on seafloor are dominated by basaltic volcanoclastics like those studied here.

Fig. 3: Hand specimen of YK1308 dive 1363 R15 volcanoclastic sediment, entire section (A) and close-up (B). Note that most of the visible fragments appear to be glassy basalt fragments.

Fig. 4: Electron backscatter images of millimeter-sized expanses of volcanoclastic matrix, with chemical analyses by EMP of selected fragments (minerals and glass) listed to the right of each image. Delicate fragments suggesting massive debris flow is shown by yellow 'D'. A: R06, with fragments of hornblende (a), bytownite (b), clinopyroxene (c), and glass (d). B: R15, with fragments of plagioclase (1), serpentinite (2, a), glass (b), and olivine (c). C: R15, with fragments of olivine (3, a), serpentinite (7 d), clinopyroxene, (b), amphibole (c), plagioclase (e), and glass (f).

Fig. 5: Chondrite-normalized REEs pattern for three DIVE 1363 glasses listed in Table 3. Mean compositions of "All MORB" (Gale et al., 2013) and mean SEMFR basalt (Ribeiro et al., 2013b) are also plotted for comparison. Concentrations are normalized to chondrite abundances of Boynton 1985).

Fig. 6. Extended trace element diagram for 1363 glasses compared with patterns for 'Mean SE-SEMFR' (Ribeiro et al. 2013d) and "All-MORB" (Gale et al. 2013). Grey

field is Mariana Trough BABB from Brounce et al. (in press). Normalizing abundances and element order from Sun and McDonough (1989).

Fig. 7: HMR-1 sonar backscatter imagery (see Fryer et al., 2003 for data description) over part of southern Mariana arc (location shown in Fig. 1b). White box shows location of Fig. 2; Possible eruption sites are marked with ‘*’, also shown in Fig. 1b; “CD” marks location of Challenger Deep. Dark areas correspond to steep or bare-rock surfaces, light areas are flat and sediment-covered. Ship tracks trend approximately E-W and regions directly beneath ship are poorly imaged (pixelated swaths). Toothed line shows approximate trace of the Mariana Trench.

Fig. 1

Fig. 1
177x169mm (200 x 200 DPI)

Figure 2

Fig. 2
141x255mm (220 x 220 DPI)

Fig. 3

225x308mm (300 x 300 DPI)

Fig. 4

177x163mm (200 x 200 DPI)

Fig. 5

279x361mm (300 x 300 DPI)

Fig. 6

Fig. 6
279x361mm (300 x 300 DPI)

Fig. 7

Fig. 7
214x246mm (300 x 300 DPI)

Table 1: Major Element Analyses of YK1308 Dive 1363 basaltic glass fragments

	R05		R06		R15		SE-SEMFR M
	Mean	stdev	Mean	stdev	Mean	stdev	Mean
N	153		131		145		6
SiO ₂	51.00	0.39	51.37	0.42	51.94	0.25	51.48
TiO ₂	1.01	0.07	1.10	0.06	1.14	0.05	1.03
Al ₂ O ₃	16.38	0.27	16.38	0.28	16.46	0.64	15.73
Cr ₂ O ₃	0.01	0.01	0.01	0.01	0.01	0.01	
FeO*	8.23	0.31	8.66	0.25	8.85	0.34	8.53
MnO	0.15	0.02	0.16	0.02	0.16	0.02	0.15
MgO	6.17	0.52	5.59	0.64	5.36	1.28	5.62
CaO	11.01	0.56	10.34	0.68	10.08	0.27	10.05
Na ₂ O	2.88	0.19	3.07	0.22	3.20	0.10	3.22
K ₂ O	0.22	0.02	0.23	0.04	0.26	0.01	0.25
P ₂ O ₅	0.11	0.02	0.12	0.03	0.12	0.03	0.11
F	0.03	0.04	0.02	0.04	0.03	0.05	0.02
Cl	0.10	0.02	0.13	0.03	0.13	0.01	0.04
SO ₃	0.19	0.02	0.28	0.18	0.20	0.02	0.22
Total	97.49		97.46		97.94		96.45
H ₂ O (wt. %)	1.97	0.05	2.29		2.06	0.16	2.04***
CO ₂ (ppm)	455	116	539		94	22	51
Mg#	57.2		53.5		51.9		54.0
CIPW NORMS*****							
QZ	1.69		2.52		2.1		2.56
PL	57		57.82		58.77		57.03
OR	1.36		1.42		1.6		1.54
DI	19.1		17.1		16.59		18.18
HY	15.9		15.85		17.47		15.53
OL							
IL	1.98		2.15		0.27		2.03
MT	2.73		2.87		2.94		2.86
AP	0.25		0.28		0.28		0.25

** wt. %, calculated volatile free, Fe³⁺/total = 0.2; adjusted to total 100

*** Ribeiro et al., 2013b; volatiles from Ribeiro et al. submitted

****Gale et al. 2013

*****Michael 1995

ean Glass**>	ALL MORB*****	
stdev	430	
0.91	50.47	0.08
0.19	1.68	0.05
0.27	14.70	0.12
0.70	10.43	0.21
0.02	0.18	0.01
0.86	7.58	0.12
1.08	11.39	0.09
0.46	2.79	0.03
0.05	0.16	0.01
0.03	0.18	0.01

99.56

0.15*****

56.4

50.93
0.95
23.36
12.61
8.52
3.21

0.42

Table 2: Trace Element contents of YK1308 Dive 1363 basaltic glass

	1363 - R05	1363 - R06	1363- R15	mean SE-SEMFR*	All MORB**
V (ppm)	278	275	261	236	309
Cr	26	28	21	22	249
Ni	30.7	29.6	27.4	19.7	92
Rb	3.55	3.67	3.46	3.72	2.88
Sr	167	169	170	179	129
Y	22.1	23.3	25.8	21.9	36.8
Zr	82.5	85.7	93.6	77.8	117
Nb	2.71	2.73	2.72	1.91	5.24
Cs	0.09	0.08	0.08	0.1	0.034
Ba	41.6	40.9	40.2	47	29.2
La	3.63	3.57	3.88	3.34	5.21
Ce	10.9	10.7	10.5	9.2	14.9
Pr	1.67	1.68	1.73	1.5	2.24
Nd	8.31	8.49	9.14	7.91	12
Sm	2.72	2.84	2.97	2.57	3.82
Eu	1.02	1.06	1.08	0.94	1.36
Gd	3.45	3.56	3.97	3.55	4.99
Tb	0.58	0.64	0.69	0.61	0.90
Dy	3.79	4.03	4.4	3.88	6.08
Ho	0.82	0.89	0.97	0.83	1.28
Er	2.29	2.52	2.76	2.34	3.79
Tm	0.35	0.39	0.42	0.35	
Yb	2.33	2.41	2.58	2.29	3.63
Lu	0.34	0.35	0.41	0.33	0.53
Hf	1.75	2.03	2.12	1.89	2.79
Ta	0.16	0.17	0.18	0.12	0.34
Pb	0.89	0.85	0.73	0.83	0.57
Th	0.28	0.27	0.3	0.24	0.40
U	0.14	0.14	0.12	0.10	0.12
K/Rb	607	565	600	558	461
Rb/Zr	0.04	0.04	0.04	0.05	0.02
Ti/V	24.3	24.4	25.2	19.1	32.6
La/Nb	1.34	1.31	1.43	1.75	0.99
Nb/Yb	1.16	1.13	1.05	0.83	1.44
Pb/Ce	0.082	0.079	0.070	0.090	0.038
Th/U	2.00	1.93	2.50	2.40	3.33
La/Nd	0.44	0.42	0.42	0.42	0.43
Th/La	0.08	0.08	0.08	0.07	0.08
Th/Nb	0.10	0.10	0.11	0.13	0.08

* Ribeiro et al. 2013

**Gale et al. 2013

Supplementary Document 2. Electron microprobe analyses for minerals in glass
clinopyroxene

R05-cpx	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R05-18	52.59	0.56	2.74	0.31	4.88	0.13	16.22	21.98	0.28
R05-18	52.49	0.54	2.77	0.31	5.16	0.14	16.33	21.98	0.27
R05-18	52.58	0.55	2.59	0.32	4.94	0.10	16.28	22.28	0.29
R05-18	52.61	0.58	2.60	0.31	4.80	0.12	16.34	22.46	0.30
R05-18	52.60	0.59	2.72	0.34	4.93	0.13	16.32	22.15	0.30
R05-18	52.75	0.55	2.54	0.29	5.06	0.12	16.09	21.90	0.30
R05-18	52.63	0.53	2.53	0.30	5.10	0.10	16.27	22.11	0.28
R05-18	52.67	0.51	2.61	0.29	5.06	0.11	16.31	22.03	0.26
R05-18	51.36	0.64	3.78	0.23	5.94	0.15	15.91	21.48	0.20
R05-18	51.70	0.60	3.73	0.20	5.93	0.16	16.12	21.07	0.22
R05-18	51.83	0.56	3.33	0.24	5.86	0.17	16.32	21.17	0.23
R05-18	52.06	0.58	2.74	0.33	4.88	0.08	16.14	22.38	0.27
R05-18	52.15	0.57	3.27	0.28	5.84	0.13	16.39	21.20	0.25
R05-18	52.19	0.49	3.17	0.33	5.72	0.14	16.45	21.19	0.23
R05-cpx1	50.97	0.65	4.09	0.24	6.39	0.14	16.19	20.28	0.23
R05-cpx2	50.23	1.03	5.46	0.10	6.87	0.17	15.19	20.14	0.28
R05-cpx2	53.46	0.38	2.19	0.14	6.48	0.20	18.07	19.18	0.18
R05-cpx2	51.14	0.74	4.47	0.28	6.10	0.11	15.44	21.22	0.27
R05-cpx2	53.37	0.41	2.27	0.15	6.95	0.21	18.51	18.18	0.15

R06-cpx	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R06-14	51.65	0.60	4.08	0.48	6.19	0.13	16.61	20.36	0.23
R06-14	53.43	0.33	2.19	0.15	6.53	0.18	18.44	18.80	0.20
R06-13	51.36	0.66	6.92	0.45	5.44	0.12	14.35	19.43	0.74
R6-14-2	51.46	0.74	4.15	0.32	6.17	0.14	15.72	21.60	0.26
R6-14-2	51.66	0.62	3.92	0.35	6.06	0.14	15.63	21.18	0.24
R6-14-2	51.10	0.84	4.63	0.33	6.20	0.15	15.63	21.20	0.24
R6-14-2	50.51	0.60	4.73	0.38	5.98	0.12	15.84	21.12	0.29
R6-14-2	50.84	0.79	4.67	0.42	6.00	0.12	15.55	21.53	0.28

R15-cpx	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R15-12	53.56	0.35	1.78	0.26	5.74	0.16	17.46	20.79	0.15
R15-12	52.66	0.39	2.36	0.36	5.87	0.17	17.43	19.78	0.18
R15-12	51.05	0.73	5.41	0.20	6.32	0.13	15.20	19.98	0.50
R15-16	51.81	0.58	4.02	0.45	5.72	0.08	16.49	21.59	0.25
R15-16	51.48	0.54	4.40	0.12	6.17	0.16	16.29	21.53	0.30
R15-3	50.43	0.53	4.42	0.34	5.75	0.13	15.84	21.42	0.24
R15-3	50.94	0.56	3.51	0.54	5.19	0.12	16.22	21.68	0.26
R15-13	53.27	0.33	2.18	0.08	6.65	0.20	18.17	19.22	0.20
R15-13	53.51	0.36	2.44	0.10	6.64	0.17	18.05	19.45	0.20
R15-13	53.04	0.35	2.73	0.09	6.28	0.19	17.18	20.42	0.21
R15-13	51.46	0.69	4.49	0.18	6.28	0.17	15.16	21.64	0.29
R15-13	51.34	0.79	4.70	0.14	6.60	0.18	15.63	21.29	0.27

plagioclase

R05-pl	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R05-1	47.27	0.04	33.56	0.00	0.61	0.00	0.15	16.23	1.87
R05-1	48.97	0.04	32.29	0.01	0.67	0.01	0.17	15.00	2.74
R05-1	49.61	0.03	31.65	0.00	0.66	0.02	0.17	14.41	3.04
R05-1	49.42	0.05	31.91	0.02	0.70	0.05	0.16	14.41	3.02
R05-2	47.91	0.00	32.73	0.02	0.50	0.01	0.20	15.64	2.38
R05-2	50.03	0.06	31.16	0.00	0.50	0.01	0.20	13.83	3.07
R05-2	47.95	0.00	32.64	0.00	0.51	0.02	0.16	15.60	2.36
R05-2	47.98	0.03	32.68	0.00	0.52	0.01	0.17	15.47	2.37
R05-2	47.99	0.03	32.68	0.00	0.56	0.00	0.18	15.49	2.29
R05-2	48.94	0.04	31.85	0.01	0.59	0.04	0.20	14.73	2.90
R05-2	48.98	0.05	31.64	0.00	0.62	0.00	0.21	14.80	2.58
R05-3	49.11	0.07	31.52	0.01	0.64	0.00	0.17	14.20	2.69
R05-3	49.79	0.07	31.16	0.04	0.72	0.01	0.19	14.07	3.02
R05-3	48.97	0.01	31.65	0.01	0.72	0.02	0.14	14.81	2.72
R05-3	49.59	0.04	30.98	0.00	0.64	0.00	0.19	14.14	2.93
R05-3	49.23	0.02	31.65	0.01	0.67	0.00	0.13	14.43	2.88
R05-3	49.27	0.01	31.84	0.00	0.64	0.01	0.13	14.64	2.88
R05-3	49.02	0.06	31.81	0.00	0.71	0.00	0.15	14.69	2.71
R05-3	48.81	0.02	32.13	0.00	0.63	0.00	0.15	14.75	2.73
R05-3	48.34	0.00	32.18	0.00	0.75	0.01	0.16	14.48	2.56
R05-3	49.36	0.04	31.84	0.00	0.61	0.02	0.17	14.85	2.86
R05-4	46.89	0.04	33.38	0.00	0.60	0.00	0.20	16.36	1.92
R05-4	48.89	0.04	32.23	0.00	0.64	0.01	0.16	14.96	2.84
R05-4	50.01	0.04	30.88	0.00	0.67	0.01	0.17	13.48	3.16
R05-4	51.28	0.05	30.90	0.03	0.79	0.00	0.16	13.35	3.43
R05-4	51.26	0.05	30.84	0.00	0.80	0.03	0.16	13.31	3.61
R05-4	48.77	0.01	32.55	0.00	0.64	0.02	0.15	15.32	2.52
R05-4	49.08	0.02	31.48	0.00	0.67	0.00	0.21	14.72	2.75
R06-pl	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R06-1	49.88	0.06	30.72	0.02	0.70	0.00	0.18	13.69	3.31
R06-1	49.80	0.05	31.31	0.00	0.61	0.00	0.18	14.13	3.13
R06-2	49.74	0.06	31.19	0.00	0.63	0.02	0.18	14.08	3.17
R06-2	49.32	0.04	31.21	0.00	0.67	0.01	0.16	14.42	3.03
R06-2	49.99	0.07	30.90	0.00	0.67	0.00	0.18	13.92	3.08
R06-2	50.10	0.04	30.98	0.00	0.75	0.03	0.16	13.87	3.33
R06-2	49.90	0.03	30.61	0.01	0.67	0.02	0.20	13.27	3.40
R06-2	48.83	0.03	31.56	0.00	0.68	0.03	0.16	14.42	2.96
R06-2	48.76	0.02	31.55	0.00	0.70	0.01	0.16	14.20	2.80
R06-2	50.27	0.05	31.18	0.00	0.53	0.02	0.16	13.74	3.32
R06-2	49.79	0.04	30.95	0.00	0.53	0.01	0.14	13.66	3.36
R06-2	49.86	0.05	30.73	0.02	0.56	0.03	0.14	13.97	3.17
R06-3	45.88	0.01	33.48	0.01	0.41	0.00	0.18	17.12	1.42
R06-3	43.90	0.00	35.64	0.01	0.35	0.00	0.13	18.62	0.72
R06-3	43.50	0.00	35.69	0.00	0.34	0.03	0.09	18.01	0.56

R06-3	43.96	0.01	35.62	0.01	0.33	0.00	0.09	18.60	0.57
R06-3	43.73	0.01	35.74	0.00	0.35	0.00	0.09	18.67	0.70
R06-3	46.66	0.02	33.66	0.01	0.50	0.00	0.18	16.32	1.86
R06-3	46.22	0.02	33.88	0.02	0.49	0.00	0.17	17.16	1.51
R06-3	48.69	0.01	32.15	0.00	0.54	0.00	0.20	14.93	2.57
R06-3	48.94	0.07	32.05	0.00	0.53	0.00	0.19	14.76	2.62
R06-12	50.96	0.04	31.41	0.00	0.59	0.03	0.22	14.77	3.21
R06-12	50.85	0.02	31.63	0.00	0.63	0.00	0.20	14.48	3.17
R06-12	46.40	0.01	34.55	0.00	0.45	0.00	0.16	17.82	1.32
R06-12	46.69	0.01	34.62	0.00	0.48	0.01	0.16	17.99	1.38
R06-12	50.31	0.03	31.65	0.01	0.60	0.02	0.24	15.34	2.95
R06-12	50.18	0.00	31.64	0.00	0.63	0.00	0.22	15.41	2.85

R15-pl	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R15-1	47.79	0.00	32.87	0.01	0.60	0.04	0.20	15.82	2.29
R15-1	48.66	0.05	32.65	0.00	0.59	0.00	0.21	15.43	2.51
R15-1	47.93	0.03	32.74	0.00	0.52	0.01	0.18	15.73	2.33
R15-1	48.72	0.05	31.88	0.01	0.55	0.01	0.21	14.89	2.62
R15-1	47.76	0.03	32.90	0.01	0.53	0.00	0.16	15.60	2.24
R15-1	49.53	0.05	31.67	0.00	0.66	0.01	0.15	14.31	2.98
R15-1	48.87	0.05	31.99	0.03	0.67	0.03	0.16	14.85	2.66
R15-1	48.96	0.06	31.97	0.00	0.53	0.01	0.15	14.70	2.72
R15-1	48.28	0.03	32.39	0.01	0.56	0.01	0.17	15.29	2.50
R15-2	48.47	0.03	32.13	0.01	0.62	0.00	0.16	15.24	2.53
R15-2	47.92	0.05	32.46	0.00	0.52	0.01	0.17	14.86	2.43
R15-2	46.00	0.00	33.87	0.01	0.48	0.00	0.13	17.07	1.47
R15-2	49.69	0.03	31.08	0.01	0.68	0.00	0.17	14.15	2.54
R15-2	49.76	0.06	31.48	0.02	0.67	0.03	0.17	13.93	3.05
R15-2	50.32	0.08	30.24	0.00	0.64	0.02	0.15	13.46	3.53
R15-2	49.15	0.04	31.64	0.00	0.62	0.02	0.18	14.38	2.79
R15-3	49.83	0.02	30.83	0.01	0.60	0.03	0.16	13.96	3.16
R15-3	49.86	0.05	31.42	0.00	0.61	0.00	0.18	14.08	3.12
R15-3	50.30	0.03	31.11	0.00	0.63	0.01	0.15	13.43	3.39
R15-3	50.18	0.07	30.93	0.01	0.77	0.01	0.17	13.70	3.39
R15-3	45.86	0.04	34.23	0.00	0.57	0.00	0.13	16.79	1.64
R15-3	45.77	0.03	34.17	0.01	0.58	0.00	0.11	17.32	1.36
R15-3	49.58	0.33	28.45	0.00	2.43	0.06	1.36	13.24	2.60
R15-3	48.39	0.07	32.32	0.00	0.61	0.01	0.14	15.25	2.59
R15-4	46.36	0.03	34.44	0.00	0.54	0.03	0.14	17.65	1.60
R15-11	48.03	0.04	33.88	0.01	0.49	0.02	0.14	17.07	1.84
R15-11	46.96	0.00	34.62	0.00	0.48	0.02	0.15	17.86	1.51
R15-11	47.37	0.05	34.13	0.01	0.47	0.01	0.16	17.41	1.62
R15-11	46.61	0.03	34.54	0.01	0.47	0.02	0.14	17.94	1.41
R15-11	46.62	0.01	34.72	0.00	0.50	0.00	0.13	18.25	1.35
R15-12	51.60	0.08	31.49	0.00	0.75	0.00	0.21	14.87	3.23
R15-12	51.45	0.02	30.88	0.00	0.78	0.00	0.24	13.89	3.46
R15-12	51.76	0.06	31.07	0.00	0.77	0.01	0.20	14.47	3.52

R15-14	51.90	0.33	27.32	0.00	2.94	0.05	1.48	13.39	3.31
R15-14	50.99	0.19	29.06	0.00	2.03	0.04	0.94	14.07	3.06
R15-13	51.27	0.03	31.91	0.00	0.64	0.01	0.16	14.87	3.14
R15-13	50.92	0.03	30.55	0.00	0.66	0.00	0.19	14.79	3.34
R15-13	51.60	0.04	31.55	0.02	0.67	0.00	0.22	14.59	3.44
R15-15	47.91	0.03	34.00	0.00	0.64	0.02	0.17	17.06	1.76
R15-15	47.38	0.03	34.41	0.00	0.61	0.01	0.12	17.75	1.61
R15-15	47.17	0.02	34.34	0.01	0.68	0.01	0.12	17.74	1.51
R15-15	48.73	0.04	33.44	0.02	0.61	0.02	0.17	16.73	2.08
R15-15	47.51	0.00	34.03	0.01	0.55	0.00	0.13	17.30	1.56
R15-15	47.24	0.04	34.15	0.01	0.52	0.04	0.14	17.73	1.33
R15-15	49.36	0.03	33.29	0.01	0.53	0.01	0.18	16.57	2.33
R15-16	51.56	0.04	31.18	0.00	0.63	0.01	0.16	14.40	3.49
R15-16	51.96	0.03	30.98	0.00	0.69	0.00	0.18	14.20	3.70

amphibole

	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R15-3	41.58	1.04	13.48	0.01	16.49	0.29	10.21	11.47	2.03
R15-3	41.65	1.06	13.24	0.00	16.27	0.30	10.05	11.33	2.07
R15-3	41.41	1.02	13.41	0.01	16.53	0.32	10.26	11.40	1.88

ilmenite

	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R15-3	0.02	45.77	1.92	0.01	49.59	1.88	0.13	0.12	0.04
R15-3	6.23	45.58	1.75	0.02	36.98	1.78	1.21	4.82	0.05

K2O	P2O5	Total	Wo	En	Fs	Ac
0.00	0.02	99.71	44.9	46.1	8.0	1.0
0.00	0.02	100.06	44.6	46.1	8.4	1.0
0.00	0.02	99.96	45.1	45.9	8.0	1.0
0.00	0.00	100.18	45.3	45.9	7.7	1.1
0.00	0.03	100.11	44.9	46.0	8.0	1.1
0.00	0.00	99.60	44.8	45.8	8.3	1.1
0.00	0.00	99.85	44.8	45.9	8.2	1.0
0.01	0.01	99.86	44.7	46.1	8.2	1.0
0.00	0.00	99.72	44.1	45.4	9.7	0.7
0.00	0.03	99.78	43.3	46.1	9.8	0.8
0.01	0.01	99.77	43.2	46.3	9.6	0.9
0.00	0.05	99.51	45.5	45.7	7.9	1.0
0.01	0.03	100.14	43.2	46.4	9.5	0.9
0.00	0.00	99.92	43.2	46.7	9.3	0.8
0.01	0.00	99.20	42.0	46.7	10.5	0.9
0.00	0.00	99.55	42.6	44.7	11.6	1.1
0.01	0.00	100.35	38.4	50.4	10.5	0.6
0.01	0.00	99.81	44.2	44.7	10.1	1.0
0.01	0.00	100.27	36.5	51.7	11.2	0.5

K2O	P2O5	Total	Wo	En	Fs	Ac
0.01	0.00	100.35	41.7	47.4	10.1	0.8
0.00	0.02	100.30	37.6	51.3	10.5	0.7
0.05	0.00	99.66	43.1	44.3	9.7	3.0
0.00	0.00	100.56	44.2	44.8	10.0	1.0
0.02	0.00	99.82	43.9	45.1	10.0	0.9
0.00	0.00	100.33	43.9	45.0	10.2	0.9
0.02	0.00	99.62	43.6	45.5	9.8	1.1
0.00	0.00	100.19	44.5	44.7	9.8	1.0

K2O	P2O5	Total	Wo	En	Fs	Ac
0.00	0.00	100.28	41.6	48.6	9.2	0.5
0.00	0.00	99.24	40.3	49.4	9.6	0.7
0.00	0.00	99.58	42.4	44.9	10.7	1.9
0.00	0.00	100.99	43.6	46.4	9.1	0.9
0.00	0.00	101.02	43.3	45.6	9.9	1.1
0.00	0.00	99.12	44.2	45.5	9.4	0.9
0.01	0.04	99.06	44.4	46.2	8.5	0.9
0.00	0.00	100.34	38.3	50.4	10.6	0.7
0.01	0.00	100.97	38.7	50.0	10.6	0.7
0.00	0.00	100.54	41.0	48.0	10.1	0.8
0.00	0.00	100.40	44.8	43.7	10.4	1.1
0.01	0.00	101.01	43.6	44.6	10.8	1.0

K2O	P2O5	Total	An mol%	Ab mol%	Or mol%
0.02	0.05	99.84	82.6	17.2	0.1
0.03	0.07	100.02	75.0	24.8	0.2
0.03	0.02	99.72	72.3	27.5	0.2
0.03	0.03	99.82	72.4	27.4	0.2
0.03	0.01	99.43	78.2	21.6	0.2
0.03	0.00	98.91	71.3	28.6	0.2
0.02	0.06	99.32	78.4	21.5	0.1
0.03	0.01	99.27	78.1	21.7	0.2
0.02	0.01	99.27	78.8	21.1	0.1
0.03	0.01	99.38	73.6	26.3	0.2
0.02	0.00	98.97	75.9	24.0	0.1
0.02	0.05	98.51	74.4	25.5	0.1
0.01	0.03	99.11	72.0	28.0	0.1
0.03	0.01	99.15	74.9	24.9	0.2
0.02	0.13	98.72	72.6	27.3	0.1
0.03	0.10	99.14	73.4	26.5	0.2
0.03	0.08	99.54	73.6	26.2	0.2
0.02	0.02	99.19	74.9	25.0	0.1
0.03	0.00	99.25	74.8	25.1	0.2
0.03	0.16	98.68	75.6	24.2	0.2
0.03	0.02	99.84	74.0	25.8	0.2
0.02	0.03	99.45	82.4	17.5	0.1
0.01	0.02	99.81	74.4	25.6	0.1
0.04	0.00	98.47	70.0	29.7	0.2
0.05	0.02	100.04	68.0	31.7	0.3
0.04	0.02	100.12	66.9	32.8	0.2
0.02	0.01	100.08	77.0	22.9	0.1
0.03	0.04	99.04	74.6	25.2	0.2

K2O	P2O5	Total	An mol%	Ab mol%	Or mol%
0.03	0.03	98.62	69.4	30.4	0.2
0.03	0.00	99.31	71.2	28.6	0.2
0.04	0.00	99.12	70.9	28.9	0.2
0.03	0.01	98.93	72.3	27.5	0.2
0.04	0.00	98.88	71.3	28.5	0.3
0.03	0.02	99.36	69.6	30.2	0.2
0.03	0.00	98.19	68.2	31.6	0.2
0.03	0.00	98.70	72.8	27.0	0.2
0.02	0.01	98.30	73.6	26.2	0.1
0.05	0.00	99.41	69.4	30.3	0.3
0.04	0.02	98.56	69.0	30.7	0.3
0.05	0.02	98.62	70.7	29.1	0.3
0.02	0.00	98.54	86.9	13.0	0.1
0.00	0.01	99.38	93.5	6.5	0.0
0.00	0.04	98.27	94.7	5.3	0.0

0.01	0.03	99.23	94.7	5.3	0.1
0.00	0.01	99.31	93.6	6.4	0.0
0.02	0.05	99.29	82.8	17.1	0.1
0.02	0.02	99.52	86.2	13.7	0.1
0.01	0.00	99.09	76.2	23.7	0.0
0.03	0.01	99.20	75.5	24.3	0.2
0.03	0.00	101.32	71.6	28.2	0.2
0.03	0.00	101.05	71.5	28.3	0.2
0.00	0.00	100.71	88.2	11.8	0.0
0.01	0.00	101.39	87.8	12.2	0.0
0.03	0.00	101.19	74.1	25.8	0.1
0.02	0.00	100.96	74.8	25.0	0.1

K2O	P2O5	Total	An mol%	Ab mol%	Or mol%
0.02	0.01	99.68	79.2	20.7	0.1
0.02	0.03	100.17	77.2	22.7	0.1
0.01	0.01	99.51	78.8	21.1	0.1
0.03	0.03	99.01	75.7	24.1	0.2
0.01	0.01	99.27	79.3	20.6	0.1
0.04	0.03	99.44	72.4	27.3	0.2
0.03	0.11	99.50	75.4	24.4	0.2
0.03	0.00	99.14	74.8	25.1	0.2
0.02	0.02	99.30	77.0	22.8	0.1
0.02	0.01	99.24	76.8	23.1	0.1
0.03	0.02	98.48	77.0	22.8	0.2
0.01	0.03	99.06	86.5	13.5	0.0
0.03	0.02	98.45	75.3	24.5	0.2
0.03	0.01	99.23	71.5	28.3	0.2
0.04	0.02	98.58	67.6	32.1	0.2
0.02	0.04	98.92	73.9	25.9	0.1
0.04	0.05	98.70	70.7	29.0	0.3
0.03	0.01	99.40	71.2	28.6	0.2
0.04	0.00	99.13	68.5	31.3	0.2
0.04	0.06	99.37	68.9	30.9	0.3
0.01	0.03	99.31	84.9	15.0	0.1
0.00	0.01	99.41	87.5	12.5	0.0
0.09	0.05	98.27	73.3	26.0	0.6
0.03	0.03	99.45	76.4	23.5	0.2
0.02	0.04	100.88	85.8	14.1	0.1
0.02	0.00	101.64	83.6	16.3	0.1
0.00	0.00	101.68	86.7	13.3	0.0
0.02	0.00	101.34	85.5	14.4	0.1
0.01	0.00	101.20	87.5	12.4	0.1
0.01	0.00	101.61	88.1	11.8	0.1
0.04	0.00	102.30	71.6	28.1	0.2
0.03	0.00	100.76	68.8	31.0	0.2
0.02	0.00	101.93	69.4	30.5	0.1

0.11	0.00	100.89	68.7	30.7	0.6
0.07	0.00	100.51	71.4	28.1	0.4
0.03	0.00	102.08	72.3	27.6	0.2
0.05	0.00	100.56	70.8	29.0	0.3
0.05	0.00	102.26	69.9	29.8	0.3
0.03	0.00	101.62	84.1	15.7	0.2
0.02	0.00	101.99	85.8	14.1	0.1
0.02	0.00	101.65	86.6	13.3	0.1
0.02	0.00	101.85	81.5	18.4	0.1
0.02	0.00	101.14	85.9	14.0	0.1
0.02	0.00	101.24	87.9	11.9	0.1
0.03	0.00	102.36	79.6	20.2	0.1
0.02	0.00	101.49	69.4	30.4	0.1
0.04	0.00	101.85	67.8	32.0	0.2

K2O	P2O5	F	Cl	SO3	Total
0.32	0.03	0.08	0.13	0.00	97.10
0.33	0.01	0.04	0.11	0.00	96.42
0.33	0.04	0.01	0.12	0.02	96.73

K2O	P2O5	Total
0.00	0.05	99.52
0.04	0.07	98.59

Supplementary 2. Electron microprobe analyses for minerals in glass

R05-cpx	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R05-18	52.59	0.56	2.74	0.31	4.88	0.13	16.22	21.98	0.28
R05-18	52.49	0.54	2.77	0.31	5.16	0.14	16.33	21.98	0.27
R05-18	52.58	0.55	2.59	0.32	4.94	0.10	16.28	22.28	0.29
R05-18	52.61	0.58	2.60	0.31	4.80	0.12	16.34	22.46	0.30
R05-18	52.60	0.59	2.72	0.34	4.93	0.13	16.32	22.15	0.30
R05-18	52.75	0.55	2.54	0.29	5.06	0.12	16.09	21.90	0.30
R05-18	52.63	0.53	2.53	0.30	5.10	0.10	16.27	22.11	0.28
R05-18	52.67	0.51	2.61	0.29	5.06	0.11	16.31	22.03	0.26
R05-18	51.36	0.64	3.78	0.23	5.94	0.15	15.91	21.48	0.20
R05-18	51.70	0.60	3.73	0.20	5.93	0.16	16.12	21.07	0.22
R05-18	51.83	0.56	3.33	0.24	5.86	0.17	16.32	21.17	0.23
R05-18	52.06	0.58	2.74	0.33	4.88	0.08	16.14	22.38	0.27
R05-18	52.15	0.57	3.27	0.28	5.84	0.13	16.39	21.20	0.25
R05-18	52.19	0.49	3.17	0.33	5.72	0.14	16.45	21.19	0.23
R05-cpx1	50.97	0.65	4.09	0.24	6.39	0.14	16.19	20.28	0.23
R05-cpx2	50.23	1.03	5.46	0.10	6.87	0.17	15.19	20.14	0.28
R05-cpx2	53.46	0.38	2.19	0.14	6.48	0.20	18.07	19.18	0.18
R05-cpx2	51.14	0.74	4.47	0.28	6.10	0.11	15.44	21.22	0.27
R05-cpx2	53.37	0.41	2.27	0.15	6.95	0.21	18.51	18.18	0.15
R06-cpx	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R06-14	51.65	0.60	4.08	0.48	6.19	0.13	16.61	20.36	0.23
R06-14	53.43	0.33	2.19	0.15	6.53	0.18	18.44	18.80	0.20
R06-13	51.36	0.66	6.92	0.45	5.44	0.12	14.35	19.43	0.74
R6-14-2	51.46	0.74	4.15	0.32	6.17	0.14	15.72	21.60	0.26
R6-14-2	51.66	0.62	3.92	0.35	6.06	0.14	15.63	21.18	0.24
R6-14-2	51.10	0.84	4.63	0.33	6.20	0.15	15.63	21.20	0.24
R6-14-2	50.51	0.60	4.73	0.38	5.98	0.12	15.84	21.12	0.29
R6-14-2	50.84	0.79	4.67	0.42	6.00	0.12	15.55	21.53	0.28
R15-cpx	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R15-12	53.56	0.35	1.78	0.26	5.74	0.16	17.46	20.79	0.15
R15-12	52.66	0.39	2.36	0.36	5.87	0.17	17.43	19.78	0.18
R15-12	51.05	0.73	5.41	0.20	6.32	0.13	15.20	19.98	0.50
R15-16	51.81	0.58	4.02	0.45	5.72	0.08	16.49	21.59	0.25
R15-16	51.48	0.54	4.40	0.12	6.17	0.16	16.29	21.53	0.30
R15-3	50.43	0.53	4.42	0.34	5.75	0.13	15.84	21.42	0.24
R15-3	50.94	0.56	3.51	0.54	5.19	0.12	16.22	21.68	0.26
R15-13	53.27	0.33	2.18	0.08	6.65	0.20	18.17	19.22	0.20
R15-13	53.51	0.36	2.44	0.10	6.64	0.17	18.05	19.45	0.20
R15-13	53.04	0.35	2.73	0.09	6.28	0.19	17.18	20.42	0.21
R15-13	51.46	0.69	4.49	0.18	6.28	0.17	15.16	21.64	0.29
R15-13	51.34	0.79	4.70	0.14	6.60	0.18	15.63	21.29	0.27

K2O	P2O5	Total	Wo	En	Fs	Ac
0.00	0.02	99.71	44.9	46.1	8.0	1.0
0.00	0.02	100.06	44.6	46.1	8.4	1.0
0.00	0.02	99.96	45.1	45.9	8.0	1.0
0.00	0.00	100.18	45.3	45.9	7.7	1.1
0.00	0.03	100.11	44.9	46.0	8.0	1.1
0.00	0.00	99.60	44.8	45.8	8.3	1.1
0.00	0.00	99.85	44.8	45.9	8.2	1.0
0.01	0.01	99.86	44.7	46.1	8.2	1.0
0.00	0.00	99.72	44.1	45.4	9.7	0.7
0.00	0.03	99.78	43.3	46.1	9.8	0.8
0.01	0.01	99.77	43.2	46.3	9.6	0.9
0.00	0.05	99.51	45.5	45.7	7.9	1.0
0.01	0.03	100.14	43.2	46.4	9.5	0.9
0.00	0.00	99.92	43.2	46.7	9.3	0.8
0.01	0.00	99.20	42.0	46.7	10.5	0.9
0.00	0.00	99.55	42.6	44.7	11.6	1.1
0.01	0.00	100.35	38.4	50.4	10.5	0.6
0.01	0.00	99.81	44.2	44.7	10.1	1.0
0.01	0.00	100.27	36.5	51.7	11.2	0.5

K2O	P2O5	Total	Wo	En	Fs	Ac
0.01	0.00	100.35	41.7	47.4	10.1	0.8
0.00	0.02	100.30	37.6	51.3	10.5	0.7
0.05	0.00	99.66	43.1	44.3	9.7	3.0
0.00	0.00	100.56	44.2	44.8	10.0	1.0
0.02	0.00	99.82	43.9	45.1	10.0	0.9
0.00	0.00	100.33	43.9	45.0	10.2	0.9
0.02	0.00	99.62	43.6	45.5	9.8	1.1
0.00	0.00	100.19	44.5	44.7	9.8	1.0

K2O	P2O5	Total	Wo	En	Fs	Ac
0.00	0.00	100.28	41.6	48.6	9.2	0.5
0.00	0.00	99.24	40.3	49.4	9.6	0.7
0.00	0.00	99.58	42.4	44.9	10.7	1.9
0.00	0.00	100.99	43.6	46.4	9.1	0.9
0.00	0.00	101.02	43.3	45.6	9.9	1.1
0.00	0.00	99.12	44.2	45.5	9.4	0.9
0.01	0.04	99.06	44.4	46.2	8.5	0.9
0.00	0.00	100.34	38.3	50.4	10.6	0.7
0.01	0.00	100.97	38.7	50.0	10.6	0.7
0.00	0.00	100.54	41.0	48.0	10.1	0.8
0.00	0.00	100.40	44.8	43.7	10.4	1.1
0.01	0.00	101.01	43.6	44.6	10.8	1.0

R05-pl	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R05-1	47.27	0.04	33.56	0.00	0.61	0.00	0.15	16.23	1.87
R05-1	48.97	0.04	32.29	0.01	0.67	0.01	0.17	15.00	2.74
R05-1	49.61	0.03	31.65	0.00	0.66	0.02	0.17	14.41	3.04
R05-1	49.42	0.05	31.91	0.02	0.70	0.05	0.16	14.41	3.02
R05-2	47.91	0.00	32.73	0.02	0.50	0.01	0.20	15.64	2.38
R05-2	50.03	0.06	31.16	0.00	0.50	0.01	0.20	13.83	3.07
R05-2	47.95	0.00	32.64	0.00	0.51	0.02	0.16	15.60	2.36
R05-2	47.98	0.03	32.68	0.00	0.52	0.01	0.17	15.47	2.37
R05-2	47.99	0.03	32.68	0.00	0.56	0.00	0.18	15.49	2.29
R05-2	48.94	0.04	31.85	0.01	0.59	0.04	0.20	14.73	2.90
R05-2	48.98	0.05	31.64	0.00	0.62	0.00	0.21	14.80	2.58
R05-3	49.11	0.07	31.52	0.01	0.64	0.00	0.17	14.20	2.69
R05-3	49.79	0.07	31.16	0.04	0.72	0.01	0.19	14.07	3.02
R05-3	48.97	0.01	31.65	0.01	0.72	0.02	0.14	14.81	2.72
R05-3	49.59	0.04	30.98	0.00	0.64	0.00	0.19	14.14	2.93
R05-3	49.23	0.02	31.65	0.01	0.67	0.00	0.13	14.43	2.88
R05-3	49.27	0.01	31.84	0.00	0.64	0.01	0.13	14.64	2.88
R05-3	49.02	0.06	31.81	0.00	0.71	0.00	0.15	14.69	2.71
R05-3	48.81	0.02	32.13	0.00	0.63	0.00	0.15	14.75	2.73
R05-3	48.34	0.00	32.18	0.00	0.75	0.01	0.16	14.48	2.56
R05-3	49.36	0.04	31.84	0.00	0.61	0.02	0.17	14.85	2.86
R05-4	46.89	0.04	33.38	0.00	0.60	0.00	0.20	16.36	1.92
R05-4	48.89	0.04	32.23	0.00	0.64	0.01	0.16	14.96	2.84
R05-4	50.01	0.04	30.88	0.00	0.67	0.01	0.17	13.48	3.16
R05-4	51.28	0.05	30.90	0.03	0.79	0.00	0.16	13.35	3.43
R05-4	51.26	0.05	30.84	0.00	0.80	0.03	0.16	13.31	3.61
R05-4	48.77	0.01	32.55	0.00	0.64	0.02	0.15	15.32	2.52
R05-4	49.08	0.02	31.48	0.00	0.67	0.00	0.21	14.72	2.75
R06-pl	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R06-1	49.88	0.06	30.72	0.02	0.70	0.00	0.18	13.69	3.31
R06-1	49.80	0.05	31.31	0.00	0.61	0.00	0.18	14.13	3.13
R06-2	49.74	0.06	31.19	0.00	0.63	0.02	0.18	14.08	3.17
R06-2	49.32	0.04	31.21	0.00	0.67	0.01	0.16	14.42	3.03
R06-2	49.99	0.07	30.90	0.00	0.67	0.00	0.18	13.92	3.08
R06-2	50.10	0.04	30.98	0.00	0.75	0.03	0.16	13.87	3.33
R06-2	49.90	0.03	30.61	0.01	0.67	0.02	0.20	13.27	3.40
R06-2	48.83	0.03	31.56	0.00	0.68	0.03	0.16	14.42	2.96
R06-2	48.76	0.02	31.55	0.00	0.70	0.01	0.16	14.20	2.80
R06-2	50.27	0.05	31.18	0.00	0.53	0.02	0.16	13.74	3.32
R06-2	49.79	0.04	30.95	0.00	0.53	0.01	0.14	13.66	3.36
R06-2	49.86	0.05	30.73	0.02	0.56	0.03	0.14	13.97	3.17
R06-3	45.88	0.01	33.48	0.01	0.41	0.00	0.18	17.12	1.42
R06-3	43.90	0.00	35.64	0.01	0.35	0.00	0.13	18.62	0.72
R06-3	43.50	0.00	35.69	0.00	0.34	0.03	0.09	18.01	0.56

R06-3	43.96	0.01	35.62	0.01	0.33	0.00	0.09	18.60	0.57
R06-3	43.73	0.01	35.74	0.00	0.35	0.00	0.09	18.67	0.70
R06-3	46.66	0.02	33.66	0.01	0.50	0.00	0.18	16.32	1.86
R06-3	46.22	0.02	33.88	0.02	0.49	0.00	0.17	17.16	1.51
R06-3	48.69	0.01	32.15	0.00	0.54	0.00	0.20	14.93	2.57
R06-3	48.94	0.07	32.05	0.00	0.53	0.00	0.19	14.76	2.62
R06-12	50.96	0.04	31.41	0.00	0.59	0.03	0.22	14.77	3.21
R06-12	50.85	0.02	31.63	0.00	0.63	0.00	0.20	14.48	3.17
R06-12	46.40	0.01	34.55	0.00	0.45	0.00	0.16	17.82	1.32
R06-12	46.69	0.01	34.62	0.00	0.48	0.01	0.16	17.99	1.38
R06-12	50.31	0.03	31.65	0.01	0.60	0.02	0.24	15.34	2.95
R06-12	50.18	0.00	31.64	0.00	0.63	0.00	0.22	15.41	2.85

R15-pl	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R15-1	47.79	0.00	32.87	0.01	0.60	0.04	0.20	15.82	2.29
R15-1	48.66	0.05	32.65	0.00	0.59	0.00	0.21	15.43	2.51
R15-1	47.93	0.03	32.74	0.00	0.52	0.01	0.18	15.73	2.33
R15-1	48.72	0.05	31.88	0.01	0.55	0.01	0.21	14.89	2.62
R15-1	47.76	0.03	32.90	0.01	0.53	0.00	0.16	15.60	2.24
R15-1	49.53	0.05	31.67	0.00	0.66	0.01	0.15	14.31	2.98
R15-1	48.87	0.05	31.99	0.03	0.67	0.03	0.16	14.85	2.66
R15-1	48.96	0.06	31.97	0.00	0.53	0.01	0.15	14.70	2.72
R15-1	48.28	0.03	32.39	0.01	0.56	0.01	0.17	15.29	2.50
R15-2	48.47	0.03	32.13	0.01	0.62	0.00	0.16	15.24	2.53
R15-2	47.92	0.05	32.46	0.00	0.52	0.01	0.17	14.86	2.43
R15-2	46.00	0.00	33.87	0.01	0.48	0.00	0.13	17.07	1.47
R15-2	49.69	0.03	31.08	0.01	0.68	0.00	0.17	14.15	2.54
R15-2	49.76	0.06	31.48	0.02	0.67	0.03	0.17	13.93	3.05
R15-2	50.32	0.08	30.24	0.00	0.64	0.02	0.15	13.46	3.53
R15-2	49.15	0.04	31.64	0.00	0.62	0.02	0.18	14.38	2.79
R15-3	49.83	0.02	30.83	0.01	0.60	0.03	0.16	13.96	3.16
R15-3	49.86	0.05	31.42	0.00	0.61	0.00	0.18	14.08	3.12
R15-3	50.30	0.03	31.11	0.00	0.63	0.01	0.15	13.43	3.39
R15-3	50.18	0.07	30.93	0.01	0.77	0.01	0.17	13.70	3.39
R15-3	45.86	0.04	34.23	0.00	0.57	0.00	0.13	16.79	1.64
R15-3	45.77	0.03	34.17	0.01	0.58	0.00	0.11	17.32	1.36
R15-3	49.58	0.33	28.45	0.00	2.43	0.06	1.36	13.24	2.60
R15-3	48.39	0.07	32.32	0.00	0.61	0.01	0.14	15.25	2.59
R15-4	46.36	0.03	34.44	0.00	0.54	0.03	0.14	17.65	1.60
R15-11	48.03	0.04	33.88	0.01	0.49	0.02	0.14	17.07	1.84
R15-11	46.96	0.00	34.62	0.00	0.48	0.02	0.15	17.86	1.51
R15-11	47.37	0.05	34.13	0.01	0.47	0.01	0.16	17.41	1.62
R15-11	46.61	0.03	34.54	0.01	0.47	0.02	0.14	17.94	1.41
R15-11	46.62	0.01	34.72	0.00	0.50	0.00	0.13	18.25	1.35
R15-12	51.60	0.08	31.49	0.00	0.75	0.00	0.21	14.87	3.23
R15-12	51.45	0.02	30.88	0.00	0.78	0.00	0.24	13.89	3.46
R15-12	51.76	0.06	31.07	0.00	0.77	0.01	0.20	14.47	3.52

R15-14	51.90	0.33	27.32	0.00	2.94	0.05	1.48	13.39	3.31
R15-14	50.99	0.19	29.06	0.00	2.03	0.04	0.94	14.07	3.06
R15-13	51.27	0.03	31.91	0.00	0.64	0.01	0.16	14.87	3.14
R15-13	50.92	0.03	30.55	0.00	0.66	0.00	0.19	14.79	3.34
R15-13	51.60	0.04	31.55	0.02	0.67	0.00	0.22	14.59	3.44
R15-15	47.91	0.03	34.00	0.00	0.64	0.02	0.17	17.06	1.76
R15-15	47.38	0.03	34.41	0.00	0.61	0.01	0.12	17.75	1.61
R15-15	47.17	0.02	34.34	0.01	0.68	0.01	0.12	17.74	1.51
R15-15	48.73	0.04	33.44	0.02	0.61	0.02	0.17	16.73	2.08
R15-15	47.51	0.00	34.03	0.01	0.55	0.00	0.13	17.30	1.56
R15-15	47.24	0.04	34.15	0.01	0.52	0.04	0.14	17.73	1.33
R15-15	49.36	0.03	33.29	0.01	0.53	0.01	0.18	16.57	2.33
R15-16	51.56	0.04	31.18	0.00	0.63	0.01	0.16	14.40	3.49
R15-16	51.96	0.03	30.98	0.00	0.69	0.00	0.18	14.20	3.70

K2O	P2O5	Total	An mol%	Ab mol%	Or mol%
0.02	0.05	99.84	82.6	17.2	0.1
0.03	0.07	100.02	75.0	24.8	0.2
0.03	0.02	99.72	72.3	27.5	0.2
0.03	0.03	99.82	72.4	27.4	0.2
0.03	0.01	99.43	78.2	21.6	0.2
0.03	0.00	98.91	71.3	28.6	0.2
0.02	0.06	99.32	78.4	21.5	0.1
0.03	0.01	99.27	78.1	21.7	0.2
0.02	0.01	99.27	78.8	21.1	0.1
0.03	0.01	99.38	73.6	26.3	0.2
0.02	0.00	98.97	75.9	24.0	0.1
0.02	0.05	98.51	74.4	25.5	0.1
0.01	0.03	99.11	72.0	28.0	0.1
0.03	0.01	99.15	74.9	24.9	0.2
0.02	0.13	98.72	72.6	27.3	0.1
0.03	0.10	99.14	73.4	26.5	0.2
0.03	0.08	99.54	73.6	26.2	0.2
0.02	0.02	99.19	74.9	25.0	0.1
0.03	0.00	99.25	74.8	25.1	0.2
0.03	0.16	98.68	75.6	24.2	0.2
0.03	0.02	99.84	74.0	25.8	0.2
0.02	0.03	99.45	82.4	17.5	0.1
0.01	0.02	99.81	74.4	25.6	0.1
0.04	0.00	98.47	70.0	29.7	0.2
0.05	0.02	100.04	68.0	31.7	0.3
0.04	0.02	100.12	66.9	32.8	0.2
0.02	0.01	100.08	77.0	22.9	0.1
0.03	0.04	99.04	74.6	25.2	0.2

K2O	P2O5	Total	An mol%	Ab mol%	Or mol%
0.03	0.03	98.62	69.4	30.4	0.2
0.03	0.00	99.31	71.2	28.6	0.2
0.04	0.00	99.12	70.9	28.9	0.2
0.03	0.01	98.93	72.3	27.5	0.2
0.04	0.00	98.88	71.3	28.5	0.3
0.03	0.02	99.36	69.6	30.2	0.2
0.03	0.00	98.19	68.2	31.6	0.2
0.03	0.00	98.70	72.8	27.0	0.2
0.02	0.01	98.30	73.6	26.2	0.1
0.05	0.00	99.41	69.4	30.3	0.3
0.04	0.02	98.56	69.0	30.7	0.3
0.05	0.02	98.62	70.7	29.1	0.3
0.02	0.00	98.54	86.9	13.0	0.1
0.00	0.01	99.38	93.5	6.5	0.0
0.00	0.04	98.27	94.7	5.3	0.0

0.01	0.03	99.23	94.7	5.3	0.1
0.00	0.01	99.31	93.6	6.4	0.0
0.02	0.05	99.29	82.8	17.1	0.1
0.02	0.02	99.52	86.2	13.7	0.1
0.01	0.00	99.09	76.2	23.7	0.0
0.03	0.01	99.20	75.5	24.3	0.2
0.03	0.00	101.32	71.6	28.2	0.2
0.03	0.00	101.05	71.5	28.3	0.2
0.00	0.00	100.71	88.2	11.8	0.0
0.01	0.00	101.39	87.8	12.2	0.0
0.03	0.00	101.19	74.1	25.8	0.1
0.02	0.00	100.96	74.8	25.0	0.1

K2O	P2O5	Total	An mol%	Ab mol%	Or mol%
0.02	0.01	99.68	79.2	20.7	0.1
0.02	0.03	100.17	77.2	22.7	0.1
0.01	0.01	99.51	78.8	21.1	0.1
0.03	0.03	99.01	75.7	24.1	0.2
0.01	0.01	99.27	79.3	20.6	0.1
0.04	0.03	99.44	72.4	27.3	0.2
0.03	0.11	99.50	75.4	24.4	0.2
0.03	0.00	99.14	74.8	25.1	0.2
0.02	0.02	99.30	77.0	22.8	0.1
0.02	0.01	99.24	76.8	23.1	0.1
0.03	0.02	98.48	77.0	22.8	0.2
0.01	0.03	99.06	86.5	13.5	0.0
0.03	0.02	98.45	75.3	24.5	0.2
0.03	0.01	99.23	71.5	28.3	0.2
0.04	0.02	98.58	67.6	32.1	0.2
0.02	0.04	98.92	73.9	25.9	0.1
0.04	0.05	98.70	70.7	29.0	0.3
0.03	0.01	99.40	71.2	28.6	0.2
0.04	0.00	99.13	68.5	31.3	0.2
0.04	0.06	99.37	68.9	30.9	0.3
0.01	0.03	99.31	84.9	15.0	0.1
0.00	0.01	99.41	87.5	12.5	0.0
0.09	0.05	98.27	73.3	26.0	0.6
0.03	0.03	99.45	76.4	23.5	0.2
0.02	0.04	100.88	85.8	14.1	0.1
0.02	0.00	101.64	83.6	16.3	0.1
0.00	0.00	101.68	86.7	13.3	0.0
0.02	0.00	101.34	85.5	14.4	0.1
0.01	0.00	101.20	87.5	12.4	0.1
0.01	0.00	101.61	88.1	11.8	0.1
0.04	0.00	102.30	71.6	28.1	0.2
0.03	0.00	100.76	68.8	31.0	0.2
0.02	0.00	101.93	69.4	30.5	0.1

0.11	0.00	100.89	68.7	30.7	0.6
0.07	0.00	100.51	71.4	28.1	0.4
0.03	0.00	102.08	72.3	27.6	0.2
0.05	0.00	100.56	70.8	29.0	0.3
0.05	0.00	102.26	69.9	29.8	0.3
0.03	0.00	101.62	84.1	15.7	0.2
0.02	0.00	101.99	85.8	14.1	0.1
0.02	0.00	101.65	86.6	13.3	0.1
0.02	0.00	101.85	81.5	18.4	0.1
0.02	0.00	101.14	85.9	14.0	0.1
0.02	0.00	101.24	87.9	11.9	0.1
0.03	0.00	102.36	79.6	20.2	0.1
0.02	0.00	101.49	69.4	30.4	0.1
0.04	0.00	101.85	67.8	32.0	0.2

	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R15-3	41.58	1.04	13.48	0.01	16.49	0.29	10.21	11.47	2.03
R15-3	41.65	1.06	13.24	0.00	16.27	0.30	10.05	11.33	2.07
R15-3	41.41	1.02	13.41	0.01	16.53	0.32	10.26	11.40	1.88
	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R15-3	0.02	45.77	1.92	0.01	49.59	1.88	0.13	0.12	0.04
R15-3	6.23	45.58	1.75	0.02	36.98	1.78	1.21	4.82	0.05

K2O	P2O5	F	Cl	SO3	Total
0.32	0.03	0.08	0.13	0.00	97.10
0.33	0.01	0.04	0.11	0.00	96.42
0.33	0.04	0.01	0.12	0.02	96.73

K2O	P2O5	Total
0.00	0.05	99.52
0.04	0.07	98.59

Supplementary Document 3. Electron microprobe analyses for matrix minerals and rock fragments

olivine	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R05-14m2	41.74	0.01	0.02	0.00	8.75	0.15	48.51	0.03
R05-19m3	41.89	0.04	0.04	0.00	8.86	0.12	48.41	0.06
R05-19m4	41.29	0.01	0.05	0.00	8.29	0.13	48.64	0.02
R05-19m16	41.88	0.00	0.03	0.01	8.01	0.11	49.82	0.04
orthopyroxene	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R05-13-m7	55.45	0.33	1.34	0.11	14.59	0.31	25.86	2.66
epidote	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R05-19m10	39.00	0.14	26.48	0.02	9.01	0.04	0.07	23.84
amphibole	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R05-13-m12	45.96	0.79	12.86	0.11	11.51	0.21	13.45	11.49
magnetite	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R05-13-m8	0.25	4.03	2.03	0.03	87.12	0.56	1.28	0.02
R05-19-m1	0.12	7.10	5.35	0.87	77.50	0.35	4.18	0.02
R05-19m2	0.11	7.17	5.33	0.88	78.42	0.33	4.31	0.02
R05-19m20	0.16	0.02	0.08	0.00	94.01	0.12	0.28	0.04
clinopyroxene	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R05-13-mtx15	53.30	0.28	2.33	0.61	4.92	0.11	18.23	19.64
R05-13-mtx16	51.56	0.53	4.44	0.53	4.87	0.15	15.82	21.53
R05-14mtx6	52.15	0.46	3.39	0.73	4.62	0.09	15.94	22.13
R05-14mtx11	50.92	0.61	5.31	1.02	4.63	0.09	15.69	21.27
R05-18mtx1	49.62	1.09	5.24	0.04	8.09	0.23	15.36	18.75
R05-18mtx3	50.91	0.64	4.39	0.20	6.13	0.15	15.04	21.35
R05-18mtx4	51.93	0.54	3.47	0.09	6.33	0.19	16.09	20.92
R05-18mtx7	51.52	0.67	3.95	0.43	5.52	0.09	15.73	21.37
R05-18mtx8	50.79	0.71	4.74	0.45	5.81	0.08	15.85	20.77
R05-18mtx9	52.06	0.44	2.91	0.43	6.38	0.14	17.17	19.59
R05-18mtx10	51.50	0.68	4.37	0.41	6.23	0.13	15.73	20.78
R05-18mtx11	53.01	0.44	2.08	0.03	7.65	0.22	17.32	18.66
R05-18mtx12	49.96	1.25	5.37	0.11	7.04	0.17	14.43	21.06
R05-18mtx14	51.54	0.64	4.29	0.19	6.47	0.15	15.59	20.91
R05-18mtx15	52.42	0.58	3.67	0.13	6.04	0.14	15.23	21.34
R05-18mtx16	52.27	0.53	3.72	0.11	6.17	0.13	14.99	21.07
R05-18mtx18	53.31	0.31	1.77	0.31	6.14	0.18	17.95	19.39
R05-18mtx19	50.00	1.04	5.39	0.07	8.01	0.23	15.64	19.03
R05-18mtx20	52.04	0.63	4.01	0.13	6.40	0.15	15.98	20.31
R05-19mtx6	51.97	0.57	3.87	0.08	5.67	0.15	15.61	21.59
R05-19mtx7	54.07	0.30	2.11	0.27	5.07	0.17	17.81	20.39
R05-19mtx17	51.36	0.58	4.23	0.44	5.26	0.11	16.07	21.48
R05-19mtx18	51.26	0.55	3.94	0.62	4.50	0.08	15.67	22.52
R05-mtx1-e	50.79	0.71	4.57	0.24	6.03	0.17	17.14	19.27

R05-mtx3-b	49.85	0.59	5.04	0.08	6.78	0.16	15.72	19.94
R05-mtx3-d	49.38	0.81	4.89	0.10	6.20	0.15	15.14	20.90
R05-19mtx8	52.20	0.46	1.48	0.00	15.09	0.69	12.25	18.34

plagioclase	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R05-13-mtx3	47.61	0.01	33.78	0.01	0.59	0.00	0.17	17.44
R05-13-mtx18	49.57	0.03	32.76	0.00	0.61	0.08	0.22	15.88
R05-13-mtx19	49.12	0.00	33.08	0.00	0.76	0.05	0.04	16.17
R05-13-mtx21	51.42	0.06	30.86	0.02	1.04	0.00	0.22	14.58
R05-14mtx3	49.18	0.06	33.21	0.01	0.56	0.01	0.18	16.35
R05-14mtx4	50.54	0.03	31.60	0.02	0.60	0.01	0.20	15.13
R05-14mtx10	50.22	0.00	32.23	0.00	0.61	0.00	0.22	15.75
R05-14mtx12	45.55	0.00	35.44	0.02	0.52	0.00	0.14	18.77
R05-14mtx13	45.89	0.03	35.05	0.01	0.45	0.00	0.13	18.81
R05-14mtx14	48.57	0.04	32.70	0.00	0.67	0.00	0.20	16.21
R05-18mtx2	52.25	0.05	30.43	0.00	0.74	0.01	0.16	13.78
R05-18mtx5	49.53	0.00	32.15	0.00	0.61	0.00	0.19	15.70
R05-18mtx6	50.51	0.07	31.79	0.02	0.71	0.01	0.17	15.17
R05-18mtx13	52.43	0.04	30.67	0.00	0.72	0.01	0.19	13.86
R05-18mtx17	51.14	0.04	31.39	0.01	0.71	0.04	0.17	14.74
R05-19mtx12	49.75	0.02	32.28	0.01	0.65	0.02	0.20	15.56
R05-19mtx13	49.31	0.03	32.44	0.01	1.01	0.02	0.09	16.03
R05-19mtx15	50.61	0.01	31.08	0.01	1.03	0.02	0.11	14.86
R05-19mtx19	50.46	0.04	31.61	0.00	0.61	0.03	0.20	15.41
R05-mtx3-c	50.33	0.02	30.97	0.01	0.60	0.01	0.17	13.83

R05-mtx1-b	67.08	0.00	21.80	0.00	0.29	0.00	0.01	1.38
R05-13-mtx10	58.91	0.04	25.82	0.00	1.13	0.01	0.13	9.34
R05-13-mtx17	64.70	0.03	23.68	0.00	0.27	0.03	0.03	4.56
R05-19mtx5	60.11	0.03	26.54	0.00	0.39	0.02	0.02	8.24

glass	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R05-13-mtx1	53.02	1.20	16.25	0.01	9.16	0.16	6.18	11.26
R05-13-mtx4	52.82	1.05	17.09	0.00	8.17	0.15	6.06	11.40
R05-14mtx1	51.96	1.16	16.57	0.02	8.52	0.18	6.05	11.46
R05-14mtx5	52.44	1.07	16.99	0.01	8.20	0.16	6.33	11.41
R05-14mtx7	53.13	1.17	17.40	0.03	8.44	0.16	4.57	10.00
R05-14mtx8	55.44	1.02	13.90	0.00	12.13	0.26	3.92	8.20
R05-14mtx9	53.50	1.15	16.41	0.02	9.28	0.19	5.94	11.16
R05-19mtx9	55.54	1.71	15.68	0.02	10.38	0.20	3.39	7.88

Hi-Si glass	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R05-mtx19	70.54	0.76	12.21	0.01	5.22	0.09	0.75	2.95

R06

olivine	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R06-16mtx6	40.33	0.02	0.06	0.00	17.01	0.24	42.16	0.24

R06-mtx1-b	37.43	0.02	0.07	0.00	19.40	0.29	40.46	0.28
serpentine	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R06-mtx1-c	42.20	0.03	0.63	0.01	1.84	0.03	38.86	0.07
quartz	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R06-16mtx1	98.53	0.01	0.19	0.01	0.35	0.00	0.15	0.03
clinopyroxene	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R06-12mtx1	52.64	0.14	3.28	1.32	2.96	0.03	16.50	23.44
R06-12mtx2	52.05	0.50	4.18	0.18	5.45	0.12	16.90	20.34
R06-12mtx6	53.73	0.32	1.84	0.28	6.07	0.16	18.05	19.94
R06-13mtx2	54.16	0.28	2.09	0.28	4.81	0.11	17.59	21.25
R06-13mtx4	51.47	0.50	4.39	0.51	5.08	0.09	15.63	22.02
R06-mtx1-a	49.66	0.72	4.72	0.54	5.91	0.12	15.94	19.96
R06-14mtx1	53.30	0.38	2.12	0.02	7.17	0.24	17.83	19.11
plagioclase	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R06-12mtx3	50.67	0.04	32.12	0.00	0.65	0.00	0.21	14.93
R06-12mtx4	50.72	0.07	32.04	0.00	0.61	0.01	0.22	14.99
R06-13mtx1	49.39	0.01	32.92	0.01	0.62	0.00	0.19	15.98
R06-13mtx3	50.00	0.04	32.25	0.00	0.67	0.04	0.17	15.13
R06-16mtx3	47.11	0.02	34.39	0.00	0.84	0.01	0.16	17.35
R06-mtx2-b	48.39	0.04	32.87	0.00	0.58	0.01	0.17	15.31
glass	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R06-12mtx7	53.56	1.18	17.38	0.01	8.69	0.15	4.38	9.74
R06-14mtx2	53.30	1.18	17.38	0.01	8.49	0.16	4.48	9.85
R06-16mtx4	51.37	1.14	16.90	0.01	8.98	0.18	4.00	9.64
R06-16mtx5	53.11	1.14	16.72	0.01	8.85	0.15	5.28	10.15
R06-mtx2-a	49.95	0.90	18.00	0.02	7.82	0.15	5.66	10.87
R06-mtx2-d	52.22	1.45	16.60	0.00	9.70	0.18	4.06	8.38
R06-mtx2-e	52.42	1.46	16.80	0.01	9.57	0.16	3.90	8.30
R06-mtx2-f	50.36	1.04	16.66	0.01	8.29	0.16	6.15	11.09
R06-mtx2-g	50.17	1.09	16.64	0.00	8.34	0.15	6.16	10.83
R15								
olivine	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R15-11mtx1	42.00	0.02	0.02	0.00	7.84	0.11	49.96	0.01
R15-11mtx2	42.07	0.03	0.01	0.01	7.80	0.15	50.07	0.01
R15-11mtx9	41.03	0.00	0.00	0.00	9.90	0.14	48.70	0.03
R15-11mtx21	41.29	0.00	0.01	0.03	8.22	0.10	48.89	0.02
R15-mtx1-a	40.53	0.00	0.01	0.01	8.35	0.16	50.09	0.02
R15-mtx3-c	41.63	0.03	0.01	0.00	9.17	0.16	50.90	0.03
R15-mtx1-3	40.80	0.02	0.02	0.00	8.23	0.13	50.34	0.02
serpentine	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO

R15-mtx1-d	42.55	0.03	1.02	0.03	4.07	0.06	36.90	0.14
R15-mtx2-a	41.76	0.00	1.20	0.00	2.91	0.04	36.26	0.18
R15-mtx3-a	41.99	0.02	0.87	0.01	4.38	0.04	36.07	0.13
R15-mtx1-7	40.39	0.05	1.39	0.15	7.02	0.09	31.53	0.04
R15-mtx3-2	42.34	0.05	1.18	0.00	2.51	0.05	37.39	0.11
R15-mtx11	41.82	0.06	1.35	0.02	3.53	0.1	35.45	0.44

epidote	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R15-11mtx4	38.55	0.04	29.20	0.01	5.80	0.30	0.18	23.76

amphibole	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R15-mtx1-c	42.96	1.04	13.65	0.02	14.42	0.33	11.70	11.04
R15-gls11-32	44.10	0.15	14.21	0.06	7.10	0.13	16.06	11.81

clinopyroxene	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R15-11mtx5	51.80	0.67	1.83	0.04	10.90	0.35	13.15	21.02
R15-11mtx10	46.30	2.31	8.39	0.00	11.06	0.23	11.39	20.65
R15-11mtx11	45.76	2.30	8.26	0.03	13.36	0.28	10.99	19.26
R15-11mtx14	43.05	3.40	9.32	0.02	14.04	0.28	9.53	20.04
R15-11mtx15	46.03	2.38	8.62	0.01	11.01	0.23	11.75	19.40
R15-11mtx16	47.84	2.06	7.12	0.03	11.07	0.20	13.03	19.33
R15-11mtx17	44.88	2.65	9.45	0.03	11.83	0.21	10.38	20.49
R15-11mtx18	48.40	1.80	6.22	0.03	10.08	0.23	13.08	20.49

plagioclase	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R15-11mtx19	51.43	0.08	31.15	0.00	0.91	0.02	0.24	14.71
R15-11mtx20	49.70	0.03	32.89	0.00	0.84	0.02	0.00	15.40
R15-mtx1-e	47.40	0.02	33.56	0.02	0.55	0.02	0.13	16.17
R15-mtx3-1	45.90	0.04	33.75	0.00	0.83	0.01	0.07	16.82
R15-gls11-28	49.90	0.06	31.65	0.05	0.83	0.00	0.00	14.94
R15-gls11-31	49.21	0.02	32.26	0.00	0.55	0.00	0.19	15.61

R15-11mtx8	59.45	0.07	25.94	0.02	1.03	0.02	0.06	8.77
R15-11mtx13	55.60	0.11	27.88	0.00	1.36	0.00	0.20	11.63

glass	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R15-11mtx7	52.66	1.11	16.85	0.00	8.59	0.17	6.01	10.87
R15-mtx1-f	52.32	1.14	17.55	0.02	8.88	0.17	4.71	9.48
R15-mtx2-b	50.58	1.03	16.82	0.01	7.89	0.15	6.51	10.93
R15-mtx2-b	50.95	0.99	16.79	0.02	7.79	0.14	6.76	11.26
R15-mtx3-b	51.11	1.08	17.86	0.00	8.32	0.15	4.90	9.62
R15-mtx2-1	50.21	1.03	16.85	0.01	7.75	0.14	6.71	11.11
R15-11 - 3	51.88	1.11	16.51	0.00	8.88	0.17	5.28	10.18
R15-11mtx23	53.37	1.14	16.41	0.00	8.74	0.19	5.14	9.58
R15-gls11-27	51.27	1.14	16.61	0.01	8.62	0.13	4.27	9.32
R15-gls11-30	50.35	1.08	16.43	0.00	8.40	0.14	5.09	9.98

R15-11mtx3	52.91	0.14	4.93	0.06	8.69	0.22	16.62	12.73
R15-11mtx6	50.67	0.93	6.21	0.14	11.22	0.14	15.42	12.38
hi-Si glass	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R15-11mtx21	70.27	0.75	13.32	0	5.83	0.14	0.93	3.58

Na2O	K2O	P2O5	Total	Fo	Fa	TP		
0.00	0.02	0.02	99.25		90.7	9.2	0.2	
0.00	0.01	0.02	99.51		90.6	9.3	0.1	
0.01	0.00	0.02	98.48		91.1	8.7	0.1	
0.00	0.00	0.00	99.90		91.6	8.3	0.1	
Na2O	K2O	P2O5	Total	Wo	En	Fs	Ac	
0.04	0.01	0	100.72		5.3	71.4	23.2	0.2
Na2O	K2O	P2O5	F	Cl	SO3	Total		
0.00	0.01	0.04	0.0882	0.0197	0.0119	98.7325		
Na2O	K2O	P2O5	F	Cl	SO3	Total		
1.76	0.10	0.04	0.03	0.04	0.00	98.34		
Na2O	K2O	P2O5	F	Cl	SO3	Total		
0.00	0.00	0.05	0.00	0.00	0.00	95.38		
0.01	0.01	0.00	0.00	0.00	0.00	95.51		
0.00	0.01	0.02	0.00	0.01	0.00	96.61		
0.00	0.00	0.04	0.00	0.01	0.00	94.76		
Na2O	K2O	P2O5	Total	Wo	En	Fs	Ac	
0.17	0.01	0.01	99.61	39.9	51.5	8.0	0.6	
0.23	0.01	0.01	99.67	45.0	46.0	8.2	0.9	
0.25	0.00	0.02	99.81	45.7	45.8	7.6	0.9	
0.24	0.00	0.01	99.78	45.0	46.2	7.8	0.9	
0.30	0.00	0.04	98.77	39.8	45.3	13.7	1.1	
0.25	0.00	0.02	99.08	44.8	43.9	10.3	1.0	
0.23	0.01	0.02	99.92	42.9	45.9	10.4	0.9	
0.25	0.00	0.00	99.55	44.4	45.5	9.1	0.9	
0.24	0.01	0.02	99.48	43.4	46.1	9.6	0.9	
0.20	0.00	0.00	99.33	40.0	48.8	10.4	0.7	
0.24	0.00	0.00	100.09	43.2	45.5	10.3	0.9	
0.14	0.00	0.01	99.58	38.0	49.0	12.5	0.5	
0.28	0.01	0.03	99.70	44.6	42.5	11.9	1.1	
0.27	0.00	0.04	100.17	43.3	44.9	10.7	1.0	
0.28	0.01	0.02	99.86	44.6	44.3	10.1	1.1	
0.30	0.00	0.02	99.32	44.4	44.0	10.4	1.1	
0.16	0.00	0.01	99.53	39.1	50.4	9.9	0.6	
0.26	0.01	0.03	99.74	39.9	45.7	13.5	1.0	
0.24	0.00	0.00	99.92	42.2	46.2	10.6	0.9	
0.25	0.01	0.00	99.79	44.7	45.0	9.4	0.9	
0.22	0.01	0.04	100.54	41.0	49.9	8.3	0.8	
0.23	0.00	0.00	99.76	44.3	46.2	8.6	0.8	
0.20	0.01	0.04	99.39	46.7	45.2	7.4	0.7	
0.24	0.00	0.03	99.20	39.8	49.3	10.0	0.9	

0.34	0.02	0.08	98.65	41.7	45.7	11.3	1.3
0.27	0.01	0.02	97.94	44.1	44.4	10.4	1.0
0.24	0.01	0.01	100.78	38.1	35.4	25.6	0.9

Na2O	K2O	P2O5	Total	An mol%	Ab mol%	Or mol%
1.80	0.02	0.03	101.48	84.1	15.7	0.1
2.42	0.03	0.00	101.63	78.2	21.6	0.2
2.30	0.06	0.03	101.66	79.2	20.4	0.4
3.21	0.08	0.00	101.50	71.2	28.4	0.5
2.44	0.03	0.03	102.07	78.6	21.2	0.2
2.88	0.04	0.00	101.14	74.2	25.6	0.2
2.55	0.03	0.03	101.64	77.2	22.6	0.2
0.91	0.00	0.04	101.39	91.9	8.1	0.0
0.94	0.00	0.00	101.32	91.7	8.3	0.0
2.30	0.03	0.02	100.76	79.4	20.4	0.2
3.68	0.03	0.05	101.21	67.3	32.5	0.2
2.56	0.01	0.01	100.77	77.1	22.8	0.1
3.00	0.03	0.07	101.61	73.5	26.3	0.2
3.53	0.03	0.00	101.49	68.3	31.5	0.2
3.28	0.02	0.03	101.59	71.2	28.7	0.1
2.52	0.03	0.04	101.12	77.2	22.7	0.2
2.18	0.12	0.02	101.40	79.7	19.6	0.7
2.70	0.16	0.03	100.62	74.5	24.5	1.0
2.91	0.04	0.05	101.35	74.4	25.4	0.2
3.19	0.04	0.04	99.23	70.4	29.4	0.2
10.92	0.09	0.06	101.65	6.5	93.0	0.5
5.15	0.29	0.02	100.93	49.1	49.0	1.8
8.91	0.06	0.00	102.30	22.0	77.7	0.4
6.71	0.02	0.02	102.20	40.4	59.5	0.1

Na2O	K2O	P2O5	F	Cl	SO3	Total
0.47	0.16	0.12	0.00	0.08	0.20	98.25
2.00	0.24	0.14	0.00	0.08	0.20	99.39
1.04	0.22	0.10	0.00	0.17	0.12	97.54
1.98	0.21	0.11	0.09	0.10	0.22	99.26
0.70	0.13	0.17	0.00	0.21	0.10	96.18
2.62	1.10	0.36	0.00	0.20	0.13	99.23
0.37	0.16	0.11	0.05	0.07	0.22	98.59
0.80	0.29	0.18	0.00	0.23	0.27	96.51

Na2O	K2O	P2O5	F	Cl	SO3	Total
1.98	1.86	0.23	0.07	0.23	0	96.83

Na2O	K2O	P2O5	Total	Fo	Fa	Tp
0.00	0.01	0.11	100.19	81.3	18.4	0.3

0.02	0.00	0.11	98.10		78.5	21.1	0.3	
Na2O	K2O	P2O5	F	Cl	SO3	Total		
0.04	0.03	0.02	0.06	0.03	0.06	83.88		
Na2O	K2O	P2O5	Total					
0.00	0.02	0.00	99.30					
Na2O	K2O	P2O5	Total	Wo	En	Fs	Ac	
0.25	0.02	0.00	100.59	47.7	46.7	4.7	0.9	
0.19	0.00	0.03	99.95	41.9	48.4	9.0	0.7	
0.17	0.00	0.03	100.63	39.7	50.0	9.7	0.6	
0.18	0.01	0.01	100.80	42.6	49.0	7.7	0.7	
0.23	0.01	0.02	99.98	45.7	45.1	8.4	0.9	
0.26	0.00	0.07	97.92	42.2	46.9	9.9	1.0	
0.17	0.00	0.03	100.39	38.2	49.6	11.6	0.6	
Na2O	K2O	P2O5	Total	An mol%	Ab mol%	Or mol%		
3.00	0.02	0.02	101.73	73.2	26.7	0.1		
2.99	0.03	0.04	101.75	73.4	26.5	0.2		
2.54	0.02	0.00	101.69	77.5	22.3	0.1		
2.76	0.03	0.02	101.15	75.1	24.8	0.2		
1.53	0.01	0.00	101.49	86.2	13.8	0.1		
2.45	0.02	0.05	99.89	77.5	22.4	0.1		
Na2O	K2O	P2O5	F	Cl	SO3	Total		
0.97	0.27	0.15	0.00	0.19	0.24	96.87		
1.03	0.25	0.16	0.00	0.19	0.22	96.66		
2.05	0.26	0.14	0.00	0.19	0.20	95.00		
1.33	0.27	0.10	0.00	0.13	0.21	97.43		
2.35	0.25	0.14	0.00	0.12	0.13	96.34		
1.98	0.29	0.21	0.00	0.17	0.30	95.49		
2.10	0.28	0.18	0.04	0.20	0.33	95.69		
2.75	0.18	0.11	0.13	0.09	0.29	97.23		
2.60	0.18	0.14	0.00	0.09	0.29	96.65		
Na2O	K2O	P2O5	Total	Fo	Fa	Tp		
0.00	0.00	0.02	100.00	91.8	8.1	0.1		
0.00	0.01	0.00	100.16	91.8	8.0	0.2		
0.00	0.01	0.02	99.82	89.6	10.2	0.1		
0.00	0.00	0.01	98.59	91.3	8.6	0.1		
0.01	0.00	0.01	99.19	91.3	8.5	0.2		
0.00	0.01	0.00	101.94	90.7	9.2	0.2		
0.00	0.00	0.01	99.60	91.5	8.4	0.1		
Na2O	K2O	P2O5	F	Cl	SO3	Total		

0.07	0.04	0.10	0.05	0.06	0.08	85.16	
0.04	0.03	0.02	0.03	0.08	0.05	82.57	
0.03	0.00	0.04	0.03	0.20	0.03	83.78	
0.09	0.05	0.05	0.00	0.21	0.00	81.03	
0.14	0.06	0.03	0.05	0.13	0.03	84.00	
0.18	0.04	0.08	0	0.68	0.2	83.76	
Na2O	K2O	P2O5	F	Cl	SO3	Total	
0.01	0.01	0.20	0.06	0.01	0.03	98.12	
Na2O	K2O	P2O5	F	Cl	SO3	Total	
2.06	0.24	0.05	0.14	0.07	0.03	97.70	Tschermakite
2.16	0.31	0.01	0.09	0.00	0.00	96.17	Tschermakite
Na2O	K2O	P2O5	Total	Wo	En	Fs	Ac
0.30	0.01	0.00	100.08		43.2	37.6	18.0
0.35	0.01	0.07	100.79		45.0	34.5	19.1
0.36	0.02	0.06	100.66		42.1	33.4	23.1
0.43	0.01	0.16	100.27		44.4	29.4	24.5
0.33	0.01	0.14	99.92		43.0	36.3	19.4
0.27	0.03	0.07	101.07		41.4	38.8	18.8
0.38	0.00	0.09	100.41		45.6	32.1	20.8
0.34	0.02	0.03	100.72		43.3	38.5	16.9
Na2O	K2O	P2O5	Total	An	Ab	Or	
3.27	0.05	0.01	101.88		71.2	28.6	0.3
2.51	0.11	0.03	101.54		76.7	22.6	0.7
1.97	0.03	0.00	99.86		81.8	18.0	0.2
1.49	0.08	0.06	99.07		85.7	13.7	0.5
2.89	0.13	0.00	100.49		73.5	25.7	0.7
2.30	0.03	0.00	100.38		78.8	21.0	0.2
6.24	0.22	0.06	101.87		43.1	55.6	1.3
4.97	0.05	0.03	101.81		56.2	43.5	0.3
Na2O	K2O	P2O5	F	Cl	SO3	Total	
1.74	0.20	0.11	0.00	0.11	0.21	98.59	
2.52	0.29	0.14	0.03	0.19	0.26	97.63	
2.84	0.17	0.16	0.16	0.08	0.30	97.54	
1.79	0.19	0.15	0.07	0.07	0.27	97.18	
2.48	0.22	0.16	0.09	0.18	0.23	96.33	
2.64	0.18	0.13	0.09	0.09	0.29	97.19	
3.07	0.26	0.09	0.00	0.12	0.17	97.68	
3.03	0.24	0.15	0.10	0.12	0.24	98.39	
3.06	0.23	0.12	0.00	0.19	0.13	95.06	
2.91	0.21	0.10	0.07	0.13	0.18	94.99	

0.57	0.02	0.01	0.00	0.02	0.01	96.92
1.17	0.04	0.00	0.06	0.07	0.01	98.41
Na2O	K2O	P2O5	F	Cl	SO3	Total
0.95	1.17	0.09	0	0.3	0.03	97.31

Supplementary 1. Electron microprobe glass analyses

R05	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R05-12r	50.89	1.00	16.60	0.00	8.21	0.16	6.43	11.50
R05-12r	50.96	1.03	16.53	0.00	8.13	0.13	6.49	11.38
R05-12r	50.44	0.97	16.51	0.00	8.00	0.15	6.43	11.45
R05-12r	50.52	0.96	15.76	0.02	8.16	0.15	6.39	11.26
R05-12r	50.92	0.99	16.52	0.02	8.18	0.16	6.34	11.28
R05-12r	50.90	0.95	16.53	0.02	8.01	0.13	6.37	11.30
R05-12r	50.89	0.99	16.48	0.03	7.96	0.13	6.36	11.36
R05-12r	51.02	0.98	16.55	0.00	8.13	0.16	6.38	11.38
R05-12r	50.81	0.99	16.56	0.00	8.19	0.16	6.14	11.24
R05-12r	50.92	0.95	16.49	0.00	8.09	0.18	6.36	11.17
R05-12r	50.63	0.99	16.57	0.03	7.87	0.15	6.42	11.28
R05-12r	50.77	0.96	16.27	0.02	8.14	0.13	6.12	11.33
R05-12r	50.82	1.00	16.60	0.01	8.18	0.16	6.37	11.34
R05-12r	50.88	1.00	16.06	0.00	8.11	0.12	6.87	11.85
R05-12r	50.83	1.02	16.51	0.01	8.18	0.15	6.43	11.33
R05-12r	50.81	0.97	16.49	0.01	7.93	0.16	6.35	11.37
R05-12r	50.96	0.99	16.56	0.01	8.20	0.16	6.18	11.32
R05-12r	50.92	0.99	16.53	0.01	8.12	0.13	6.37	11.23
R05-12r	50.80	0.94	16.49	0.00	8.12	0.15	6.31	11.21
R05-12r	50.84	0.97	16.49	0.02	8.18	0.13	6.42	11.33
R05-12r	50.94	1.00	16.42	0.01	8.14	0.16	6.36	11.15
R05-12r	50.68	1.01	16.43	0.01	7.94	0.16	6.33	11.07
R05-12r	50.92	1.00	16.57	0.00	8.21	0.14	6.39	11.30
R05-12r	50.81	0.96	16.45	0.00	8.04	0.15	6.18	11.37
R05-12r	51.06	0.99	16.53	0.03	8.18	0.16	6.33	11.42
R05-12r	50.94	0.98	16.52	0.01	8.16	0.12	6.34	11.15
R05-12r	50.91	1.00	16.40	0.01	7.99	0.15	6.27	11.45
R05-12r	51.09	0.96	16.41	0.01	8.06	0.16	6.31	11.27
R05-12r	51.01	0.97	16.58	0.02	8.14	0.17	6.34	11.35
R05-12r	51.04	1.02	16.61	0.00	8.11	0.14	6.40	11.43
R05-12r	50.85	0.98	16.53	0.01	8.14	0.11	6.25	11.29
R05-12r	51.18	0.93	16.61	0.02	8.24	0.18	6.38	11.26
R05-12r	50.69	0.98	16.51	0.00	8.10	0.14	6.29	11.34
R05-12r	50.98	0.97	16.48	0.02	8.16	0.16	6.34	11.21
R05-12r	51.09	0.95	16.52	0.01	8.07	0.12	6.31	11.03
R05-13r	50.68	0.97	16.36	0.00	8.15	0.16	6.30	11.39
R05-13r	50.64	0.99	16.11	0.02	8.04	0.15	6.31	11.33
R05-13r	50.92	0.97	16.63	0.00	8.30	0.15	6.35	11.35
R05-13r	50.24	1.04	16.55	0.00	8.20	0.17	6.32	11.37
R05-13r	50.63	1.01	16.48	0.00	8.25	0.18	6.36	11.31
R05-13r	50.66	0.98	16.48	0.01	8.24	0.16	6.26	11.33
R05-13r	50.95	1.04	16.45	0.00	8.23	0.15	6.20	11.34
R05-13r	50.88	1.00	16.30	0.04	8.28	0.19	6.38	11.19
R05-13r	51.05	0.96	16.06	0.01	8.32	0.14	7.19	11.06
R05-13r	51.01	1.00	16.47	0.00	8.16	0.15	6.48	11.36

R05-13r	50.51	0.99	16.56	0.01	8.19	0.16	6.41	11.32
R05-13r	50.37	1.01	16.25	0.00	8.25	0.18	5.93	11.35
R05-13r	51.01	0.99	16.43	0.00	7.45	0.12	6.30	11.32
R05-14r	50.32	0.98	16.52	0.01	8.25	0.17	6.34	11.31
R05-14r	50.69	1.02	16.51	0.02	8.26	0.15	6.27	11.38
R05-14r	51.01	0.95	16.28	0.00	8.12	0.16	6.24	10.97
R05-14r	50.94	0.96	16.57	0.01	7.85	0.18	6.33	11.22
R05-14r	50.97	0.99	16.38	0.00	8.06	0.12	6.25	11.35
R05-14r	50.90	0.96	16.24	0.02	8.27	0.15	6.32	11.13
R05-14r	50.97	0.97	16.42	0.00	8.21	0.14	6.03	11.11
R05-14r	51.06	1.05	16.51	0.01	8.12	0.15	6.42	11.17
R05-14r	51.01	0.94	16.08	0.01	7.77	0.16	6.28	11.31
R05-14r	50.92	0.96	16.38	0.03	8.22	0.14	6.32	11.15
R05-14r	51.05	1.02	16.48	0.01	8.22	0.14	6.32	11.26
R05-14r	50.74	0.93	15.53	0.02	8.50	0.15	7.72	10.91
R05-14r	51.05	0.98	16.53	0.00	8.26	0.15	6.27	11.35
R05-14r	50.98	1.00	16.55	0.00	8.28	0.16	6.27	11.28
R05-14r	51.03	0.99	16.30	0.01	7.71	0.16	6.18	11.21
R05-17r	50.24	0.99	16.44	0.00	8.14	0.19	6.45	11.33
R05-17r	50.86	0.96	16.44	0.01	7.04	0.18	6.11	11.29
R05-17r	50.83	1.00	16.32	0.00	8.16	0.18	6.34	10.99
R05-17r	51.03	0.95	16.49	0.00	7.95	0.16	6.32	11.34
R05-17r	51.07	0.98	16.50	0.01	8.13	0.17	6.35	11.36
R05-17r	50.77	0.96	16.45	0.01	8.19	0.16	6.30	11.42
R05-17r	51.02	1.03	16.49	0.00	7.83	0.19	6.08	11.41
R05-17r	50.69	0.93	15.98	0.02	8.03	0.16	7.76	11.17
R05-17r	50.78	0.99	16.42	0.00	8.02	0.14	6.27	11.15
R05-17r	50.27	0.94	16.31	0.00	7.85	0.13	6.18	10.89
R05-17r	51.12	0.97	16.52	0.03	8.08	0.18	6.29	11.40
R05-17r	51.21	0.94	16.44	0.01	8.24	0.16	6.18	11.55
R05-17r	50.90	0.96	16.55	0.02	8.19	0.13	6.23	11.37
R05-17r	51.35	0.97	16.48	0.00	8.14	0.14	6.34	11.35
R05-17r	51.10	0.97	16.54	0.03	8.17	0.16	6.24	11.43
R05-19r	51.80	1.19	16.34	0.00	8.86	0.16	4.77	9.98
R05-19r	51.86	1.09	16.30	0.00	8.63	0.16	5.20	10.00
R05-19r	51.94	1.16	16.16	0.00	8.92	0.14	5.22	9.90
R05-19r	51.67	1.16	16.37	0.01	8.71	0.15	5.27	9.76
R05-19r	51.79	1.15	16.40	0.01	8.84	0.13	5.28	9.94
R05-19r	51.76	1.12	16.20	0.02	8.92	0.18	4.96	9.88
R05-19r	51.75	1.13	16.24	0.00	8.94	0.17	5.29	10.07
R05-19r	51.57	1.14	16.08	0.00	8.94	0.13	5.16	10.01
R05-19r	51.62	1.17	16.18	0.00	8.99	0.15	5.16	9.94
R05-19r	52.10	1.12	16.21	0.00	8.84	0.16	5.24	9.63
R05-19r	51.93	1.17	16.24	0.00	8.86	0.17	5.06	9.93
R05-19r	51.93	1.18	16.00	0.01	8.75	0.14	5.20	9.92
R05-19r	51.82	1.18	16.01	0.00	8.88	0.15	5.21	9.83
R05-19r	51.73	1.18	16.04	0.00	8.63	0.16	5.03	10.05

R05-19r	51.65	1.16	16.19	0.00	8.77	0.14	5.20	10.02
R05-10r	50.64	0.99	16.68	0.01	7.89	0.16	6.48	11.35
R05-10r	50.83	1.04	16.49	0.01	8.18	0.14	6.36	11.40
R05-10r	50.54	1.00	16.35	0.01	8.25	0.16	6.01	11.28
R05-10r	50.25	1.00	16.39	0.01	8.10	0.16	6.26	11.16
R05-10r	50.90	0.99	16.17	0.00	8.05	0.12	6.40	10.74
R05-10r	50.91	0.97	16.48	0.00	7.91	0.15	6.42	11.18
R05-10r	50.92	1.03	16.42	0.03	8.03	0.16	6.46	11.30
R05-10r	50.83	1.00	16.61	0.00	8.13	0.17	6.39	11.09
R05-10r	50.84	0.95	16.47	0.02	8.23	0.16	6.16	11.27
R05-10r	50.85	1.00	16.46	0.00	8.17	0.14	6.36	11.36
R05-10r	50.66	1.01	16.49	0.00	8.11	0.13	6.40	11.27
R05-10r	50.67	1.03	16.53	0.05	8.02	0.15	6.38	11.33
R05-10r	50.28	0.99	16.38	0.01	8.07	0.16	6.20	11.42
R05-10r	50.22	0.97	16.21	0.03	8.16	0.14	6.27	11.25
R05-10r	50.40	1.01	16.24	0.02	7.92	0.17	6.31	11.39
R05-11	51.52	1.12	16.37	0.00	8.85	0.17	5.20	9.80
R05-11	50.92	1.17	16.36	0.01	8.58	0.15	5.26	9.88
R05-11	51.18	1.12	16.45	0.00	8.88	0.18	5.28	9.87
R05-11	51.66	1.10	16.26	0.00	8.00	0.18	5.28	9.82
R05-11	51.37	1.15	15.26	0.01	8.67	0.15	6.13	10.79
R05-11	51.45	1.12	16.52	0.00	8.42	0.19	4.90	9.87
R05-11	51.61	1.12	16.41	0.00	8.88	0.16	5.25	9.90
R05-11	51.63	1.12	16.29	0.00	8.88	0.18	5.23	9.80
R05-11	51.83	1.14	16.37	0.01	8.71	0.14	5.25	9.94
R05-11	51.36	1.17	16.27	0.01	8.61	0.16	5.32	9.83
R05-11	51.63	1.06	16.28	0.01	8.73	0.16	5.34	9.78
R05-11	51.17	1.18	16.28	0.01	8.91	0.14	5.13	9.26
R05-11	51.68	1.14	16.36	0.01	8.85	0.15	4.84	9.78
R05-11	51.65	1.01	14.02	0.04	8.25	0.17	7.40	12.18
R05-11	51.72	1.15	16.30	0.00	8.93	0.16	5.26	9.87
R05-12	50.72	0.94	16.51	0.02	8.06	0.20	6.46	11.00
R05-12	50.77	1.01	16.43	0.02	8.15	0.15	6.49	11.27
R05-12	50.86	0.98	15.91	0.02	8.13	0.14	6.24	11.37
R05-12	50.23	0.99	16.51	0.02	8.07	0.12	6.49	11.14
R05-12	51.09	0.95	16.53	0.03	8.21	0.14	6.40	11.27
R05-12	50.94	0.97	16.52	0.00	8.17	0.16	6.36	11.09
R05-12	50.84	0.95	16.49	0.02	8.11	0.14	6.50	11.18
R05-12	51.15	0.97	16.62	0.01	8.13	0.14	6.44	11.23
R05-12	50.99	0.93	16.42	0.01	8.11	0.15	6.47	11.22
R05-12	50.98	1.02	16.65	0.00	8.11	0.16	6.42	11.30
R05-13	50.93	0.99	16.42	0.02	8.16	0.15	6.49	11.35
R05-13	50.71	0.99	16.42	0.02	7.99	0.16	6.47	11.02
R05-13	51.22	0.95	16.53	0.00	8.07	0.14	6.46	11.23
R05-13	50.95	1.02	16.42	0.00	8.18	0.16	6.42	11.41
R05-13	50.89	0.98	16.48	0.00	8.15	0.19	6.47	11.18
R05-13	51.17	0.96	16.46	0.03	8.18	0.13	6.48	11.14

R05-13	51.16	0.97	16.45	0.02	8.11	0.14	6.49	11.23
R05-13	51.08	1.00	16.37	0.00	8.14	0.14	6.45	11.24
R05-13	50.56	1.02	16.29	0.00	8.09	0.13	6.37	11.28
R05-13	50.97	0.98	16.53	0.01	8.05	0.18	6.40	11.28
R05-14	50.79	0.95	16.31	0.00	7.91	0.17	6.51	11.22
R05-14	50.65	1.03	16.36	0.02	8.13	0.16	6.50	11.12
R05-14	50.87	0.95	16.48	0.01	8.19	0.16	6.43	11.30
R05-14	50.95	1.00	16.23	0.00	8.21	0.13	6.11	11.31
R05-14	50.62	0.98	16.37	0.03	8.09	0.15	6.41	11.30
R05-14	51.04	0.97	16.56	0.00	8.31	0.15	6.48	11.36
R05-14	50.50	0.99	16.49	0.01	8.08	0.15	6.37	11.26
R05-14	51.03	0.93	16.42	0.00	8.17	0.13	6.04	11.33
R05-14	50.95	1.05	16.34	0.01	8.05	0.13	6.40	10.60
R05-14	51.09	1.02	16.40	0.00	8.12	0.13	6.42	11.25
R05-16	50.99	0.98	16.45	0.02	8.23	0.13	6.53	11.29
R05-16	50.85	0.97	16.37	0.04	8.12	0.17	6.51	11.35
R05-16	50.94	0.96	16.56	0.00	8.06	0.14	6.46	11.33
R05-16	50.84	1.03	16.41	0.02	8.15	0.18	6.54	11.20
R05-16	50.95	1.01	16.48	0.03	7.89	0.19	6.50	11.10
R05-16	50.93	0.97	16.40	0.02	8.00	0.16	6.39	11.35
R05-16	50.84	0.97	16.51	0.00	8.19	0.14	6.44	11.38
R05-16	50.53	0.96	16.46	0.03	8.16	0.12	6.41	11.21
R05-16	50.97	0.96	16.01	0.01	8.03	0.14	6.57	11.02
R05-16	50.72	1.01	16.25	0.00	8.25	0.14	6.48	11.21

R06	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R06-11r	51.03	1.16	16.44	0.01	8.59	0.19	5.28	10.08
R06-11r	51.55	1.13	16.46	0.02	8.73	0.17	5.07	10.01
R06-11r	51.77	1.18	16.49	0.00	8.80	0.17	5.30	10.13
R06-11r	51.51	1.17	16.41	0.00	8.64	0.19	5.24	9.84
R06-11r	51.64	1.12	16.33	0.00	8.83	0.15	5.36	10.01
R06-11r	51.55	1.14	16.32	0.00	8.54	0.18	5.17	10.19
R06-11r	51.75	1.14	16.47	0.00	8.77	0.15	5.25	10.08
R06-11r	51.66	1.13	16.50	0.00	8.76	0.15	5.27	10.10
R06-11r	51.60	1.13	16.04	0.01	8.69	0.14	5.28	9.94
R06-11r	51.67	1.07	16.51	0.01	8.78	0.15	5.32	10.00
R06-11r	51.68	1.07	14.49	0.03	8.49	0.19	7.23	11.77
R06-11r	51.78	1.12	16.30	0.00	8.68	0.15	5.25	10.01
R06-11r	51.74	1.07	16.24	0.03	8.87	0.15	5.32	9.98
R06-11r	51.82	1.14	16.49	0.02	8.91	0.13	5.33	9.73
R06-11r	51.88	1.14	16.33	0.02	8.60	0.15	5.34	10.12
R06-12r	50.97	1.04	16.58	0.01	8.48	0.13	6.34	11.30
R06-12r	50.99	1.02	16.51	0.01	8.53	0.17	6.38	11.25
R06-12r	51.18	1.01	16.62	0.00	8.48	0.15	6.32	11.00
R06-12r	51.06	1.05	16.52	0.01	8.38	0.14	6.28	11.33
R06-12r	50.92	1.00	16.52	0.01	8.33	0.15	6.46	11.21
R06-12r	50.66	1.06	16.47	0.00	8.29	0.18	6.27	11.37

R06-12r	50.99	1.07	16.68	0.01	8.41	0.16	6.25	11.03
R06-12r	51.07	1.02	16.53	0.00	8.25	0.16	6.36	11.37
R06-12r	51.16	1.05	16.46	0.02	8.36	0.15	6.31	11.28
R06-12r	51.08	1.05	15.86	0.02	8.32	0.13	6.31	11.42
R06-12r	51.12	0.98	16.54	0.01	8.52	0.17	5.93	11.33
R06-12r	50.62	1.03	16.55	0.01	8.20	0.16	6.15	11.15
R06-12r	50.90	1.04	16.59	0.01	8.28	0.11	6.23	11.29
R06-12r	50.39	1.07	16.55	0.00	8.26	0.17	6.22	11.31
R06-12r	50.34	0.99	16.56	0.00	8.39	0.14	6.24	11.34
R06-13r	51.09	1.04	16.63	0.01	8.36	0.15	6.31	11.43
R06-13r	51.05	0.99	16.16	0.01	8.47	0.15	6.38	11.34
R06-13r	51.07	1.00	16.60	0.00	8.46	0.16	6.36	11.38
R06-13r	50.84	0.96	16.65	0.01	8.47	0.14	6.41	11.41
R06-13r	50.83	1.01	16.25	0.02	8.14	0.16	6.35	11.36
R06-13r	51.04	1.05	16.56	0.00	8.38	0.17	6.29	11.36
R06-13r	50.86	1.00	16.49	0.00	8.21	0.16	6.28	11.47
R06-13r	50.89	1.00	16.50	0.00	8.27	0.17	6.35	11.48
R06-13r	51.02	1.05	16.55	0.01	8.52	0.14	6.38	11.32
R06-13r	50.56	0.99	16.16	0.00	8.47	0.15	6.24	11.40
R06-13r	50.87	1.04	16.34	0.01	8.20	0.13	6.35	11.40
R06-13r	50.95	1.04	16.49	0.01	8.46	0.14	6.01	11.44
R06-13r	50.91	1.02	16.22	0.00	8.39	0.17	6.37	11.27
R06-13r	50.99	1.05	16.53	0.00	8.37	0.18	6.38	11.34
R06-13r	50.90	1.05	16.42	0.01	8.41	0.17	6.33	11.13
R06-14r	51.37	1.10	16.64	0.01	8.69	0.15	4.89	9.85
R06-14r	51.73	1.17	16.63	0.00	8.75	0.17	4.89	9.75
R06-14r	51.64	1.12	16.18	0.01	8.83	0.15	4.95	9.51
R06-14r	51.60	1.17	16.37	0.00	8.72	0.16	4.89	9.79
R06-14r	51.58	1.20	16.61	0.01	8.74	0.18	4.91	9.89
R06-14r	49.93	1.10	15.85	0.00	8.53	0.19	5.12	10.00
R06-14r	51.68	1.20	16.24	0.01	8.69	0.14	4.98	10.02
R06-14r	51.75	1.16	16.33	0.00	8.59	0.19	5.10	10.24
R06-14r	51.64	1.10	16.65	0.00	8.66	0.15	4.90	9.92
R06-14r	51.56	1.13	16.40	0.02	8.59	0.17	5.04	10.17
R06-14r	51.68	1.10	16.68	0.00	8.78	0.15	4.85	10.04
R06-14r	51.54	1.15	16.68	0.00	8.73	0.15	4.89	9.94
R06-14r	51.70	1.20	16.25	0.03	8.52	0.16	4.91	9.82
R06-15r	51.59	1.15	16.12	0.00	8.94	0.18	5.44	9.93
R06-15r	51.77	1.14	16.26	0.00	9.11	0.16	5.34	9.94
R06-15r	52.04	1.10	16.35	0.00	8.89	0.15	5.37	9.94
R06-15r	51.81	1.14	16.46	0.00	8.82	0.14	5.29	9.93
R06-15r	51.66	1.10	16.35	0.01	8.95	0.16	5.27	10.02
R06-15r	51.84	1.16	16.22	0.00	8.92	0.15	5.40	10.02
R06-15r	50.98	1.14	16.27	0.01	9.05	0.12	5.09	9.16
R06-15r	51.85	1.16	16.36	0.02	8.91	0.15	5.40	9.85
R06-15r	51.97	1.08	16.45	0.02	9.00	0.18	5.03	10.03
R06-15r	51.71	1.15	16.51	0.00	8.81	0.18	5.26	10.03

R06-15r	51.41	1.09	15.91	0.01	9.13	0.16	6.77	9.40
R06-15r	51.89	1.07	16.15	0.01	8.97	0.14	5.35	9.66
R06-15r	51.73	1.15	16.44	0.01	8.55	0.16	5.37	9.98
R06-15r	51.87	1.18	16.31	0.01	8.82	0.17	5.31	10.05
R06-15r	51.70	1.15	16.40	0.00	8.96	0.12	5.31	9.84
R06-16r	51.81	1.11	16.36	0.02	8.80	0.16	5.34	10.05
R06-16r	51.74	1.07	16.34	0.03	8.85	0.16	5.41	10.15
R06-16r	51.85	1.13	16.38	0.02	8.70	0.14	5.18	10.09
R06-16r	51.70	1.14	16.46	0.01	8.90	0.16	5.39	10.06
R06-16r	50.65	1.16	16.22	0.00	9.01	0.19	5.49	10.12
R06-16r	51.30	1.10	16.17	0.00	8.89	0.17	5.43	10.01
R06-16r	51.66	1.12	16.41	0.00	8.88	0.19	5.16	10.03
R06-16r	51.21	1.17	16.06	0.00	8.83	0.16	5.37	10.06
R06-16r	51.78	1.10	16.38	0.01	8.87	0.16	5.47	9.66
R06-16r	51.80	1.14	16.41	0.03	8.80	0.16	5.33	10.14
R06-16r	51.65	1.08	16.43	0.00	8.90	0.15	5.49	10.04
R06-16r	50.89	1.13	16.38	0.00	8.80	0.18	5.44	10.10
R06-16r	51.53	1.09	16.21	0.00	8.83	0.15	5.33	10.06
R06-16r	51.87	1.18	16.46	0.00	8.86	0.16	5.40	10.07
R06-11	51.52	1.09	16.50	0.02	8.79	0.16	5.33	9.67
R06-11	51.56	1.12	16.46	0.01	8.76	0.18	5.32	9.99
R06-11	51.78	1.12	16.52	0.01	8.80	0.14	5.30	9.99
R06-11	51.50	1.14	16.42	0.02	8.69	0.18	5.49	9.91
R06-11	51.63	1.14	16.48	0.01	8.58	0.16	5.40	10.00
R06-11	51.74	1.15	16.43	0.01	8.60	0.17	5.37	10.00
R06-11	50.81	1.13	16.30	0.00	8.76	0.14	5.33	10.06
R06-11	51.59	1.08	16.49	0.00	8.82	0.16	5.05	10.06
R06-11	51.45	1.16	16.46	0.00	8.74	0.17	5.42	10.01
R06-11	51.70	1.19	16.44	0.00	8.44	0.13	5.32	9.99
R06-12	51.24	1.09	16.49	0.01	8.66	0.18	5.21	9.45
R06-12	51.37	1.10	16.81	0.02	8.72	0.16	4.79	9.73
R06-12	51.53	1.12	16.85	0.00	8.67	0.16	4.66	9.56
R06-12	51.47	1.19	16.71	0.02	8.86	0.15	4.86	9.77
R06-12	51.32	1.12	16.07	0.01	8.65	0.18	5.33	10.22
R06-12	51.65	1.15	16.69	0.00	8.72	0.18	4.93	9.70
R06-12	51.44	1.15	16.33	0.02	8.77	0.14	5.06	10.04
R06-12	51.13	1.16	16.42	0.00	8.38	0.15	5.16	9.97
R06-12	51.53	1.15	16.48	0.01	8.45	0.14	4.98	9.95
R06-12	51.64	1.14	16.43	0.00	8.62	0.14	5.09	9.92
R06-13	50.78	0.97	16.55	0.02	8.35	0.14	6.45	11.28
R06-13	50.78	1.10	16.17	0.01	8.21	0.14	6.39	11.32
R06-13	50.98	1.04	16.49	0.03	8.39	0.16	6.43	11.20
R06-13	50.98	1.03	16.55	0.01	8.50	0.18	6.15	11.02
R06-13	51.03	1.04	16.25	0.01	8.29	0.14	6.15	11.34
R06-13	50.73	1.00	16.36	0.01	8.37	0.13	6.46	11.27
R06-13	50.48	0.99	16.48	0.01	8.53	0.18	6.45	11.40
R06-13	51.02	1.00	16.58	0.00	8.28	0.15	6.50	11.23

R06-13	50.94	1.01	16.37	0.00	8.44	0.15	6.46	11.38
R06-14	51.62	1.23	16.64	0.01	8.66	0.17	4.95	9.87
R06-14	51.47	1.12	16.62	0.01	8.84	0.16	4.97	9.81
R06-14	51.41	1.11	16.63	0.00	8.84	0.18	4.99	9.79
R06-14	51.68	1.13	16.39	0.00	8.71	0.16	5.08	10.05
R06-14	51.51	1.14	16.53	0.01	8.73	0.15	4.95	10.01
R06-14	51.68	1.12	16.45	0.00	8.52	0.12	4.88	9.91
R06-14	51.39	1.09	16.50	0.00	8.48	0.17	4.81	9.60
R06-14	51.08	1.19	16.48	0.00	8.63	0.12	4.96	9.70
R06-14	51.60	1.13	16.62	0.00	8.82	0.15	5.00	9.74
R06-14	51.64	1.16	16.47	0.00	8.76	0.18	4.90	9.89
R06-15	51.94	1.23	16.27	0.02	8.90	0.15	5.48	9.98
R06-15	51.56	1.15	16.16	0.00	8.81	0.18	5.45	9.80
R06-15	51.83	1.22	16.18	0.02	8.94	0.18	5.49	9.99
R06-15	51.78	1.16	16.25	0.01	8.75	0.13	5.37	10.00
R06-15	51.79	1.13	16.27	0.02	8.68	0.16	5.32	9.91
R06-15	51.74	1.16	15.86	0.00	8.84	0.16	5.35	9.90
R06-15	51.99	1.13	16.33	0.00	8.88	0.12	5.42	9.50
R06-15	51.67	1.13	16.02	0.01	8.84	0.18	5.35	10.01
R06-15	51.65	1.15	15.99	0.00	8.93	0.21	5.19	9.98
R06-15	50.75	1.03	15.11	0.00	9.77	0.15	8.85	8.96

R15	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R15-11	52.11	1.13	16.48	0.00	8.80	0.17	5.40	9.78
R15-11	52.02	1.13	16.41	0.00	8.85	0.18	5.40	10.02
R15-11	51.88	1.11	16.51	0.00	8.88	0.17	5.28	10.18
R15-11	52.04	1.13	16.39	0.00	8.72	0.15	5.38	10.07
R15-11	52.10	1.13	16.44	0.01	8.89	0.15	5.32	9.91
R15-11	52.11	1.16	16.55	0.00	8.97	0.17	5.34	9.83
R15-11	52.04	1.12	16.29	0.00	8.79	0.17	5.48	9.80
R15-11	51.96	1.15	16.50	0.00	8.67	0.19	5.45	10.00
R15-11	51.71	1.14	16.45	0.00	8.87	0.16	5.48	10.13
R15-11	52.05	1.15	16.43	0.00	8.89	0.15	5.44	10.11
R15-11	51.92	1.15	16.16	0.00	8.81	0.18	5.36	10.16
R15-11	51.99	1.17	16.34	0.02	8.88	0.16	5.41	10.07
R15-11	51.99	1.15	16.45	0.00	8.79	0.19	5.36	10.09
R15-11	52.00	1.14	16.39	0.00	8.86	0.15	5.42	10.13
R15-11	52.09	1.18	16.48	0.00	8.99	0.16	5.35	10.03
R15-12r	52.02	1.19	16.42	0.00	8.97	0.15	5.49	10.10
R15-12r	52.09	1.07	16.12	0.00	8.98	0.15	5.43	10.00
R15-12r	52.24	1.11	16.44	0.00	9.00	0.17	5.33	10.20
R15-12r	52.02	1.14	16.38	0.00	8.72	0.18	5.51	10.00
R15-12r	51.59	1.19	16.29	0.01	8.87	0.16	5.60	10.32
R15-12r	51.94	1.14	16.60	0.03	8.78	0.19	5.39	10.04
R15-12r	51.01	1.14	16.33	0.01	9.00	0.16	5.43	10.08
R15-12r	51.97	1.14	16.49	0.01	8.89	0.15	5.40	10.10
R15-12r	52.12	1.12	16.48	0.03	9.00	0.14	5.46	9.87

R15-12r	52.21	1.13	16.38	0.00	9.03	0.19	5.40	9.94
R15-12r	52.21	1.12	16.50	0.00	8.96	0.16	5.42	10.13
R15-12r	51.39	1.14	16.42	0.01	9.01	0.17	5.44	9.97
R15-12r	51.87	1.15	16.50	0.00	8.91	0.14	5.32	10.07
R15-13r	52.08	1.16	16.61	0.01	8.90	0.15	5.47	9.49
R15-13r	51.91	1.15	16.45	0.00	9.05	0.17	5.52	10.05
R15-13r	51.90	1.14	16.50	0.00	8.75	0.17	5.09	9.96
R15-13r	52.18	1.17	16.20	0.00	8.92	0.16	5.35	10.01
R15-13r	52.20	1.15	16.55	0.01	8.99	0.18	5.43	10.16
R15-13r	51.92	1.14	16.50	0.00	8.91	0.18	5.34	10.19
R15-13r	51.90	1.15	16.50	0.00	9.00	0.19	5.29	9.99
R15-13r	51.96	1.15	16.42	0.02	9.05	0.15	5.50	9.84
R15-13r	51.99	1.10	16.41	0.01	9.03	0.17	5.48	10.18
R15-13r	52.12	1.15	16.49	0.00	9.03	0.16	5.44	9.96
R15-13r	52.06	1.21	16.52	0.00	8.89	0.16	5.31	10.16
R15-13r	52.09	1.17	16.50	0.01	8.85	0.18	5.44	10.06
R15-13r	52.13	1.14	16.49	0.01	8.95	0.19	5.43	10.15
R15-13r	52.19	1.15	16.53	0.00	9.01	0.15	5.42	9.96
R15-13r	51.57	1.16	16.47	0.00	8.77	0.18	5.40	10.03
R15-14r	51.43	1.19	15.92	0.01	8.80	0.17	5.28	9.65
R15-14r	52.13	1.23	16.38	0.00	8.95	0.15	5.11	10.01
R15-14r	52.04	1.13	16.45	0.02	8.85	0.17	5.17	10.06
R15-14r	51.51	0.87	20.90	0.00	6.80	0.13	3.78	10.66
R15-14r	52.03	1.14	16.42	0.00	8.81	0.15	5.23	9.96
R15-14r	52.10	1.17	16.36	0.02	8.77	0.19	5.16	10.14
R15-14r	52.15	1.15	16.52	0.00	8.91	0.14	5.17	10.05
R15-14r	51.97	1.14	16.27	0.02	8.87	0.19	5.28	9.99
R15-14r	51.84	1.17	16.14	0.01	8.91	0.15	5.22	10.11
R15-14r	51.99	1.10	16.48	0.00	8.49	0.16	5.21	10.15
R15-14r	51.88	1.14	16.13	0.01	8.78	0.17	5.53	10.38
R15-14r	51.84	1.15	16.09	0.01	8.83	0.14	5.26	9.87
R15-14r	51.83	1.18	16.27	0.00	8.91	0.15	5.23	10.01
R15-15r	52.14	1.12	16.28	0.00	8.83	0.17	5.32	9.96
R15-15r	52.01	1.17	16.27	0.01	8.80	0.18	5.40	10.10
R15-15r	51.94	1.20	16.47	0.00	8.92	0.16	5.45	10.04
R15-15r	52.04	1.17	16.39	0.01	8.94	0.16	5.24	9.98
R15-15r	50.85	1.18	16.53	0.00	8.84	0.16	5.34	10.06
R15-15r	52.08	1.15	16.47	0.01	8.84	0.16	5.38	9.91
R15-15r	51.73	1.14	15.99	0.00	8.96	0.17	5.32	10.02
R15-15r	52.21	1.10	16.53	0.02	8.97	0.17	5.43	10.06
R15-15r	51.87	1.17	16.39	0.01	8.90	0.16	5.38	9.90
R15-15r	51.94	1.23	16.26	0.02	8.74	0.16	5.40	10.09
R15-15r	51.90	1.14	16.46	0.00	9.07	0.16	5.36	10.01
R15-15r	51.90	1.12	16.42	0.00	8.98	0.14	5.12	10.00
R15-15r	52.01	1.16	16.52	0.01	8.92	0.15	5.37	9.71
R15-15r	52.03	1.12	16.52	0.02	9.03	0.17	5.36	10.00
R15-15r	51.97	1.17	16.55	0.00	8.88	0.16	5.39	10.08

R15-16r	52.17	1.13	16.53	0.00	9.08	0.17	5.32	10.12
R15-16r	52.03	1.20	16.64	0.00	8.77	0.15	5.22	9.93
R15-16r	51.98	1.11	15.90	0.02	8.86	0.17	5.86	10.58
R15-16r	52.20	1.09	16.41	0.00	9.00	0.15	5.25	9.96
R15-16r	52.03	1.14	16.32	0.00	8.95	0.18	5.35	9.98
R15-16r	52.19	1.13	16.33	0.01	8.71	0.17	5.33	9.98
R15-16r	52.11	1.13	16.52	0.01	8.95	0.15	5.25	9.87
R15-16r	52.24	1.15	16.43	0.01	8.64	0.18	5.37	10.04
R15-16r	51.89	1.14	16.33	0.00	8.94	0.19	5.02	9.77
R15-16r	51.83	1.10	16.45	0.00	8.98	0.20	5.35	9.85
R15-16r	51.92	1.25	16.44	0.00	8.90	0.19	5.23	10.02
R15-16r	52.16	1.21	16.44	0.02	9.03	0.19	5.42	10.04
R15-16r	51.90	1.15	16.46	0.00	8.59	0.16	5.13	9.96
R15-16r	51.26	1.16	15.47	0.01	9.00	0.16	6.16	11.47
R15-16r	51.94	1.14	16.42	0.00	8.85	0.19	5.15	10.14
R15-12	52.20	1.16	15.95	0.00	9.01	0.16	5.46	10.04
R15-12	51.98	1.13	16.23	0.01	8.92	0.16	5.45	9.95
R15-12	51.57	1.16	16.20	0.00	9.00	0.16	6.04	9.62
R15-12	52.01	1.11	16.41	0.02	8.72	0.18	5.27	10.01
R15-12	51.50	0.90	20.40	0.02	6.58	0.14	4.16	11.01
R15-12	52.16	1.16	16.32	0.00	8.94	0.15	5.36	9.94
R15-12	52.06	1.17	16.34	0.00	8.84	0.19	5.39	9.97
R15-12	51.92	1.15	16.40	0.01	8.86	0.17	5.45	10.03
R15-12	52.31	1.15	16.35	0.00	8.99	0.16	5.42	9.99
R15-12	52.33	1.12	16.42	0.00	9.09	0.16	5.51	9.96
R15-14	51.91	1.10	17.53	0.00	8.29	0.16	4.87	10.44
R15-14	51.98	0.99	18.06	0.02	7.77	0.16	5.01	10.75
R15-14	51.67	1.10	16.14	0.01	8.96	0.16	5.31	10.05
R15-14	51.86	1.14	16.34	0.02	8.51	0.16	5.20	9.93
R15-14	52.03	1.15	16.22	0.00	8.88	0.17	5.45	9.89
R15-14	51.89	1.16	15.79	0.00	8.98	0.15	5.33	10.01
R15-14	51.90	1.22	16.46	0.01	8.88	0.15	5.09	10.01
R15-14	51.75	1.21	16.41	0.01	8.83	0.16	5.26	10.05
R15-14	51.60	1.17	15.50	0.00	8.90	0.17	5.37	9.36
R15-14	51.87	1.14	16.26	0.01	8.98	0.17	5.43	9.95
R15-15	52.04	1.14	16.52	0.01	9.02	0.16	5.46	9.82
R15-15	51.81	1.21	16.36	0.01	9.04	0.17	5.43	9.96
R15-15	52.11	1.21	16.31	0.00	8.96	0.11	5.52	10.00
R15-15	52.06	1.14	15.92	0.00	8.98	0.14	5.43	9.99
R15-15	51.62	1.11	16.26	0.00	8.92	0.19	5.34	9.80
R15-15	52.13	1.21	16.38	0.00	9.00	0.16	5.29	9.93
R15-15	52.01	1.13	16.30	0.00	8.96	0.18	5.26	9.91
R15-15	52.08	1.15	16.33	0.02	8.95	0.15	5.27	9.94
R15-15	51.54	1.14	15.67	0.00	9.59	0.16	7.43	9.25
R15-15	52.02	1.14	16.49	0.00	8.88	0.18	5.36	9.96
R15-16	52.03	1.18	16.70	0.00	8.93	0.16	4.92	9.74
R15-16	51.46	1.10	15.67	0.00	9.26	0.15	6.68	9.42

R15-16	51.92	1.13	17.18	0.00	8.67	0.14	4.96	9.89
R15-16	51.23	1.11	15.80	0.00	9.12	0.14	7.08	9.30
R15-16	52.07	1.17	16.52	0.00	8.99	0.20	5.14	9.72
R15-16	52.17	1.01	17.92	0.01	8.09	0.17	4.71	10.20
R15-16	52.21	1.18	16.55	0.01	8.98	0.16	4.87	9.94
R15-16	51.91	1.19	16.51	0.01	8.89	0.20	5.04	9.86

Na2O	K2O	P2O5	F	Cl	SO3	Total
3.00	0.22	0.08	0.00	0.10	0.19	98.36
2.77	0.20	0.13	0.00	0.09	0.19	98.02
2.82	0.22	0.13	0.00	0.10	0.20	97.38
2.86	0.20	0.13	0.00	0.08	0.18	96.66
2.83	0.22	0.14	0.08	0.09	0.18	97.87
2.74	0.21	0.10	0.00	0.10	0.17	97.52
2.76	0.22	0.13	0.09	0.09	0.15	97.58
2.85	0.21	0.09	0.02	0.08	0.21	98.03
2.83	0.21	0.12	0.00	0.08	0.19	97.50
2.87	0.21	0.12	0.00	0.08	0.17	97.59
2.81	0.22	0.07	0.00	0.10	0.20	97.30
2.77	0.21	0.15	0.00	0.09	0.19	97.14
2.88	0.23	0.11	0.07	0.09	0.17	98.00
2.39	0.20	0.10	0.00	0.08	0.17	97.82
2.53	0.22	0.10	0.00	0.11	0.17	97.58
2.75	0.22	0.11	0.00	0.10	0.21	97.45
2.87	0.23	0.14	0.00	0.09	0.21	97.88
2.87	0.23	0.14	0.06	0.09	0.18	97.83
2.78	0.22	0.14	0.00	0.10	0.21	97.45
2.77	0.20	0.13	0.00	0.07	0.19	97.73
2.74	0.21	0.10	0.00	0.10	0.17	97.47
2.89	0.22	0.06	0.00	0.10	0.16	97.05
2.86	0.21	0.14	0.00	0.10	0.21	98.05
2.78	0.21	0.12	0.00	0.09	0.22	97.37
2.84	0.22	0.11	0.19	0.09	0.19	98.24
2.89	0.21	0.12	0.00	0.10	0.20	97.72
2.28	0.21	0.13	0.00	0.10	0.20	97.07
2.83	0.21	0.13	0.00	0.09	0.24	97.74
2.81	0.24	0.10	0.05	0.11	0.18	98.02
2.82	0.22	0.12	0.00	0.10	0.20	98.19
2.84	0.20	0.08	0.00	0.08	0.19	97.54
2.76	0.21	0.10	0.00	0.10	0.19	98.13
2.89	0.23	0.14	0.08	0.10	0.18	97.62
2.77	0.23	0.10	0.00	0.10	0.21	97.71
2.83	0.21	0.09	0.00	0.09	0.21	97.50
2.45	0.21	0.08	0.06	0.08	0.19	97.04
2.75	0.21	0.11	0.09	0.09	0.18	96.96
2.71	0.21	0.07	0.04	0.08	0.22	97.97
2.86	0.22	0.10	0.05	0.09	0.18	97.36
2.76	0.22	0.13	0.00	0.10	0.21	97.62
2.86	0.22	0.17	0.00	0.09	0.19	97.65
2.72	0.22	0.11	0.00	0.09	0.20	97.68
2.75	0.23	0.11	0.00	0.08	0.20	97.61
2.54	0.20	0.11	0.17	0.08	0.19	98.02
2.81	0.20	0.14	0.02	0.08	0.20	98.05

2.79	0.22	0.08	0.00	0.08	0.18	97.48
2.33	0.22	0.07	0.00	0.08	0.21	96.24
2.89	0.23	0.09	0.00	0.08	0.20	97.10
2.77	0.23	0.16	0.00	0.10	0.18	97.33
2.82	0.22	0.13	0.01	0.09	0.18	97.70
2.86	0.23	0.12	0.00	0.09	0.19	97.20
2.89	0.21	0.12	0.00	0.09	0.18	97.54
2.82	0.22	0.11	0.00	0.09	0.17	97.51
2.82	0.23	0.08	0.05	0.09	0.19	97.41
2.84	0.22	0.14	0.00	0.07	0.20	97.31
2.69	0.22	0.13	0.00	0.10	0.19	97.80
2.83	0.23	0.12	0.25	0.09	0.20	97.14
2.88	0.23	0.12	0.00	0.10	0.18	97.61
2.89	0.21	0.12	0.00	0.09	0.20	97.99
2.74	0.22	0.13	0.01	0.09	0.16	97.83
2.57	0.21	0.11	0.00	0.09	0.21	97.75
2.88	0.22	0.12	0.00	0.09	0.22	98.01
2.85	0.20	0.09	0.06	0.10	0.20	97.04
2.81	0.21	0.08	0.08	0.09	0.18	97.19
2.80	0.21	0.12	0.02	0.08	0.18	96.28
2.46	0.23	0.07	0.08	0.08	0.16	96.85
2.65	0.21	0.11	0.18	0.09	0.18	97.56
2.74	0.20	0.12	0.00	0.08	0.19	97.89
2.79	0.21	0.14	0.00	0.10	0.17	97.65
2.95	0.23	0.11	0.00	0.08	0.19	97.60
2.69	0.21	0.12	0.01	0.09	0.19	98.04
2.83	0.22	0.07	0.00	0.10	0.18	97.15
2.78	0.21	0.11	0.00	0.09	0.16	95.90
2.83	0.22	0.08	0.00	0.09	0.22	98.02
2.75	0.22	0.10	0.00	0.11	0.22	98.09
2.82	0.22	0.06	0.07	0.07	0.23	97.77
2.75	0.21	0.11	0.00	0.09	0.18	98.09
2.85	0.21	0.08	0.00	0.09	0.19	98.03
3.13	0.26	0.11	0.09	0.13	0.17	96.92
3.11	0.25	0.09	0.00	0.11	0.20	96.98
3.19	0.26	0.11	0.00	0.15	0.24	97.35
3.17	0.24	0.08	0.09	0.13	0.17	96.92
3.16	0.26	0.13	0.07	0.14	0.21	97.43
3.00	0.24	0.13	0.03	0.12	0.23	96.75
3.16	0.25	0.10	0.03	0.12	0.24	97.44
3.06	0.25	0.15	0.00	0.11	0.21	96.80
3.06	0.27	0.09	0.03	0.11	0.17	96.90
3.07	0.26	0.12	0.00	0.13	0.22	97.08
3.10	0.27	0.11	0.05	0.12	0.19	97.17
3.19	0.26	0.14	0.00	0.13	0.22	97.04
3.13	0.26	0.12	0.00	0.13	0.20	96.90
3.07	0.27	0.11	0.08	0.13	0.21	96.62

3.22	0.26	0.16	0.00	0.12	0.19	97.05
2.80	0.21	0.10	0.08	0.08	0.19	97.59
2.79	0.21	0.11	0.07	0.08	0.17	97.82
2.46	0.21	0.11	0.08	0.09	0.22	96.71
2.62	0.26	0.12	0.05	0.12	0.18	96.62
2.85	0.21	0.09	0.05	0.09	0.18	96.81
2.80	0.22	0.11	0.00	0.08	0.20	97.43
2.66	0.21	0.12	0.00	0.09	0.18	97.59
2.92	0.23	0.12	0.09	0.09	0.19	97.79
2.81	0.24	0.13	0.05	0.08	0.18	97.55
2.89	0.20	0.07	0.00	0.07	0.19	97.75
2.82	0.21	0.15	0.00	0.09	0.23	97.54
2.81	0.22	0.16	0.00	0.09	0.18	97.61
2.78	0.21	0.14	0.00	0.08	0.21	96.91
2.76	0.21	0.12	0.03	0.08	0.19	96.60
2.83	0.21	0.14	0.00	0.08	0.22	96.92
3.32	0.26		0.02	0.16	0.20	97.05
3.38	0.25		0.08	0.13	0.20	96.35
3.08	0.27		0.00	0.13	0.16	96.60
3.34	0.25		0.04	0.13	0.15	96.18
3.00	0.23		0.00	0.13	0.20	97.15
3.22	0.23		0.00	0.15	0.14	96.25
3.33	0.25		0.11	0.16	0.18	97.35
3.30	0.26		0.09	0.14	0.16	97.06
3.40	0.25		0.00	0.14	0.20	97.38
3.16	0.23		0.00	0.14	0.19	96.47
3.23	0.25		0.15	0.14	0.19	96.93
3.07	0.29		0.05	0.17	0.17	95.89
3.06	0.27		0.00	0.13	0.19	96.48
2.38	0.23		0.00	0.11	0.18	97.61
3.23	0.26		0.05	0.14	0.16	97.24
3.02	0.22		0.00	0.09	0.17	97.48
2.77	0.22		0.00	0.10	0.20	97.62
2.95	0.22		0.13	0.10	0.21	97.20
2.90	0.20		0.00	0.11	0.20	97.02
2.90	0.21		0.00	0.10	0.17	98.01
2.94	0.21		0.00	0.10	0.20	97.68
2.91	0.21		0.00	0.09	0.20	97.65
2.99	0.21		0.14	0.09	0.20	98.32
2.82	0.21		0.00	0.10	0.24	97.67
2.98	0.22		0.09	0.10	0.19	98.22
2.94	0.21		0.00	0.09	0.19	97.92
2.84	0.21		0.00	0.09	0.18	97.09
2.95	0.20		0.00	0.09	0.18	98.02
2.93	0.20		0.00	0.08	0.21	97.99
2.99	0.21		0.03	0.10	0.20	97.87
3.01	0.22		0.00	0.09	0.19	98.07

2.83	0.21	0.00	0.09	0.20	97.93
2.94	0.22	0.03	0.09	0.23	97.93
2.89	0.20	0.00	0.10	0.23	97.18
2.98	0.21	0.00	0.09	0.18	97.85
2.61	0.23	0.00	0.10	0.17	96.97
2.98	0.22	0.08	0.08	0.17	97.50
2.90	0.21	0.07	0.09	0.18	97.82
2.94	0.22	0.00	0.07	0.17	97.36
2.95	0.21	0.01	0.10	0.16	97.39
2.90	0.21	0.00	0.10	0.21	98.31
2.99	0.21	0.06	0.10	0.22	97.37
3.01	0.21	0.06	0.10	0.15	97.64
2.87	0.21	0.00	0.09	0.20	96.90
2.96	0.21	0.00	0.09	0.21	97.91
2.89	0.19	0.06	0.10	0.17	98.04
2.89	0.22	0.03	0.09	0.16	97.74
2.87	0.23	0.00	0.09	0.18	97.83
2.93	0.21	0.09	0.08	0.17	97.78
2.95	0.20	0.00	0.09	0.18	97.56
3.00	0.22	0.06	0.10	0.18	97.76
2.86	0.23	0.00	0.10	0.18	97.86
2.93	0.20	0.00	0.10	0.15	97.30
2.93	0.22	0.00	0.10	0.17	97.14
2.79	0.23	0.00	0.09	0.22	97.39

Na2O	K2O	P2O5	F	Cl	SO3	Total
3.18	0.27	0.17	0.00	0.16	0.22	96.72
3.21	0.25	0.15	0.00	0.14	0.20	97.06
3.06	0.24	0.16	0.00	0.14	0.20	97.62
3.18	0.25	0.15	0.02	0.13	0.19	96.87
3.22	0.26	0.14	0.00	0.15	0.20	97.37
3.15	0.26	0.15	0.00	0.14	0.20	96.95
3.02	0.25	0.14	0.07	0.12	0.18	97.34
3.01	0.25	0.13	0.01	0.12	0.20	97.27
3.26	0.25	0.10	0.05	0.13	0.17	96.73
3.31	0.25	0.15	0.00	0.16	0.19	97.55
2.69	0.22	0.09	0.01	0.11	0.17	98.22
3.09	0.27	0.12	0.06	0.15	0.21	97.14
3.15	0.26	0.11	0.22	0.15	0.18	97.34
3.15	0.24	0.07	0.04	0.14	0.21	97.38
3.18	0.24	0.15	0.14	0.13	0.16	97.50
2.75	0.18	0.09	0.04	0.07	0.15	98.08
2.71	0.18	0.15	0.03	0.08	0.17	98.16
2.87	0.19	0.12	0.02	0.10	0.20	98.24
2.84	0.19	0.09	0.00	0.10	0.18	98.15
2.86	0.20	0.09	0.13	0.08	0.21	98.10
2.76	0.18	0.09	0.00	0.08	0.16	97.55

2.88	0.17	0.10	0.00	0.09	0.15	97.98
2.85	0.18	0.08	0.06	0.09	0.15	98.14
2.90	0.18	0.11	0.00	0.08	0.22	98.27
2.79	0.18	0.11	0.02	0.09	0.17	97.52
2.85	0.19	0.12	0.00	0.08	0.17	98.00
2.78	0.18	0.11	0.00	0.09	0.19	97.21
2.81	0.19	0.11	0.02	0.07	0.18	97.82
2.67	0.18	0.10	0.09	0.07	0.20	97.23
2.76	0.18	0.07	0.00	0.09	0.18	97.26
2.84	0.19	0.08	0.00	0.07	0.19	98.38
2.77	0.19	0.13	0.04	0.09	0.19	97.92
2.91	0.19	0.15	0.00	0.07	0.17	98.50
2.79	0.18	0.10	0.00	0.09	0.19	98.23
2.82	0.18	0.12	0.00	0.09	0.18	97.49
2.86	0.18	0.06	0.06	0.09	0.22	98.26
2.80	0.21	0.12	0.00	0.08	0.18	97.83
2.74	0.19	0.10	0.00	0.09	0.20	97.96
2.85	0.18	0.14	0.00	0.08	0.20	98.42
2.81	0.20	0.08	0.01	0.09	0.18	97.32
2.85	0.19	0.08	0.00	0.08	0.20	97.72
2.80	0.19	0.08	0.01	0.09	0.16	97.85
2.86	0.19	0.09	0.00	0.07	0.17	97.71
2.70	0.19	0.09	0.00	0.08	0.19	98.08
2.80	0.18	0.10	0.17	0.09	0.19	97.87
3.18	0.28	0.11	0.00	0.15	0.11	96.49
3.22	0.25	0.09	0.00	0.16	0.15	96.90
2.76	0.29	0.06	0.00	0.17	0.13	95.76
3.25	0.26	0.11	0.00	0.17	0.18	96.63
3.25	0.27	0.11	0.04	0.17	0.15	97.05
2.56	0.24	0.16	0.00	0.15	0.37	94.18
3.09	0.26	0.14	0.00	0.15	0.16	96.75
3.10	0.26	0.15	0.00	0.17	0.16	97.15
3.15	0.28	0.11	0.01	0.15	0.16	96.85
3.16	0.24	0.15	0.00	0.15	0.15	96.89
3.12	0.26	0.09	0.00	0.17	0.13	97.00
3.24	0.26	0.14	0.00	0.16	0.13	96.98
3.23	0.25	0.14	0.00	0.16	0.15	96.48
3.16	0.25	0.16	0.08	0.14	0.22	97.31
3.03	0.25	0.14	0.05	0.12	0.17	97.45
3.15	0.27	0.17	0.00	0.12	0.20	97.72
3.17	0.27	0.11	0.00	0.13	0.19	97.44
3.17	0.26	0.14	0.00	0.14	0.19	97.41
3.16	0.26	0.11	0.00	0.13	0.24	97.58
2.84	0.39	0.14	0.00	0.15	0.21	95.53
3.06	0.27	0.09	0.00	0.13	0.19	97.40
3.26	0.26	0.13	0.00	0.14	0.19	97.70
3.18	0.26	0.15	0.00	0.13	0.20	97.55

3.03	0.23	0.12	0.00	0.12	0.19	97.53
3.22	0.24	0.15	0.07	0.11	0.21	97.19
3.04	0.26	0.10	0.00	0.11	0.19	97.05
3.19	0.25	0.15	0.00	0.12	0.19	97.59
3.07	0.26	0.13	0.10	0.13	0.22	97.33
3.19	0.25	0.11	0.00	0.12	0.20	97.49
3.16	0.26	0.13	0.02	0.13	0.18	97.59
3.30	0.26	0.13	0.02	0.12	0.17	97.44
3.07	0.26	0.10	0.07	0.13	0.17	97.56
3.13	0.25	0.08	0.00	0.15	0.16	96.59
3.05	0.24	0.10	0.00	0.13	0.21	96.79
3.04	0.26	0.14	0.00	0.14	0.19	97.18
2.91	0.24	0.14	0.00	0.14	0.18	96.45
3.20	0.25	0.13	0.00	0.14	0.22	97.33
3.19	0.26	0.15	0.00	0.12	0.17	97.67
2.95	0.25	0.14	0.00	0.14	0.20	97.39
3.14	0.25	0.14	0.10	0.14	0.20	96.82
3.02	0.25	0.11	0.00	0.12	0.17	96.85
3.17	0.24	0.13	0.02	0.11	0.19	97.82
3.27	0.25		0.00	0.14	0.18	96.93
3.21	0.26		0.01	0.16	0.17	97.22
3.28	0.24		0.00	0.16	0.16	97.51
3.28	0.25		0.17	0.13	0.21	97.36
3.31	0.25		0.00	0.12	0.21	97.32
3.32	0.24		0.00	0.13	0.16	97.37
3.31	0.26		0.00	0.14	0.20	96.48
3.33	0.24		0.00	0.14	0.19	97.17
3.09	0.26		0.00	0.14	0.19	97.11
3.30	0.23		0.00	0.14	0.16	97.03
3.38	0.25		0.14	0.22	0.18	96.47
3.24	0.28		0.00	0.23	0.15	96.60
3.49	0.27		0.07	0.19	0.18	96.75
3.37	0.27		0.00	0.20	0.17	97.03
2.99	0.25		0.00	0.19	0.18	96.51
3.35	0.27		0.00	0.18	0.19	96.98
3.28	0.25		0.00	0.18	0.16	96.79
3.25	0.25		0.00	0.16	0.18	96.27
3.23	0.25		0.00	0.16	0.18	96.58
3.29	0.26		0.02	0.19	0.17	96.89
2.91	0.18		0.10	0.10	0.21	97.99
2.87	0.17		0.03	0.08	0.21	97.49
2.76	0.19		0.14	0.07	0.18	97.96
2.64	0.18		0.00	0.09	0.19	97.49
2.74	0.17		0.12	0.08	0.19	97.53
2.82	0.19		0.00	0.08	0.17	97.60
2.92	0.17		0.06	0.08	0.22	97.93
2.64	0.18		0.00	0.09	0.17	97.82

2.94	0.18	0.00	0.09	0.19	98.15
3.32	0.25	0.07	0.16	0.16	97.16
3.34	0.27	0.00	0.18	0.15	96.98
3.26	0.25	0.03	0.17	0.14	96.82
3.26	0.26	0.05	0.16	0.16	97.11
3.35	0.25	0.00	0.17	0.15	96.92
3.26	0.25	0.06	0.15	0.16	96.55
3.31	0.27	0.13	0.16	0.16	96.00
3.19	0.24	0.00	0.17	0.17	95.94
3.17	0.26	0.00	0.18	0.17	96.81
3.39	0.26	0.00	0.16	0.20	97.04
3.30	0.25	0.01	0.13	0.24	97.91
3.32	0.26	0.00	0.12	0.21	97.04
3.14	0.26	0.00	0.15	0.20	97.63
3.33	0.25	0.00	0.15	0.22	97.40
3.20	0.26	0.09	0.14	0.21	97.17
3.32	0.24	0.00	0.13	0.19	96.91
3.29	0.27	0.00	0.14	0.18	97.25
3.19	0.25	0.00	0.13	0.22	97.05
3.32	0.25	0.00	0.13	0.19	97.02
2.97	0.24	0.05	0.12	0.15	98.14

Na2O	K2O	P2O5	F	Cl	SO3	Total
3.05	0.27	0.11	0.08	0.13	0.22	97.68
3.18	0.25	0.08	0.06	0.11	0.20	97.84
3.07	0.26	0.09	0.00	0.12	0.17	97.68
3.18	0.25	0.12	0.00	0.12	0.17	97.68
3.20	0.26	0.15	0.00	0.12	0.19	97.83
3.02	0.24	0.12	0.00	0.14	0.21	97.84
3.16	0.26	0.08	0.00	0.11	0.17	97.46
3.16	0.26	0.18	0.03	0.12	0.19	97.81
3.14	0.26	0.12	0.00	0.14	0.18	97.75
3.15	0.24	0.08	0.00	0.13	0.19	97.98
3.23	0.24	0.15	0.03	0.12	0.18	97.64
3.13	0.27	0.12	0.14	0.12	0.19	97.93
3.26	0.26	0.09	0.04	0.12	0.22	97.95
3.20	0.24	0.14	0.06	0.12	0.20	98.00
3.15	0.27	0.17	0.00	0.12	0.18	98.14
3.22	0.25	0.16	0.00	0.13	0.17	98.23
3.29	0.26	0.12	0.00	0.15	0.18	97.79
3.20	0.25	0.09	0.18	0.12	0.23	98.47
3.23	0.26	0.09	0.15	0.13	0.21	97.93
2.89	0.27	0.12	0.00	0.14	0.21	97.61
3.26	0.26	0.11	0.03	0.14	0.20	98.06
3.19	0.27	0.15	0.00	0.14	0.20	97.07
3.16	0.27	0.13	0.00	0.13	0.22	98.04
2.96	0.27	0.13	0.11	0.13	0.19	97.92

3.24	0.27	0.12	0.00	0.14	0.20	98.22
3.16	0.26	0.10	0.10	0.13	0.18	98.37
3.17	0.28	0.16	0.04	0.13	0.20	97.49
3.21	0.27	0.13	0.00	0.14	0.17	97.84
3.20	0.27	0.11	0.05	0.13	0.19	97.77
3.24	0.27	0.14	0.00	0.14	0.23	98.27
3.24	0.26	0.18	0.00	0.11	0.20	97.48
3.15	0.26	0.11	0.00	0.11	0.17	97.78
3.15	0.25	0.16	0.04	0.13	0.20	98.55
3.10	0.26	0.15	0.14	0.13	0.20	98.07
3.11	0.27	0.13	0.00	0.13	0.20	97.83
3.15	0.28	0.13	0.08	0.13	0.20	98.02
3.21	0.24	0.14	0.00	0.12	0.20	98.25
3.08	0.26	0.13	0.00	0.12	0.20	98.09
3.22	0.27	0.10	0.01	0.10	0.21	98.19
3.25	0.26	0.17	0.00	0.13	0.21	98.29
3.13	0.26	0.13	0.00	0.12	0.21	98.30
3.17	0.25	0.14	0.03	0.12	0.19	98.27
3.24	0.25	0.14	0.01	0.11	0.20	97.52
3.31	0.28	0.07	0.00	0.13	0.21	96.42
3.16	0.27	0.09	0.00	0.13	0.19	97.78
3.22	0.27	0.15	0.00	0.13	0.18	97.79
3.26	0.20	0.10	0.04	0.10	0.14	98.44
3.22	0.26	0.09	0.07	0.12	0.20	97.64
3.00	0.27	0.13	0.00	0.13	0.18	97.60
3.16	0.25	0.13	0.01	0.13	0.19	97.92
3.15	0.26	0.12	0.00	0.14	0.21	97.57
3.14	0.27	0.13	0.00	0.12	0.16	97.36
3.16	0.26	0.12	0.09	0.12	0.22	97.48
3.14	0.26	0.14	0.09	0.13	0.20	97.90
3.17	0.25	0.09	0.00	0.13	0.19	96.97
3.05	0.27	0.10	0.00	0.13	0.20	97.30
3.23	0.24	0.15	0.18	0.13	0.19	97.82
3.15	0.27	0.07	0.00	0.13	0.19	97.73
3.16	0.26	0.08	0.00	0.14	0.20	97.99
3.21	0.26	0.15	0.05	0.13	0.20	97.88
3.21	0.25	0.11	0.06	0.12	0.21	96.86
3.27	0.27	0.11	0.00	0.12	0.19	97.93
3.19	0.28	0.13	0.00	0.12	0.20	97.20
3.16	0.25	0.10	0.10	0.10	0.22	98.34
3.28	0.26	0.14	0.06	0.12	0.18	97.76
3.23	0.24	0.11	0.00	0.13	0.19	97.71
3.18	0.27	0.12	0.04	0.12	0.23	98.01
3.19	0.27	0.15	0.00	0.14	0.18	97.58
3.25	0.27	0.14	0.08	0.13	0.19	97.86
3.14	0.26	0.09	0.00	0.13	0.19	98.02
3.19	0.25	0.09	0.03	0.11	0.17	98.00

3.08	0.26	0.07	0.00	0.12	0.20	98.20
3.24	0.26	0.13	0.02	0.15	0.21	97.90
2.88	0.26	0.13	0.05	0.13	0.21	98.10
3.12	0.26	0.10	0.16	0.13	0.19	97.93
3.15	0.25	0.13	0.00	0.11	0.20	97.79
3.29	0.26	0.14	0.00	0.12	0.20	97.83
3.25	0.28	0.08	0.02	0.13	0.17	97.86
3.28	0.28	0.16	0.12	0.14	0.21	98.16
3.21	0.28	0.13	0.00	0.13	0.20	97.19
3.25	0.27	0.15	0.04	0.11	0.18	97.71
3.12	0.24	0.14	0.00	0.13	0.24	97.80
3.20	0.26	0.06	0.00	0.13	0.18	98.30
3.13	0.27	0.13	0.00	0.13	0.16	97.16
2.87	0.24	0.09	0.00	0.10	0.20	98.15
3.21	0.25	0.11	0.00	0.13	0.21	97.70
3.29	0.25		0.00	0.13	0.19	97.89
3.15	0.27		0.00	0.13	0.24	97.66
3.21	0.25		0.00	0.13	0.20	97.55
3.36	0.25		0.00	0.13	0.19	97.71
3.30	0.21		0.00	0.10	0.19	98.57
3.33	0.24		0.00	0.14	0.19	97.92
3.34	0.28		0.00	0.13	0.18	97.94
3.22	0.28		0.00	0.13	0.17	97.90
3.30	0.24		0.15	0.13	0.23	98.39
3.15	0.26		0.08	0.13	0.24	98.42
3.35	0.24		0.00	0.15	0.20	98.27
3.32	0.24		0.02	0.12	0.19	98.61
3.26	0.26		0.00	0.15	0.21	97.30
3.21	0.26		0.07	0.15	0.20	97.06
3.45	0.25		0.03	0.15	0.21	97.84
3.22	0.27		0.03	0.13	0.20	97.17
3.35	0.28		0.01	0.15	0.22	97.73
3.31	0.26		0.00	0.13	0.23	97.64
3.29	0.27		0.00	0.13	0.21	96.00
3.25	0.26		0.03	0.14	0.20	97.73
3.27	0.24		0.00	0.14	0.23	98.13
3.23	0.26		0.00	0.15	0.19	97.82
3.21	0.25		0.00	0.12	0.18	98.00
3.16	0.26		0.04	0.14	0.21	97.51
3.26	0.25		0.00	0.13	0.21	97.10
3.26	0.27		0.09	0.13	0.20	98.03
3.02	0.27		0.00	0.14	0.20	97.37
3.31	0.26		0.00	0.13	0.18	97.78
3.19	0.25		0.17	0.13	0.17	98.61
3.33	0.26		0.08	0.14	0.20	98.02
3.37	0.28		0.11	0.17	0.16	97.74
3.13	0.25		0.00	0.16	0.16	97.45

3.20	0.26	0.00	0.16	0.18	97.68
3.11	0.24	0.00	0.15	0.15	97.40
3.29	0.25	0.00	0.15	0.17	97.68
3.33	0.24	0.02	0.15	0.17	98.23
3.40	0.25	0.00	0.15	0.19	97.90
3.27	0.26	0.02	0.16	0.18	97.54

R05	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R05-12r	50.89	1.00	16.60	0.00	8.21	0.16	6.43	11.50
R05-12r	50.96	1.03	16.53	0.00	8.13	0.13	6.49	11.38
R05-12r	50.44	0.97	16.51	0.00	8.00	0.15	6.43	11.45
R05-12r	50.52	0.96	15.76	0.02	8.16	0.15	6.39	11.26
R05-12r	50.92	0.99	16.52	0.02	8.18	0.16	6.34	11.28
R05-12r	50.90	0.95	16.53	0.02	8.01	0.13	6.37	11.30
R05-12r	50.89	0.99	16.48	0.03	7.96	0.13	6.36	11.36
R05-12r	51.02	0.98	16.55	0.00	8.13	0.16	6.38	11.38
R05-12r	50.81	0.99	16.56	0.00	8.19	0.16	6.14	11.24
R05-12r	50.92	0.95	16.49	0.00	8.09	0.18	6.36	11.17
R05-12r	50.63	0.99	16.57	0.03	7.87	0.15	6.42	11.28
R05-12r	50.77	0.96	16.27	0.02	8.14	0.13	6.12	11.33
R05-12r	50.82	1.00	16.60	0.01	8.18	0.16	6.37	11.34
R05-12r	50.88	1.00	16.06	0.00	8.11	0.12	6.87	11.85
R05-12r	50.83	1.02	16.51	0.01	8.18	0.15	6.43	11.33
R05-12r	50.81	0.97	16.49	0.01	7.93	0.16	6.35	11.37
R05-12r	50.96	0.99	16.56	0.01	8.20	0.16	6.18	11.32
R05-12r	50.92	0.99	16.53	0.01	8.12	0.13	6.37	11.23
R05-12r	50.80	0.94	16.49	0.00	8.12	0.15	6.31	11.21
R05-12r	50.84	0.97	16.49	0.02	8.18	0.13	6.42	11.33
R05-12r	50.94	1.00	16.42	0.01	8.14	0.16	6.36	11.15
R05-12r	50.68	1.01	16.43	0.01	7.94	0.16	6.33	11.07
R05-12r	50.92	1.00	16.57	0.00	8.21	0.14	6.39	11.30
R05-12r	50.81	0.96	16.45	0.00	8.04	0.15	6.18	11.37
R05-12r	51.06	0.99	16.53	0.03	8.18	0.16	6.33	11.42
R05-12r	50.94	0.98	16.52	0.01	8.16	0.12	6.34	11.15
R05-12r	50.91	1.00	16.40	0.01	7.99	0.15	6.27	11.45
R05-12r	51.09	0.96	16.41	0.01	8.06	0.16	6.31	11.27
R05-12r	51.01	0.97	16.58	0.02	8.14	0.17	6.34	11.35
R05-12r	51.04	1.02	16.61	0.00	8.11	0.14	6.40	11.43
R05-12r	50.85	0.98	16.53	0.01	8.14	0.11	6.25	11.29
R05-12r	51.18	0.93	16.61	0.02	8.24	0.18	6.38	11.26
R05-12r	50.69	0.98	16.51	0.00	8.10	0.14	6.29	11.34
R05-12r	50.98	0.97	16.48	0.02	8.16	0.16	6.34	11.21
R05-12r	51.09	0.95	16.52	0.01	8.07	0.12	6.31	11.03
R05-13r	50.68	0.97	16.36	0.00	8.15	0.16	6.30	11.39
R05-13r	50.64	0.99	16.11	0.02	8.04	0.15	6.31	11.33
R05-13r	50.92	0.97	16.63	0.00	8.30	0.15	6.35	11.35
R05-13r	50.24	1.04	16.55	0.00	8.20	0.17	6.32	11.37
R05-13r	50.63	1.01	16.48	0.00	8.25	0.18	6.36	11.31
R05-13r	50.66	0.98	16.48	0.01	8.24	0.16	6.26	11.33
R05-13r	50.95	1.04	16.45	0.00	8.23	0.15	6.20	11.34
R05-13r	50.88	1.00	16.30	0.04	8.28	0.19	6.38	11.19
R05-13r	51.05	0.96	16.06	0.01	8.32	0.14	7.19	11.06
R05-13r	51.01	1.00	16.47	0.00	8.16	0.15	6.48	11.36
R05-13r	50.51	0.99	16.56	0.01	8.19	0.16	6.41	11.32

R05-13r	50.37	1.01	16.25	0.00	8.25	0.18	5.93	11.35
R05-13r	51.01	0.99	16.43	0.00	7.45	0.12	6.30	11.32
R05-14r	50.32	0.98	16.52	0.01	8.25	0.17	6.34	11.31
R05-14r	50.69	1.02	16.51	0.02	8.26	0.15	6.27	11.38
R05-14r	51.01	0.95	16.28	0.00	8.12	0.16	6.24	10.97
R05-14r	50.94	0.96	16.57	0.01	7.85	0.18	6.33	11.22
R05-14r	50.97	0.99	16.38	0.00	8.06	0.12	6.25	11.35
R05-14r	50.90	0.96	16.24	0.02	8.27	0.15	6.32	11.13
R05-14r	50.97	0.97	16.42	0.00	8.21	0.14	6.03	11.11
R05-14r	51.06	1.05	16.51	0.01	8.12	0.15	6.42	11.17
R05-14r	51.01	0.94	16.08	0.01	7.77	0.16	6.28	11.31
R05-14r	50.92	0.96	16.38	0.03	8.22	0.14	6.32	11.15
R05-14r	51.05	1.02	16.48	0.01	8.22	0.14	6.32	11.26
R05-14r	50.74	0.93	15.53	0.02	8.50	0.15	7.72	10.91
R05-14r	51.05	0.98	16.53	0.00	8.26	0.15	6.27	11.35
R05-14r	50.98	1.00	16.55	0.00	8.28	0.16	6.27	11.28
R05-14r	51.03	0.99	16.30	0.01	7.71	0.16	6.18	11.21
R05-17r	50.24	0.99	16.44	0.00	8.14	0.19	6.45	11.33
R05-17r	50.86	0.96	16.44	0.01	7.04	0.18	6.11	11.29
R05-17r	50.83	1.00	16.32	0.00	8.16	0.18	6.34	10.99
R05-17r	51.03	0.95	16.49	0.00	7.95	0.16	6.32	11.34
R05-17r	51.07	0.98	16.50	0.01	8.13	0.17	6.35	11.36
R05-17r	50.77	0.96	16.45	0.01	8.19	0.16	6.30	11.42
R05-17r	51.02	1.03	16.49	0.00	7.83	0.19	6.08	11.41
R05-17r	50.69	0.93	15.98	0.02	8.03	0.16	7.76	11.17
R05-17r	50.78	0.99	16.42	0.00	8.02	0.14	6.27	11.15
R05-17r	50.27	0.94	16.31	0.00	7.85	0.13	6.18	10.89
R05-17r	51.12	0.97	16.52	0.03	8.08	0.18	6.29	11.40
R05-17r	51.21	0.94	16.44	0.01	8.24	0.16	6.18	11.55
R05-17r	50.90	0.96	16.55	0.02	8.19	0.13	6.23	11.37
R05-17r	51.35	0.97	16.48	0.00	8.14	0.14	6.34	11.35
R05-17r	51.10	0.97	16.54	0.03	8.17	0.16	6.24	11.43
R05-19r	51.80	1.19	16.34	0.00	8.86	0.16	4.77	9.98
R05-19r	51.86	1.09	16.30	0.00	8.63	0.16	5.20	10.00
R05-19r	51.94	1.16	16.16	0.00	8.92	0.14	5.22	9.90
R05-19r	51.67	1.16	16.37	0.01	8.71	0.15	5.27	9.76
R05-19r	51.79	1.15	16.40	0.01	8.84	0.13	5.28	9.94
R05-19r	51.76	1.12	16.20	0.02	8.92	0.18	4.96	9.88
R05-19r	51.75	1.13	16.24	0.00	8.94	0.17	5.29	10.07
R05-19r	51.57	1.14	16.08	0.00	8.94	0.13	5.16	10.01
R05-19r	51.62	1.17	16.18	0.00	8.99	0.15	5.16	9.94
R05-19r	52.10	1.12	16.21	0.00	8.84	0.16	5.24	9.63
R05-19r	51.93	1.17	16.24	0.00	8.86	0.17	5.06	9.93
R05-19r	51.93	1.18	16.00	0.01	8.75	0.14	5.20	9.92
R05-19r	51.82	1.18	16.01	0.00	8.88	0.15	5.21	9.83
R05-19r	51.73	1.18	16.04	0.00	8.63	0.16	5.03	10.05
R05-19r	51.65	1.16	16.19	0.00	8.77	0.14	5.20	10.02

R05-10r	50.64	0.99	16.68	0.01	7.89	0.16	6.48	11.35
R05-10r	50.83	1.04	16.49	0.01	8.18	0.14	6.36	11.40
R05-10r	50.54	1.00	16.35	0.01	8.25	0.16	6.01	11.28
R05-10r	50.25	1.00	16.39	0.01	8.10	0.16	6.26	11.16
R05-10r	50.90	0.99	16.17	0.00	8.05	0.12	6.40	10.74
R05-10r	50.91	0.97	16.48	0.00	7.91	0.15	6.42	11.18
R05-10r	50.92	1.03	16.42	0.03	8.03	0.16	6.46	11.30
R05-10r	50.83	1.00	16.61	0.00	8.13	0.17	6.39	11.09
R05-10r	50.84	0.95	16.47	0.02	8.23	0.16	6.16	11.27
R05-10r	50.85	1.00	16.46	0.00	8.17	0.14	6.36	11.36
R05-10r	50.66	1.01	16.49	0.00	8.11	0.13	6.40	11.27
R05-10r	50.67	1.03	16.53	0.05	8.02	0.15	6.38	11.33
R05-10r	50.28	0.99	16.38	0.01	8.07	0.16	6.20	11.42
R05-10r	50.22	0.97	16.21	0.03	8.16	0.14	6.27	11.25
R05-10r	50.40	1.01	16.24	0.02	7.92	0.17	6.31	11.39
R05-11	51.52	1.12	16.37	0.00	8.85	0.17	5.20	9.80
R05-11	50.92	1.17	16.36	0.01	8.58	0.15	5.26	9.88
R05-11	51.18	1.12	16.45	0.00	8.88	0.18	5.28	9.87
R05-11	51.66	1.10	16.26	0.00	8.00	0.18	5.28	9.82
R05-11	51.37	1.15	15.26	0.01	8.67	0.15	6.13	10.79
R05-11	51.45	1.12	16.52	0.00	8.42	0.19	4.90	9.87
R05-11	51.61	1.12	16.41	0.00	8.88	0.16	5.25	9.90
R05-11	51.63	1.12	16.29	0.00	8.88	0.18	5.23	9.80
R05-11	51.83	1.14	16.37	0.01	8.71	0.14	5.25	9.94
R05-11	51.36	1.17	16.27	0.01	8.61	0.16	5.32	9.83
R05-11	51.63	1.06	16.28	0.01	8.73	0.16	5.34	9.78
R05-11	51.17	1.18	16.28	0.01	8.91	0.14	5.13	9.26
R05-11	51.68	1.14	16.36	0.01	8.85	0.15	4.84	9.78
R05-11	51.65	1.01	14.02	0.04	8.25	0.17	7.40	12.18
R05-11	51.72	1.15	16.30	0.00	8.93	0.16	5.26	9.87
R05-12	50.72	0.94	16.51	0.02	8.06	0.20	6.46	11.00
R05-12	50.77	1.01	16.43	0.02	8.15	0.15	6.49	11.27
R05-12	50.86	0.98	15.91	0.02	8.13	0.14	6.24	11.37
R05-12	50.23	0.99	16.51	0.02	8.07	0.12	6.49	11.14
R05-12	51.09	0.95	16.53	0.03	8.21	0.14	6.40	11.27
R05-12	50.94	0.97	16.52	0.00	8.17	0.16	6.36	11.09
R05-12	50.84	0.95	16.49	0.02	8.11	0.14	6.50	11.18
R05-12	51.15	0.97	16.62	0.01	8.13	0.14	6.44	11.23
R05-12	50.99	0.93	16.42	0.01	8.11	0.15	6.47	11.22
R05-12	50.98	1.02	16.65	0.00	8.11	0.16	6.42	11.30
R05-13	50.93	0.99	16.42	0.02	8.16	0.15	6.49	11.35
R05-13	50.71	0.99	16.42	0.02	7.99	0.16	6.47	11.02
R05-13	51.22	0.95	16.53	0.00	8.07	0.14	6.46	11.23
R05-13	50.95	1.02	16.42	0.00	8.18	0.16	6.42	11.41
R05-13	50.89	0.98	16.48	0.00	8.15	0.19	6.47	11.18
R05-13	51.17	0.96	16.46	0.03	8.18	0.13	6.48	11.14
R05-13	51.16	0.97	16.45	0.02	8.11	0.14	6.49	11.23

R05-13	51.08	1.00	16.37	0.00	8.14	0.14	6.45	11.24
R05-13	50.56	1.02	16.29	0.00	8.09	0.13	6.37	11.28
R05-13	50.97	0.98	16.53	0.01	8.05	0.18	6.40	11.28
R05-14	50.79	0.95	16.31	0.00	7.91	0.17	6.51	11.22
R05-14	50.65	1.03	16.36	0.02	8.13	0.16	6.50	11.12
R05-14	50.87	0.95	16.48	0.01	8.19	0.16	6.43	11.30
R05-14	50.95	1.00	16.23	0.00	8.21	0.13	6.11	11.31
R05-14	50.62	0.98	16.37	0.03	8.09	0.15	6.41	11.30
R05-14	51.04	0.97	16.56	0.00	8.31	0.15	6.48	11.36
R05-14	50.50	0.99	16.49	0.01	8.08	0.15	6.37	11.26
R05-14	51.03	0.93	16.42	0.00	8.17	0.13	6.04	11.33
R05-14	50.95	1.05	16.34	0.01	8.05	0.13	6.40	10.60
R05-14	51.09	1.02	16.40	0.00	8.12	0.13	6.42	11.25
R05-16	50.99	0.98	16.45	0.02	8.23	0.13	6.53	11.29
R05-16	50.85	0.97	16.37	0.04	8.12	0.17	6.51	11.35
R05-16	50.94	0.96	16.56	0.00	8.06	0.14	6.46	11.33
R05-16	50.84	1.03	16.41	0.02	8.15	0.18	6.54	11.20
R05-16	50.95	1.01	16.48	0.03	7.89	0.19	6.50	11.10
R05-16	50.93	0.97	16.40	0.02	8.00	0.16	6.39	11.35
R05-16	50.84	0.97	16.51	0.00	8.19	0.14	6.44	11.38
R05-16	50.53	0.96	16.46	0.03	8.16	0.12	6.41	11.21
R05-16	50.97	0.96	16.01	0.01	8.03	0.14	6.57	11.02
R05-16	50.72	1.01	16.25	0.00	8.25	0.14	6.48	11.21

Na2O	K2O	P2O5	F	Cl	SO3	Total
3.00	0.22	0.08	0.00	0.10	0.19	98.36
2.77	0.20	0.13	0.00	0.09	0.19	98.02
2.82	0.22	0.13	0.00	0.10	0.20	97.38
2.86	0.20	0.13	0.00	0.08	0.18	96.66
2.83	0.22	0.14	0.08	0.09	0.18	97.87
2.74	0.21	0.10	0.00	0.10	0.17	97.52
2.76	0.22	0.13	0.09	0.09	0.15	97.58
2.85	0.21	0.09	0.02	0.08	0.21	98.03
2.83	0.21	0.12	0.00	0.08	0.19	97.50
2.87	0.21	0.12	0.00	0.08	0.17	97.59
2.81	0.22	0.07	0.00	0.10	0.20	97.30
2.77	0.21	0.15	0.00	0.09	0.19	97.14
2.88	0.23	0.11	0.07	0.09	0.17	98.00
2.39	0.20	0.10	0.00	0.08	0.17	97.82
2.53	0.22	0.10	0.00	0.11	0.17	97.58
2.75	0.22	0.11	0.00	0.10	0.21	97.45
2.87	0.23	0.14	0.00	0.09	0.21	97.88
2.87	0.23	0.14	0.06	0.09	0.18	97.83
2.78	0.22	0.14	0.00	0.10	0.21	97.45
2.77	0.20	0.13	0.00	0.07	0.19	97.73
2.74	0.21	0.10	0.00	0.10	0.17	97.47
2.89	0.22	0.06	0.00	0.10	0.16	97.05
2.86	0.21	0.14	0.00	0.10	0.21	98.05
2.78	0.21	0.12	0.00	0.09	0.22	97.37
2.84	0.22	0.11	0.19	0.09	0.19	98.24
2.89	0.21	0.12	0.00	0.10	0.20	97.72
2.28	0.21	0.13	0.00	0.10	0.20	97.07
2.83	0.21	0.13	0.00	0.09	0.24	97.74
2.81	0.24	0.10	0.05	0.11	0.18	98.02
2.82	0.22	0.12	0.00	0.10	0.20	98.19
2.84	0.20	0.08	0.00	0.08	0.19	97.54
2.76	0.21	0.10	0.00	0.10	0.19	98.13
2.89	0.23	0.14	0.08	0.10	0.18	97.62
2.77	0.23	0.10	0.00	0.10	0.21	97.71
2.83	0.21	0.09	0.00	0.09	0.21	97.50
2.45	0.21	0.08	0.06	0.08	0.19	97.04
2.75	0.21	0.11	0.09	0.09	0.18	96.96
2.71	0.21	0.07	0.04	0.08	0.22	97.97
2.86	0.22	0.10	0.05	0.09	0.18	97.36
2.76	0.22	0.13	0.00	0.10	0.21	97.62
2.86	0.22	0.17	0.00	0.09	0.19	97.65
2.72	0.22	0.11	0.00	0.09	0.20	97.68
2.75	0.23	0.11	0.00	0.08	0.20	97.61
2.54	0.20	0.11	0.17	0.08	0.19	98.02
2.81	0.20	0.14	0.02	0.08	0.20	98.05
2.79	0.22	0.08	0.00	0.08	0.18	97.48

2.33	0.22	0.07	0.00	0.08	0.21	96.24
2.89	0.23	0.09	0.00	0.08	0.20	97.10
2.77	0.23	0.16	0.00	0.10	0.18	97.33
2.82	0.22	0.13	0.01	0.09	0.18	97.70
2.86	0.23	0.12	0.00	0.09	0.19	97.20
2.89	0.21	0.12	0.00	0.09	0.18	97.54
2.82	0.22	0.11	0.00	0.09	0.17	97.51
2.82	0.23	0.08	0.05	0.09	0.19	97.41
2.84	0.22	0.14	0.00	0.07	0.20	97.31
2.69	0.22	0.13	0.00	0.10	0.19	97.80
2.83	0.23	0.12	0.25	0.09	0.20	97.14
2.88	0.23	0.12	0.00	0.10	0.18	97.61
2.89	0.21	0.12	0.00	0.09	0.20	97.99
2.74	0.22	0.13	0.01	0.09	0.16	97.83
2.57	0.21	0.11	0.00	0.09	0.21	97.75
2.88	0.22	0.12	0.00	0.09	0.22	98.01
2.85	0.20	0.09	0.06	0.10	0.20	97.04
2.81	0.21	0.08	0.08	0.09	0.18	97.19
2.80	0.21	0.12	0.02	0.08	0.18	96.28
2.46	0.23	0.07	0.08	0.08	0.16	96.85
2.65	0.21	0.11	0.18	0.09	0.18	97.56
2.74	0.20	0.12	0.00	0.08	0.19	97.89
2.79	0.21	0.14	0.00	0.10	0.17	97.65
2.95	0.23	0.11	0.00	0.08	0.19	97.60
2.69	0.21	0.12	0.01	0.09	0.19	98.04
2.83	0.22	0.07	0.00	0.10	0.18	97.15
2.78	0.21	0.11	0.00	0.09	0.16	95.90
2.83	0.22	0.08	0.00	0.09	0.22	98.02
2.75	0.22	0.10	0.00	0.11	0.22	98.09
2.82	0.22	0.06	0.07	0.07	0.23	97.77
2.75	0.21	0.11	0.00	0.09	0.18	98.09
2.85	0.21	0.08	0.00	0.09	0.19	98.03
3.13	0.26	0.11	0.09	0.13	0.17	96.92
3.11	0.25	0.09	0.00	0.11	0.20	96.98
3.19	0.26	0.11	0.00	0.15	0.24	97.35
3.17	0.24	0.08	0.09	0.13	0.17	96.92
3.16	0.26	0.13	0.07	0.14	0.21	97.43
3.00	0.24	0.13	0.03	0.12	0.23	96.75
3.16	0.25	0.10	0.03	0.12	0.24	97.44
3.06	0.25	0.15	0.00	0.11	0.21	96.80
3.06	0.27	0.09	0.03	0.11	0.17	96.90
3.07	0.26	0.12	0.00	0.13	0.22	97.08
3.10	0.27	0.11	0.05	0.12	0.19	97.17
3.19	0.26	0.14	0.00	0.13	0.22	97.04
3.13	0.26	0.12	0.00	0.13	0.20	96.90
3.07	0.27	0.11	0.08	0.13	0.21	96.62
3.22	0.26	0.16	0.00	0.12	0.19	97.05

2.80	0.21	0.10	0.08	0.08	0.19	97.59
2.79	0.21	0.11	0.07	0.08	0.17	97.82
2.46	0.21	0.11	0.08	0.09	0.22	96.71
2.62	0.26	0.12	0.05	0.12	0.18	96.62
2.85	0.21	0.09	0.05	0.09	0.18	96.81
2.80	0.22	0.11	0.00	0.08	0.20	97.43
2.66	0.21	0.12	0.00	0.09	0.18	97.59
2.92	0.23	0.12	0.09	0.09	0.19	97.79
2.81	0.24	0.13	0.05	0.08	0.18	97.55
2.89	0.20	0.07	0.00	0.07	0.19	97.75
2.82	0.21	0.15	0.00	0.09	0.23	97.54
2.81	0.22	0.16	0.00	0.09	0.18	97.61
2.78	0.21	0.14	0.00	0.08	0.21	96.91
2.76	0.21	0.12	0.03	0.08	0.19	96.60
2.83	0.21	0.14	0.00	0.08	0.22	96.92
3.32	0.26		0.02	0.16	0.20	97.05
3.38	0.25		0.08	0.13	0.20	96.35
3.08	0.27		0.00	0.13	0.16	96.60
3.34	0.25		0.04	0.13	0.15	96.18
3.00	0.23		0.00	0.13	0.20	97.15
3.22	0.23		0.00	0.15	0.14	96.25
3.33	0.25		0.11	0.16	0.18	97.35
3.30	0.26		0.09	0.14	0.16	97.06
3.40	0.25		0.00	0.14	0.20	97.38
3.16	0.23		0.00	0.14	0.19	96.47
3.23	0.25		0.15	0.14	0.19	96.93
3.07	0.29		0.05	0.17	0.17	95.89
3.06	0.27		0.00	0.13	0.19	96.48
2.38	0.23		0.00	0.11	0.18	97.61
3.23	0.26		0.05	0.14	0.16	97.24
3.02	0.22		0.00	0.09	0.17	97.48
2.77	0.22		0.00	0.10	0.20	97.62
2.95	0.22		0.13	0.10	0.21	97.20
2.90	0.20		0.00	0.11	0.20	97.02
2.90	0.21		0.00	0.10	0.17	98.01
2.94	0.21		0.00	0.10	0.20	97.68
2.91	0.21		0.00	0.09	0.20	97.65
2.99	0.21		0.14	0.09	0.20	98.32
2.82	0.21		0.00	0.10	0.24	97.67
2.98	0.22		0.09	0.10	0.19	98.22
2.94	0.21		0.00	0.09	0.19	97.92
2.84	0.21		0.00	0.09	0.18	97.09
2.95	0.20		0.00	0.09	0.18	98.02
2.93	0.20		0.00	0.08	0.21	97.99
2.99	0.21		0.03	0.10	0.20	97.87
3.01	0.22		0.00	0.09	0.19	98.07
2.83	0.21		0.00	0.09	0.20	97.93

2.94	0.22	0.03	0.09	0.23	97.93
2.89	0.20	0.00	0.10	0.23	97.18
2.98	0.21	0.00	0.09	0.18	97.85
2.61	0.23	0.00	0.10	0.17	96.97
2.98	0.22	0.08	0.08	0.17	97.50
2.90	0.21	0.07	0.09	0.18	97.82
2.94	0.22	0.00	0.07	0.17	97.36
2.95	0.21	0.01	0.10	0.16	97.39
2.90	0.21	0.00	0.10	0.21	98.31
2.99	0.21	0.06	0.10	0.22	97.37
3.01	0.21	0.06	0.10	0.15	97.64
2.87	0.21	0.00	0.09	0.20	96.90
2.96	0.21	0.00	0.09	0.21	97.91
2.89	0.19	0.06	0.10	0.17	98.04
2.89	0.22	0.03	0.09	0.16	97.74
2.87	0.23	0.00	0.09	0.18	97.83
2.93	0.21	0.09	0.08	0.17	97.78
2.95	0.20	0.00	0.09	0.18	97.56
3.00	0.22	0.06	0.10	0.18	97.76
2.86	0.23	0.00	0.10	0.18	97.86
2.93	0.20	0.00	0.10	0.15	97.30
2.93	0.22	0.00	0.10	0.17	97.14
2.79	0.23	0.00	0.09	0.22	97.39

4/23/2014	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO
R06-11r	51.03	1.16	16.44	0.01	8.59	0.19	5.28	10.08
R06-11r	51.55	1.13	16.46	0.02	8.73	0.17	5.07	10.01
R06-11r	51.77	1.18	16.49	0.00	8.80	0.17	5.30	10.13
R06-11r	51.51	1.17	16.41	0.00	8.64	0.19	5.24	9.84
R06-11r	51.64	1.12	16.33	0.00	8.83	0.15	5.36	10.01
R06-11r	51.55	1.14	16.32	0.00	8.54	0.18	5.17	10.19
R06-11r	51.75	1.14	16.47	0.00	8.77	0.15	5.25	10.08
R06-11r	51.66	1.13	16.50	0.00	8.76	0.15	5.27	10.10
R06-11r	51.60	1.13	16.04	0.01	8.69	0.14	5.28	9.94
R06-11r	51.67	1.07	16.51	0.01	8.78	0.15	5.32	10.00
R06-11r	51.68	1.07	14.49	0.03	8.49	0.19	7.23	11.77
R06-11r	51.78	1.12	16.30	0.00	8.68	0.15	5.25	10.01
R06-11r	51.74	1.07	16.24	0.03	8.87	0.15	5.32	9.98
R06-11r	51.82	1.14	16.49	0.02	8.91	0.13	5.33	9.73
R06-11r	51.88	1.14	16.33	0.02	8.60	0.15	5.34	10.12
R06-12r	50.97	1.04	16.58	0.01	8.48	0.13	6.34	11.30
R06-12r	50.99	1.02	16.51	0.01	8.53	0.17	6.38	11.25
R06-12r	51.18	1.01	16.62	0.00	8.48	0.15	6.32	11.00
R06-12r	51.06	1.05	16.52	0.01	8.38	0.14	6.28	11.33
R06-12r	50.92	1.00	16.52	0.01	8.33	0.15	6.46	11.21
R06-12r	50.66	1.06	16.47	0.00	8.29	0.18	6.27	11.37
R06-12r	50.99	1.07	16.68	0.01	8.41	0.16	6.25	11.03
R06-12r	51.07	1.02	16.53	0.00	8.25	0.16	6.36	11.37
R06-12r	51.16	1.05	16.46	0.02	8.36	0.15	6.31	11.28
R06-12r	51.08	1.05	15.86	0.02	8.32	0.13	6.31	11.42
R06-12r	51.12	0.98	16.54	0.01	8.52	0.17	5.93	11.33
R06-12r	50.62	1.03	16.55	0.01	8.20	0.16	6.15	11.15
R06-12r	50.90	1.04	16.59	0.01	8.28	0.11	6.23	11.29
R06-12r	50.39	1.07	16.55	0.00	8.26	0.17	6.22	11.31
R06-12r	50.34	0.99	16.56	0.00	8.39	0.14	6.24	11.34
R06-13r	51.09	1.04	16.63	0.01	8.36	0.15	6.31	11.43
R06-13r	51.05	0.99	16.16	0.01	8.47	0.15	6.38	11.34
R06-13r	51.07	1.00	16.60	0.00	8.46	0.16	6.36	11.38
R06-13r	50.84	0.96	16.65	0.01	8.47	0.14	6.41	11.41
R06-13r	50.83	1.01	16.25	0.02	8.14	0.16	6.35	11.36
R06-13r	51.04	1.05	16.56	0.00	8.38	0.17	6.29	11.36
R06-13r	50.86	1.00	16.49	0.00	8.21	0.16	6.28	11.47
R06-13r	50.89	1.00	16.50	0.00	8.27	0.17	6.35	11.48
R06-13r	51.02	1.05	16.55	0.01	8.52	0.14	6.38	11.32
R06-13r	50.56	0.99	16.16	0.00	8.47	0.15	6.24	11.40
R06-13r	50.87	1.04	16.34	0.01	8.20	0.13	6.35	11.40
R06-13r	50.95	1.04	16.49	0.01	8.46	0.14	6.01	11.44
R06-13r	50.91	1.02	16.22	0.00	8.39	0.17	6.37	11.27
R06-13r	50.99	1.05	16.53	0.00	8.37	0.18	6.38	11.34
R06-13r	50.90	1.05	16.42	0.01	8.41	0.17	6.33	11.13
R06-14r	51.37	1.10	16.64	0.01	8.69	0.15	4.89	9.85

R06-14r	51.73	1.17	16.63	0.00	8.75	0.17	4.89	9.75
R06-14r	51.64	1.12	16.18	0.01	8.83	0.15	4.95	9.51
R06-14r	51.60	1.17	16.37	0.00	8.72	0.16	4.89	9.79
R06-14r	51.58	1.20	16.61	0.01	8.74	0.18	4.91	9.89
R06-14r	49.93	1.10	15.85	0.00	8.53	0.19	5.12	10.00
R06-14r	51.68	1.20	16.24	0.01	8.69	0.14	4.98	10.02
R06-14r	51.75	1.16	16.33	0.00	8.59	0.19	5.10	10.24
R06-14r	51.64	1.10	16.65	0.00	8.66	0.15	4.90	9.92
R06-14r	51.56	1.13	16.40	0.02	8.59	0.17	5.04	10.17
R06-14r	51.68	1.10	16.68	0.00	8.78	0.15	4.85	10.04
R06-14r	51.54	1.15	16.68	0.00	8.73	0.15	4.89	9.94
R06-14r	51.70	1.20	16.25	0.03	8.52	0.16	4.91	9.82
R06-15r	51.59	1.15	16.12	0.00	8.94	0.18	5.44	9.93
R06-15r	51.77	1.14	16.26	0.00	9.11	0.16	5.34	9.94
R06-15r	52.04	1.10	16.35	0.00	8.89	0.15	5.37	9.94
R06-15r	51.81	1.14	16.46	0.00	8.82	0.14	5.29	9.93
R06-15r	51.66	1.10	16.35	0.01	8.95	0.16	5.27	10.02
R06-15r	51.84	1.16	16.22	0.00	8.92	0.15	5.40	10.02
R06-15r	50.98	1.14	16.27	0.01	9.05	0.12	5.09	9.16
R06-15r	51.85	1.16	16.36	0.02	8.91	0.15	5.40	9.85
R06-15r	51.97	1.08	16.45	0.02	9.00	0.18	5.03	10.03
R06-15r	51.71	1.15	16.51	0.00	8.81	0.18	5.26	10.03
R06-15r	51.41	1.09	15.91	0.01	9.13	0.16	6.77	9.40
R06-15r	51.89	1.07	16.15	0.01	8.97	0.14	5.35	9.66
R06-15r	51.73	1.15	16.44	0.01	8.55	0.16	5.37	9.98
R06-15r	51.87	1.18	16.31	0.01	8.82	0.17	5.31	10.05
R06-15r	51.70	1.15	16.40	0.00	8.96	0.12	5.31	9.84
R06-16r	51.81	1.11	16.36	0.02	8.80	0.16	5.34	10.05
R06-16r	51.74	1.07	16.34	0.03	8.85	0.16	5.41	10.15
R06-16r	51.85	1.13	16.38	0.02	8.70	0.14	5.18	10.09
R06-16r	51.70	1.14	16.46	0.01	8.90	0.16	5.39	10.06
R06-16r	50.65	1.16	16.22	0.00	9.01	0.19	5.49	10.12
R06-16r	51.30	1.10	16.17	0.00	8.89	0.17	5.43	10.01
R06-16r	51.66	1.12	16.41	0.00	8.88	0.19	5.16	10.03
R06-16r	51.21	1.17	16.06	0.00	8.83	0.16	5.37	10.06
R06-16r	51.78	1.10	16.38	0.01	8.87	0.16	5.47	9.66
R06-16r	51.80	1.14	16.41	0.03	8.80	0.16	5.33	10.14
R06-16r	51.65	1.08	16.43	0.00	8.90	0.15	5.49	10.04
R06-16r	50.89	1.13	16.38	0.00	8.80	0.18	5.44	10.10
R06-16r	51.53	1.09	16.21	0.00	8.83	0.15	5.33	10.06
R06-16r	51.87	1.18	16.46	0.00	8.86	0.16	5.40	10.07
R06-11	51.52	1.09	16.50	0.02	8.79	0.16	5.33	9.67
R06-11	51.56	1.12	16.46	0.01	8.76	0.18	5.32	9.99
R06-11	51.78	1.12	16.52	0.01	8.80	0.14	5.30	9.99
R06-11	51.50	1.14	16.42	0.02	8.69	0.18	5.49	9.91
R06-11	51.63	1.14	16.48	0.01	8.58	0.16	5.40	10.00
R06-11	51.74	1.15	16.43	0.01	8.60	0.17	5.37	10.00

R06-11	50.81	1.13	16.30	0.00	8.76	0.14	5.33	10.06
R06-11	51.59	1.08	16.49	0.00	8.82	0.16	5.05	10.06
R06-11	51.45	1.16	16.46	0.00	8.74	0.17	5.42	10.01
R06-11	51.70	1.19	16.44	0.00	8.44	0.13	5.32	9.99
R06-12	51.24	1.09	16.49	0.01	8.66	0.18	5.21	9.45
R06-12	51.37	1.10	16.81	0.02	8.72	0.16	4.79	9.73
R06-12	51.53	1.12	16.85	0.00	8.67	0.16	4.66	9.56
R06-12	51.47	1.19	16.71	0.02	8.86	0.15	4.86	9.77
R06-12	51.32	1.12	16.07	0.01	8.65	0.18	5.33	10.22
R06-12	51.65	1.15	16.69	0.00	8.72	0.18	4.93	9.70
R06-12	51.44	1.15	16.33	0.02	8.77	0.14	5.06	10.04
R06-12	51.13	1.16	16.42	0.00	8.38	0.15	5.16	9.97
R06-12	51.53	1.15	16.48	0.01	8.45	0.14	4.98	9.95
R06-12	51.64	1.14	16.43	0.00	8.62	0.14	5.09	9.92
R06-13	50.78	0.97	16.55	0.02	8.35	0.14	6.45	11.28
R06-13	50.78	1.10	16.17	0.01	8.21	0.14	6.39	11.32
R06-13	50.98	1.04	16.49	0.03	8.39	0.16	6.43	11.20
R06-13	50.98	1.03	16.55	0.01	8.50	0.18	6.15	11.02
R06-13	51.03	1.04	16.25	0.01	8.29	0.14	6.15	11.34
R06-13	50.73	1.00	16.36	0.01	8.37	0.13	6.46	11.27
R06-13	50.48	0.99	16.48	0.01	8.53	0.18	6.45	11.40
R06-13	51.02	1.00	16.58	0.00	8.28	0.15	6.50	11.23
R06-13	50.94	1.01	16.37	0.00	8.44	0.15	6.46	11.38
R06-14	51.62	1.23	16.64	0.01	8.66	0.17	4.95	9.87
R06-14	51.47	1.12	16.62	0.01	8.84	0.16	4.97	9.81
R06-14	51.41	1.11	16.63	0.00	8.84	0.18	4.99	9.79
R06-14	51.68	1.13	16.39	0.00	8.71	0.16	5.08	10.05
R06-14	51.51	1.14	16.53	0.01	8.73	0.15	4.95	10.01
R06-14	51.68	1.12	16.45	0.00	8.52	0.12	4.88	9.91
R06-14	51.39	1.09	16.50	0.00	8.48	0.17	4.81	9.60
R06-14	51.08	1.19	16.48	0.00	8.63	0.12	4.96	9.70
R06-14	51.60	1.13	16.62	0.00	8.82	0.15	5.00	9.74
R06-14	51.64	1.16	16.47	0.00	8.76	0.18	4.90	9.89
R06-15	51.94	1.23	16.27	0.02	8.90	0.15	5.48	9.98
R06-15	51.56	1.15	16.16	0.00	8.81	0.18	5.45	9.80
R06-15	51.83	1.22	16.18	0.02	8.94	0.18	5.49	9.99
R06-15	51.78	1.16	16.25	0.01	8.75	0.13	5.37	10.00
R06-15	51.79	1.13	16.27	0.02	8.68	0.16	5.32	9.91
R06-15	51.74	1.16	15.86	0.00	8.84	0.16	5.35	9.90
R06-15	51.99	1.13	16.33	0.00	8.88	0.12	5.42	9.50
R06-15	51.67	1.13	16.02	0.01	8.84	0.18	5.35	10.01
R06-15	51.65	1.15	15.99	0.00	8.93	0.21	5.19	9.98
R06-15	50.75	1.03	15.11	0.00	9.77	0.15	8.85	8.96

Na2O	K2O	P2O5	F	Cl	SO3	Total
3.18	0.27	0.17	0.00	0.16	0.22	96.72
3.21	0.25	0.15	0.00	0.14	0.20	97.06
3.06	0.24	0.16	0.00	0.14	0.20	97.62
3.18	0.25	0.15	0.02	0.13	0.19	96.87
3.22	0.26	0.14	0.00	0.15	0.20	97.37
3.15	0.26	0.15	0.00	0.14	0.20	96.95
3.02	0.25	0.14	0.07	0.12	0.18	97.34
3.01	0.25	0.13	0.01	0.12	0.20	97.27
3.26	0.25	0.10	0.05	0.13	0.17	96.73
3.31	0.25	0.15	0.00	0.16	0.19	97.55
2.69	0.22	0.09	0.01	0.11	0.17	98.22
3.09	0.27	0.12	0.06	0.15	0.21	97.14
3.15	0.26	0.11	0.22	0.15	0.18	97.34
3.15	0.24	0.07	0.04	0.14	0.21	97.38
3.18	0.24	0.15	0.14	0.13	0.16	97.50
2.75	0.18	0.09	0.04	0.07	0.15	98.08
2.71	0.18	0.15	0.03	0.08	0.17	98.16
2.87	0.19	0.12	0.02	0.10	0.20	98.24
2.84	0.19	0.09	0.00	0.10	0.18	98.15
2.86	0.20	0.09	0.13	0.08	0.21	98.10
2.76	0.18	0.09	0.00	0.08	0.16	97.55
2.88	0.17	0.10	0.00	0.09	0.15	97.98
2.85	0.18	0.08	0.06	0.09	0.15	98.14
2.90	0.18	0.11	0.00	0.08	0.22	98.27
2.79	0.18	0.11	0.02	0.09	0.17	97.52
2.85	0.19	0.12	0.00	0.08	0.17	98.00
2.78	0.18	0.11	0.00	0.09	0.19	97.21
2.81	0.19	0.11	0.02	0.07	0.18	97.82
2.67	0.18	0.10	0.09	0.07	0.20	97.23
2.76	0.18	0.07	0.00	0.09	0.18	97.26
2.84	0.19	0.08	0.00	0.07	0.19	98.38
2.77	0.19	0.13	0.04	0.09	0.19	97.92
2.91	0.19	0.15	0.00	0.07	0.17	98.50
2.79	0.18	0.10	0.00	0.09	0.19	98.23
2.82	0.18	0.12	0.00	0.09	0.18	97.49
2.86	0.18	0.06	0.06	0.09	0.22	98.26
2.80	0.21	0.12	0.00	0.08	0.18	97.83
2.74	0.19	0.10	0.00	0.09	0.20	97.96
2.85	0.18	0.14	0.00	0.08	0.20	98.42
2.81	0.20	0.08	0.01	0.09	0.18	97.32
2.85	0.19	0.08	0.00	0.08	0.20	97.72
2.80	0.19	0.08	0.01	0.09	0.16	97.85
2.86	0.19	0.09	0.00	0.07	0.17	97.71
2.70	0.19	0.09	0.00	0.08	0.19	98.08
2.80	0.18	0.10	0.17	0.09	0.19	97.87
3.18	0.28	0.11	0.00	0.15	0.11	96.49

3.22	0.25	0.09	0.00	0.16	0.15	96.90
2.76	0.29	0.06	0.00	0.17	0.13	95.76
3.25	0.26	0.11	0.00	0.17	0.18	96.63
3.25	0.27	0.11	0.04	0.17	0.15	97.05
2.56	0.24	0.16	0.00	0.15	0.37	94.18
3.09	0.26	0.14	0.00	0.15	0.16	96.75
3.10	0.26	0.15	0.00	0.17	0.16	97.15
3.15	0.28	0.11	0.01	0.15	0.16	96.85
3.16	0.24	0.15	0.00	0.15	0.15	96.89
3.12	0.26	0.09	0.00	0.17	0.13	97.00
3.24	0.26	0.14	0.00	0.16	0.13	96.98
3.23	0.25	0.14	0.00	0.16	0.15	96.48
3.16	0.25	0.16	0.08	0.14	0.22	97.31
3.03	0.25	0.14	0.05	0.12	0.17	97.45
3.15	0.27	0.17	0.00	0.12	0.20	97.72
3.17	0.27	0.11	0.00	0.13	0.19	97.44
3.17	0.26	0.14	0.00	0.14	0.19	97.41
3.16	0.26	0.11	0.00	0.13	0.24	97.58
2.84	0.39	0.14	0.00	0.15	0.21	95.53
3.06	0.27	0.09	0.00	0.13	0.19	97.40
3.26	0.26	0.13	0.00	0.14	0.19	97.70
3.18	0.26	0.15	0.00	0.13	0.20	97.55
3.03	0.23	0.12	0.00	0.12	0.19	97.53
3.22	0.24	0.15	0.07	0.11	0.21	97.19
3.04	0.26	0.10	0.00	0.11	0.19	97.05
3.19	0.25	0.15	0.00	0.12	0.19	97.59
3.07	0.26	0.13	0.10	0.13	0.22	97.33
3.19	0.25	0.11	0.00	0.12	0.20	97.49
3.16	0.26	0.13	0.02	0.13	0.18	97.59
3.30	0.26	0.13	0.02	0.12	0.17	97.44
3.07	0.26	0.10	0.07	0.13	0.17	97.56
3.13	0.25	0.08	0.00	0.15	0.16	96.59
3.05	0.24	0.10	0.00	0.13	0.21	96.79
3.04	0.26	0.14	0.00	0.14	0.19	97.18
2.91	0.24	0.14	0.00	0.14	0.18	96.45
3.20	0.25	0.13	0.00	0.14	0.22	97.33
3.19	0.26	0.15	0.00	0.12	0.17	97.67
2.95	0.25	0.14	0.00	0.14	0.20	97.39
3.14	0.25	0.14	0.10	0.14	0.20	96.82
3.02	0.25	0.11	0.00	0.12	0.17	96.85
3.17	0.24	0.13	0.02	0.11	0.19	97.82
3.27	0.25		0.00	0.14	0.18	96.93
3.21	0.26		0.01	0.16	0.17	97.22
3.28	0.24		0.00	0.16	0.16	97.51
3.28	0.25		0.17	0.13	0.21	97.36
3.31	0.25		0.00	0.12	0.21	97.32
3.32	0.24		0.00	0.13	0.16	97.37

3.31	0.26	0.00	0.14	0.20	96.48
3.33	0.24	0.00	0.14	0.19	97.17
3.09	0.26	0.00	0.14	0.19	97.11
3.30	0.23	0.00	0.14	0.16	97.03
3.38	0.25	0.14	0.22	0.18	96.47
3.24	0.28	0.00	0.23	0.15	96.60
3.49	0.27	0.07	0.19	0.18	96.75
3.37	0.27	0.00	0.20	0.17	97.03
2.99	0.25	0.00	0.19	0.18	96.51
3.35	0.27	0.00	0.18	0.19	96.98
3.28	0.25	0.00	0.18	0.16	96.79
3.25	0.25	0.00	0.16	0.18	96.27
3.23	0.25	0.00	0.16	0.18	96.58
3.29	0.26	0.02	0.19	0.17	96.89
2.91	0.18	0.10	0.10	0.21	97.99
2.87	0.17	0.03	0.08	0.21	97.49
2.76	0.19	0.14	0.07	0.18	97.96
2.64	0.18	0.00	0.09	0.19	97.49
2.74	0.17	0.12	0.08	0.19	97.53
2.82	0.19	0.00	0.08	0.17	97.60
2.92	0.17	0.06	0.08	0.22	97.93
2.64	0.18	0.00	0.09	0.17	97.82
2.94	0.18	0.00	0.09	0.19	98.15
3.32	0.25	0.07	0.16	0.16	97.16
3.34	0.27	0.00	0.18	0.15	96.98
3.26	0.25	0.03	0.17	0.14	96.82
3.26	0.26	0.05	0.16	0.16	97.11
3.35	0.25	0.00	0.17	0.15	96.92
3.26	0.25	0.06	0.15	0.16	96.55
3.31	0.27	0.13	0.16	0.16	96.00
3.19	0.24	0.00	0.17	0.17	95.94
3.17	0.26	0.00	0.18	0.17	96.81
3.39	0.26	0.00	0.16	0.20	97.04
3.30	0.25	0.01	0.13	0.24	97.91
3.32	0.26	0.00	0.12	0.21	97.04
3.14	0.26	0.00	0.15	0.20	97.63
3.33	0.25	0.00	0.15	0.22	97.40
3.20	0.26	0.09	0.14	0.21	97.17
3.32	0.24	0.00	0.13	0.19	96.91
3.29	0.27	0.00	0.14	0.18	97.25
3.19	0.25	0.00	0.13	0.22	97.05
3.32	0.25	0.00	0.13	0.19	97.02
2.97	0.24	0.05	0.12	0.15	98.14

4/23/2014	SiO2	TiO2	Al2O3	Cr2O3	FeO	MnO	MgO	CaO	Na2O
R15-11	52.11	1.13	16.48	0.00	8.80	0.17	5.40	9.78	3.05
R15-11	52.02	1.13	16.41	0.00	8.85	0.18	5.40	10.02	3.18
R15-11	51.88	1.11	16.51	0.00	8.88	0.17	5.28	10.18	3.07
R15-11	52.04	1.13	16.39	0.00	8.72	0.15	5.38	10.07	3.18
R15-11	52.10	1.13	16.44	0.01	8.89	0.15	5.32	9.91	3.20
R15-11	52.11	1.16	16.55	0.00	8.97	0.17	5.34	9.83	3.02
R15-11	52.04	1.12	16.29	0.00	8.79	0.17	5.48	9.80	3.16
R15-11	51.96	1.15	16.50	0.00	8.67	0.19	5.45	10.00	3.16
R15-11	51.71	1.14	16.45	0.00	8.87	0.16	5.48	10.13	3.14
R15-11	52.05	1.15	16.43	0.00	8.89	0.15	5.44	10.11	3.15
R15-11	51.92	1.15	16.16	0.00	8.81	0.18	5.36	10.16	3.23
R15-11	51.99	1.17	16.34	0.02	8.88	0.16	5.41	10.07	3.13
R15-11	51.99	1.15	16.45	0.00	8.79	0.19	5.36	10.09	3.26
R15-11	52.00	1.14	16.39	0.00	8.86	0.15	5.42	10.13	3.20
R15-11	52.09	1.18	16.48	0.00	8.99	0.16	5.35	10.03	3.15
R15-12r	52.02	1.19	16.42	0.00	8.97	0.15	5.49	10.10	3.22
R15-12r	52.09	1.07	16.12	0.00	8.98	0.15	5.43	10.00	3.29
R15-12r	52.24	1.11	16.44	0.00	9.00	0.17	5.33	10.20	3.20
R15-12r	52.02	1.14	16.38	0.00	8.72	0.18	5.51	10.00	3.23
R15-12r	51.59	1.19	16.29	0.01	8.87	0.16	5.60	10.32	2.89
R15-12r	51.94	1.14	16.60	0.03	8.78	0.19	5.39	10.04	3.26
R15-12r	51.01	1.14	16.33	0.01	9.00	0.16	5.43	10.08	3.19
R15-12r	51.97	1.14	16.49	0.01	8.89	0.15	5.40	10.10	3.16
R15-12r	52.12	1.12	16.48	0.03	9.00	0.14	5.46	9.87	2.96
R15-12r	52.21	1.13	16.38	0.00	9.03	0.19	5.40	9.94	3.24
R15-12r	52.21	1.12	16.50	0.00	8.96	0.16	5.42	10.13	3.16
R15-12r	51.39	1.14	16.42	0.01	9.01	0.17	5.44	9.97	3.17
R15-12r	51.87	1.15	16.50	0.00	8.91	0.14	5.32	10.07	3.21
R15-13r	52.08	1.16	16.61	0.01	8.90	0.15	5.47	9.49	3.20
R15-13r	51.91	1.15	16.45	0.00	9.05	0.17	5.52	10.05	3.24
R15-13r	51.90	1.14	16.50	0.00	8.75	0.17	5.09	9.96	3.24
R15-13r	52.18	1.17	16.20	0.00	8.92	0.16	5.35	10.01	3.15
R15-13r	52.20	1.15	16.55	0.01	8.99	0.18	5.43	10.16	3.15
R15-13r	51.92	1.14	16.50	0.00	8.91	0.18	5.34	10.19	3.10
R15-13r	51.90	1.15	16.50	0.00	9.00	0.19	5.29	9.99	3.11
R15-13r	51.96	1.15	16.42	0.02	9.05	0.15	5.50	9.84	3.15
R15-13r	51.99	1.10	16.41	0.01	9.03	0.17	5.48	10.18	3.21
R15-13r	52.12	1.15	16.49	0.00	9.03	0.16	5.44	9.96	3.08
R15-13r	52.06	1.21	16.52	0.00	8.89	0.16	5.31	10.16	3.22
R15-13r	52.09	1.17	16.50	0.01	8.85	0.18	5.44	10.06	3.25
R15-13r	52.13	1.14	16.49	0.01	8.95	0.19	5.43	10.15	3.13
R15-13r	52.19	1.15	16.53	0.00	9.01	0.15	5.42	9.96	3.17
R15-13r	51.57	1.16	16.47	0.00	8.77	0.18	5.40	10.03	3.24
R15-14r	51.43	1.19	15.92	0.01	8.80	0.17	5.28	9.65	3.31
R15-14r	52.13	1.23	16.38	0.00	8.95	0.15	5.11	10.01	3.16
R15-14r	52.04	1.13	16.45	0.02	8.85	0.17	5.17	10.06	3.22

R15-14r	51.51	0.87	20.90	0.00	6.80	0.13	3.78	10.66	3.26
R15-14r	52.03	1.14	16.42	0.00	8.81	0.15	5.23	9.96	3.22
R15-14r	52.10	1.17	16.36	0.02	8.77	0.19	5.16	10.14	3.00
R15-14r	52.15	1.15	16.52	0.00	8.91	0.14	5.17	10.05	3.16
R15-14r	51.97	1.14	16.27	0.02	8.87	0.19	5.28	9.99	3.15
R15-14r	51.84	1.17	16.14	0.01	8.91	0.15	5.22	10.11	3.14
R15-14r	51.99	1.10	16.48	0.00	8.49	0.16	5.21	10.15	3.16
R15-14r	51.88	1.14	16.13	0.01	8.78	0.17	5.53	10.38	3.14
R15-14r	51.84	1.15	16.09	0.01	8.83	0.14	5.26	9.87	3.17
R15-14r	51.83	1.18	16.27	0.00	8.91	0.15	5.23	10.01	3.05
R15-15r	52.14	1.12	16.28	0.00	8.83	0.17	5.32	9.96	3.23
R15-15r	52.01	1.17	16.27	0.01	8.80	0.18	5.40	10.10	3.15
R15-15r	51.94	1.20	16.47	0.00	8.92	0.16	5.45	10.04	3.16
R15-15r	52.04	1.17	16.39	0.01	8.94	0.16	5.24	9.98	3.21
R15-15r	50.85	1.18	16.53	0.00	8.84	0.16	5.34	10.06	3.21
R15-15r	52.08	1.15	16.47	0.01	8.84	0.16	5.38	9.91	3.27
R15-15r	51.73	1.14	15.99	0.00	8.96	0.17	5.32	10.02	3.19
R15-15r	52.21	1.10	16.53	0.02	8.97	0.17	5.43	10.06	3.16
R15-15r	51.87	1.17	16.39	0.01	8.90	0.16	5.38	9.90	3.28
R15-15r	51.94	1.23	16.26	0.02	8.74	0.16	5.40	10.09	3.23
R15-15r	51.90	1.14	16.46	0.00	9.07	0.16	5.36	10.01	3.18
R15-15r	51.90	1.12	16.42	0.00	8.98	0.14	5.12	10.00	3.19
R15-15r	52.01	1.16	16.52	0.01	8.92	0.15	5.37	9.71	3.25
R15-15r	52.03	1.12	16.52	0.02	9.03	0.17	5.36	10.00	3.14
R15-15r	51.97	1.17	16.55	0.00	8.88	0.16	5.39	10.08	3.19
R15-16r	52.17	1.13	16.53	0.00	9.08	0.17	5.32	10.12	3.08
R15-16r	52.03	1.20	16.64	0.00	8.77	0.15	5.22	9.93	3.24
R15-16r	51.98	1.11	15.90	0.02	8.86	0.17	5.86	10.58	2.88
R15-16r	52.20	1.09	16.41	0.00	9.00	0.15	5.25	9.96	3.12
R15-16r	52.03	1.14	16.32	0.00	8.95	0.18	5.35	9.98	3.15
R15-16r	52.19	1.13	16.33	0.01	8.71	0.17	5.33	9.98	3.29
R15-16r	52.11	1.13	16.52	0.01	8.95	0.15	5.25	9.87	3.25
R15-16r	52.24	1.15	16.43	0.01	8.64	0.18	5.37	10.04	3.28
R15-16r	51.89	1.14	16.33	0.00	8.94	0.19	5.02	9.77	3.21
R15-16r	51.83	1.10	16.45	0.00	8.98	0.20	5.35	9.85	3.25
R15-16r	51.92	1.25	16.44	0.00	8.90	0.19	5.23	10.02	3.12
R15-16r	52.16	1.21	16.44	0.02	9.03	0.19	5.42	10.04	3.20
R15-16r	51.90	1.15	16.46	0.00	8.59	0.16	5.13	9.96	3.13
R15-16r	51.26	1.16	15.47	0.01	9.00	0.16	6.16	11.47	2.87
R15-16r	51.94	1.14	16.42	0.00	8.85	0.19	5.15	10.14	3.21
R15-12	52.20	1.16	15.95	0.00	9.01	0.16	5.46	10.04	3.29
R15-12	51.98	1.13	16.23	0.01	8.92	0.16	5.45	9.95	3.15
R15-12	51.57	1.16	16.20	0.00	9.00	0.16	6.04	9.62	3.21
R15-12	52.01	1.11	16.41	0.02	8.72	0.18	5.27	10.01	3.36
R15-12	51.50	0.90	20.40	0.02	6.58	0.14	4.16	11.01	3.30
R15-12	52.16	1.16	16.32	0.00	8.94	0.15	5.36	9.94	3.33
R15-12	52.06	1.17	16.34	0.00	8.84	0.19	5.39	9.97	3.34

R15-12	51.92	1.15	16.40	0.01	8.86	0.17	5.45	10.03	3.22
R15-12	52.31	1.15	16.35	0.00	8.99	0.16	5.42	9.99	3.30
R15-12	52.33	1.12	16.42	0.00	9.09	0.16	5.51	9.96	3.15
R15-14	51.91	1.10	17.53	0.00	8.29	0.16	4.87	10.44	3.35
R15-14	51.98	0.99	18.06	0.02	7.77	0.16	5.01	10.75	3.32
R15-14	51.67	1.10	16.14	0.01	8.96	0.16	5.31	10.05	3.26
R15-14	51.86	1.14	16.34	0.02	8.51	0.16	5.20	9.93	3.21
R15-14	52.03	1.15	16.22	0.00	8.88	0.17	5.45	9.89	3.45
R15-14	51.89	1.16	15.79	0.00	8.98	0.15	5.33	10.01	3.22
R15-14	51.90	1.22	16.46	0.01	8.88	0.15	5.09	10.01	3.35
R15-14	51.75	1.21	16.41	0.01	8.83	0.16	5.26	10.05	3.31
R15-14	51.60	1.17	15.50	0.00	8.90	0.17	5.37	9.36	3.29
R15-14	51.87	1.14	16.26	0.01	8.98	0.17	5.43	9.95	3.25
R15-15	52.04	1.14	16.52	0.01	9.02	0.16	5.46	9.82	3.27
R15-15	51.81	1.21	16.36	0.01	9.04	0.17	5.43	9.96	3.23
R15-15	52.11	1.21	16.31	0.00	8.96	0.11	5.52	10.00	3.21
R15-15	52.06	1.14	15.92	0.00	8.98	0.14	5.43	9.99	3.16
R15-15	51.62	1.11	16.26	0.00	8.92	0.19	5.34	9.80	3.26
R15-15	52.13	1.21	16.38	0.00	9.00	0.16	5.29	9.93	3.26
R15-15	52.01	1.13	16.30	0.00	8.96	0.18	5.26	9.91	3.02
R15-15	52.08	1.15	16.33	0.02	8.95	0.15	5.27	9.94	3.31
R15-15	51.54	1.14	15.67	0.00	9.59	0.16	7.43	9.25	3.19
R15-15	52.02	1.14	16.49	0.00	8.88	0.18	5.36	9.96	3.33
R15-16	52.03	1.18	16.70	0.00	8.93	0.16	4.92	9.74	3.37
R15-16	51.46	1.10	15.67	0.00	9.26	0.15	6.68	9.42	3.13
R15-16	51.92	1.13	17.18	0.00	8.67	0.14	4.96	9.89	3.20
R15-16	51.23	1.11	15.80	0.00	9.12	0.14	7.08	9.30	3.11
R15-16	52.07	1.17	16.52	0.00	8.99	0.20	5.14	9.72	3.29
R15-16	52.17	1.01	17.92	0.01	8.09	0.17	4.71	10.20	3.33
R15-16	52.21	1.18	16.55	0.01	8.98	0.16	4.87	9.94	3.40
R15-16	51.91	1.19	16.51	0.01	8.89	0.20	5.04	9.86	3.27

K2O	P2O5	F	Cl	SO3	Total
0.27	0.11	0.08	0.13	0.22	97.68
0.25	0.08	0.06	0.11	0.20	97.84
0.26	0.09	0.00	0.12	0.17	97.68
0.25	0.12	0.00	0.12	0.17	97.68
0.26	0.15	0.00	0.12	0.19	97.83
0.24	0.12	0.00	0.14	0.21	97.84
0.26	0.08	0.00	0.11	0.17	97.46
0.26	0.18	0.03	0.12	0.19	97.81
0.26	0.12	0.00	0.14	0.18	97.75
0.24	0.08	0.00	0.13	0.19	97.98
0.24	0.15	0.03	0.12	0.18	97.64
0.27	0.12	0.14	0.12	0.19	97.93
0.26	0.09	0.04	0.12	0.22	97.95
0.24	0.14	0.06	0.12	0.20	98.00
0.27	0.17	0.00	0.12	0.18	98.14
0.25	0.16	0.00	0.13	0.17	98.23
0.26	0.12	0.00	0.15	0.18	97.79
0.25	0.09	0.18	0.12	0.23	98.47
0.26	0.09	0.15	0.13	0.21	97.93
0.27	0.12	0.00	0.14	0.21	97.61
0.26	0.11	0.03	0.14	0.20	98.06
0.27	0.15	0.00	0.14	0.20	97.07
0.27	0.13	0.00	0.13	0.22	98.04
0.27	0.13	0.11	0.13	0.19	97.92
0.27	0.12	0.00	0.14	0.20	98.22
0.26	0.10	0.10	0.13	0.18	98.37
0.28	0.16	0.04	0.13	0.20	97.49
0.27	0.13	0.00	0.14	0.17	97.84
0.27	0.11	0.05	0.13	0.19	97.77
0.27	0.14	0.00	0.14	0.23	98.27
0.26	0.18	0.00	0.11	0.20	97.48
0.26	0.11	0.00	0.11	0.17	97.78
0.25	0.16	0.04	0.13	0.20	98.55
0.26	0.15	0.14	0.13	0.20	98.07
0.27	0.13	0.00	0.13	0.20	97.83
0.28	0.13	0.08	0.13	0.20	98.02
0.24	0.14	0.00	0.12	0.20	98.25
0.26	0.13	0.00	0.12	0.20	98.09
0.27	0.10	0.01	0.10	0.21	98.19
0.26	0.17	0.00	0.13	0.21	98.29
0.26	0.13	0.00	0.12	0.21	98.30
0.25	0.14	0.03	0.12	0.19	98.27
0.25	0.14	0.01	0.11	0.20	97.52
0.28	0.07	0.00	0.13	0.21	96.42
0.27	0.09	0.00	0.13	0.19	97.78
0.27	0.15	0.00	0.13	0.18	97.79

0.20	0.10	0.04	0.10	0.14	98.44
0.26	0.09	0.07	0.12	0.20	97.64
0.27	0.13	0.00	0.13	0.18	97.60
0.25	0.13	0.01	0.13	0.19	97.92
0.26	0.12	0.00	0.14	0.21	97.57
0.27	0.13	0.00	0.12	0.16	97.36
0.26	0.12	0.09	0.12	0.22	97.48
0.26	0.14	0.09	0.13	0.20	97.90
0.25	0.09	0.00	0.13	0.19	96.97
0.27	0.10	0.00	0.13	0.20	97.30
0.24	0.15	0.18	0.13	0.19	97.82
0.27	0.07	0.00	0.13	0.19	97.73
0.26	0.08	0.00	0.14	0.20	97.99
0.26	0.15	0.05	0.13	0.20	97.88
0.25	0.11	0.06	0.12	0.21	96.86
0.27	0.11	0.00	0.12	0.19	97.93
0.28	0.13	0.00	0.12	0.20	97.20
0.25	0.10	0.10	0.10	0.22	98.34
0.26	0.14	0.06	0.12	0.18	97.76
0.24	0.11	0.00	0.13	0.19	97.71
0.27	0.12	0.04	0.12	0.23	98.01
0.27	0.15	0.00	0.14	0.18	97.58
0.27	0.14	0.08	0.13	0.19	97.86
0.26	0.09	0.00	0.13	0.19	98.02
0.25	0.09	0.03	0.11	0.17	98.00
0.26	0.07	0.00	0.12	0.20	98.20
0.26	0.13	0.02	0.15	0.21	97.90
0.26	0.13	0.05	0.13	0.21	98.10
0.26	0.10	0.16	0.13	0.19	97.93
0.25	0.13	0.00	0.11	0.20	97.79
0.26	0.14	0.00	0.12	0.20	97.83
0.28	0.08	0.02	0.13	0.17	97.86
0.28	0.16	0.12	0.14	0.21	98.16
0.28	0.13	0.00	0.13	0.20	97.19
0.27	0.15	0.04	0.11	0.18	97.71
0.24	0.14	0.00	0.13	0.24	97.80
0.26	0.06	0.00	0.13	0.18	98.30
0.27	0.13	0.00	0.13	0.16	97.16
0.24	0.09	0.00	0.10	0.20	98.15
0.25	0.11	0.00	0.13	0.21	97.70
0.25		0.00	0.13	0.19	97.89
0.27		0.00	0.13	0.24	97.66
0.25		0.00	0.13	0.20	97.55
0.25		0.00	0.13	0.19	97.71
0.21		0.00	0.10	0.19	98.57
0.24		0.00	0.14	0.19	97.92
0.28		0.00	0.13	0.18	97.94

0.28	0.00	0.13	0.17	97.90
0.24	0.15	0.13	0.23	98.39
0.26	0.08	0.13	0.24	98.42
0.24	0.00	0.15	0.20	98.27
0.24	0.02	0.12	0.19	98.61
0.26	0.00	0.15	0.21	97.30
0.26	0.07	0.15	0.20	97.06
0.25	0.03	0.15	0.21	97.84
0.27	0.03	0.13	0.20	97.17
0.28	0.01	0.15	0.22	97.73
0.26	0.00	0.13	0.23	97.64
0.27	0.00	0.13	0.21	96.00
0.26	0.03	0.14	0.20	97.73
0.24	0.00	0.14	0.23	98.13
0.26	0.00	0.15	0.19	97.82
0.25	0.00	0.12	0.18	98.00
0.26	0.04	0.14	0.21	97.51
0.25	0.00	0.13	0.21	97.10
0.27	0.09	0.13	0.20	98.03
0.27	0.00	0.14	0.20	97.37
0.26	0.00	0.13	0.18	97.78
0.25	0.17	0.13	0.17	98.61
0.26	0.08	0.14	0.20	98.02
0.28	0.11	0.17	0.16	97.74
0.25	0.00	0.16	0.16	97.45
0.26	0.00	0.16	0.18	97.68
0.24	0.00	0.15	0.15	97.40
0.25	0.00	0.15	0.17	97.68
0.24	0.02	0.15	0.17	98.23
0.25	0.00	0.15	0.19	97.90
0.26	0.02	0.16	0.18	97.54