

2020

Improving Data Analytics during a Pandemic episode: A Review

Jeffrey E. Jarrett

Improving Data Analytics during a Pandemic episode; A Review

Jeffrey E. Jarrett

Management Science, University of Rhode Island, United States of America

Abstract

By examination reporting methods to determine the effects of a pandemic on the health of the health of a nations' or geographic entity's' population. Is a serious undertaking. The goal is to explain how measurement (or Metrics) can tend to be misleading which may lead to less than optimal decision making by health professionals and similar people in change of health decisions.

Keywords: Decision statistics • Capabilities • EWMA • Multivariate Data and Pandemics

Introduction

The pandemic in America and other nations produced a panic in federal and state health institutions. The panic occurred because the federal and state health care and diagnostic institutions knew very little about the Covid-19 virus nor had the necessary equipment to maintain health standards in the face of the growing and spreading of the virus. Our purpose in this manuscript is not to analyze the politics of the care and diagnostics in the preparation, reaction and the execution of the health treatments execution of health agencies in the response to the spreading of the virus to the vulnerable communities across the United States. The goal is to consider better analytical data tool which could have very much improve the interpretation of data retrieval and interpretation to assist in the decisions and analysis to improve the methodology to assist health professionals in determining health care diagnosis and in turn health strategies in therapeutic care. If the real option the following trade-off arises: if information is timely, the therapeutic strategies decision can be based on better information to arrive a better decision making in the uncertain world of treating a pandemic virus. Incorrect and untimely information is the product of the misreporting of factual events associated with diagnostics and error associated with poorly utilized statistical analytics and eventual predications.

Diagnostics and Multivariate Tools

Today bio surveillance involves the monitoring of a significant number and wide range of data collected from independent random samples of diagnostic and pre-diagnostic numerical data for health professionals information to determine, detect, investigate and respond to evidence concerning disease and the outbreaks of epidemics and pandemics. A predominant method of analysis in this monitoring in classical bio surveillance is the movement of classical disease surveillance utilizing multivariate quality control methods original developed in industrial applications. Fricker RD [1] applied multivariate statistical quality control (MSQC) methods In addition, MSQC applications by Fricker RD et al. [2] continued earlier studies by focusing on

**Address for Correspondence:* Jeffrey E. Jarrett, Professor, Management Science, University of Rhode Island, United States of America, Email: jejarrett133@gmail.com

Copyright: © 2020 Jeffrey E.J. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Received 03 September 2020; **Accepted** 08 September 2020; **Published** 15 September 2020

direction all sensitive procedures in bio surveillance. Previously Ord, Koehler Snyder and Hyndman (2009), hereafter, (OKSH) studied the usefulness of monitoring social and economic processes is an excellent application of Statistical Quality Control, SQC. They created new ways to analyze data by exponentially weighted moving average (EWMA) control charts for residuals. This analysis was said to be very useful in the detection of shifts in variability. Furthermore, the newly improved methods by expanding the analysis to the case of multivariate methods. In turn, OKSH suggested examining the works of [3-6]. The multivariate form of the MEWMA control chart simultaneous monitors two or more related processes in an exponentially weighted moving-average (EWMA) control chart. Contains information from all the previous subgroups or observations. As an illustration, a MEWMA chart monitors temperature and pressure in a plastic injection molding process. Each observation (or point) contains information from all the previous subgroups or observations in combinations with a user defined weighting factor. Thus, MEWMA charts aid the analyst by detecting small process shifts faster than other forms of multivariate control charts including the well-known T^2 Chart. In addition, MEWMA charts are neither significantly influenced by changes having very large or very small values entering the calculation. Last, MEWMA charts have the ability to tailor detect any size shift in a process. Hence, they can be utilized to monitor in-control processes for detecting tiny shifts away from the target of goal of the process. MSQC monitors two or more data sets in combination. This is very important in health diagnostics which includes a large number of previous studies quality in multivariate quality monitoring literature [7-20]. All of these models employ the multivariate testing statistic entitled Hotelling T^2 . As an alternative, I propose the using an alternative scheme developed by Pan (2005) which builds on the Hotelling model before the formation of the exponential weighted moving-average (EWMA). Lui (1996) presented a substantial improvement entitled MEWMA. Rungar and Prah (1996) utilized Markov chain analysis to calculate the average return length (ARL) of MEWMA and they (1997) designed the new MEWMA under the assumption of serial independence. Again, Jarrett (2020) discussed the robustness of the MEWMA and indicated how to implement this method in monitoring health time series data where two or more data sets of health data have some serial correlation of value greater than zero and up to 0.60 p-values of correlation [21]. Utilizing the criterion of ARL, MEWMA in bio surveillance in the age of a Pandemic having cross-correlated variables provide a better analytical framework than simple using seven day moving-average daily statistics where the velocity and variation in change have proven to be unpredictable and often providing insufficient forecasts and prediction for data driven decision making.

Summary and Conclusions

To conclude and sum up, the use of diagnostic analysis will not easily

prevent and cure Covid-19. In particular, the uses of a seven period moving average a simple but very restrictive statistic in its use and interpretation. Thorough use of sophisticated analyses such as MEWMA utilizing often quality analysis of two or more cross correlated diagnostic and health metrics variables coupled continuous improvement will enable a better future for controlling the environment of the Covid-19 Pandemic that we are attempting to survive and live through. The methodology promulgated in this document suggests better use of medical strategies to solve the problems of the current Pandemic. The response by the current administration in preparing the nation for the Pandemic is noticeably insufficient. Last, this document aims at promoting better analytical methods for interpreting the collected data by health professionals in performing their professional tasks to end the Pandemic. Another solution that may have promise is in Makridakis, Spiliotis and Assimakopoulos (2018).

References

1. Fricker RD. "Directionally sensitive multivariate statistical process control procedures with application to bio surveillance." *Advances in Disease Surveillance* 3(2007):117.
2. Fricker RD, Knitt MC, and Hu CX. "Comparing directionally sensitive MCUSUM and MEWMA procedures with application to bio surveillance." *Quality Engineering* 20(2008):478-494.
3. Lowry, Woodall CAW, Champ CW, and Rigdon SE. "A Multivariate Exponentially Weighted Moving Average Control Chart." *Technometrics* 34(1992):46-53.
4. Pan X and Jarrett JE. "Applying State Space to SPC: Monitoring Multivariate Time Series." *Journal of Applied Statistics* 31(2004):397-418.
5. Jarrett JE and Pan X. "The Quality Control Chart for Monitoring Multivariate Auto correlated Processes, Computational Statistics and Data Analysis." 51(2007A): 3862-3870.
6. Rungar CC, Barton RE, Del Castillo E, and Woodall WH. "Optimal Monitoring of Multivariate Data for Fault Patterns." *Journal of Quality Technology* 39(2007):159-172.
7. Lowry CA and Montgomery DC. A Review of Multivariate Control Charts. *IIE Transactions* 27(1995):800-810.
8. Sullivan JH and Woodall WH. "A Comparison of Multivariate Quality Control Charts for Individual Observations." *Journal of Quality Technology* 28(1996):398-408.
9. Djauhari MA. "Improved Monitoring of Multivariate Process Variability." *Journal of Quality Technology* 39(2005):32-39.
10. Khoo MBC and Quah SH. "Multivariate Quality Chart for Process Dispersion Based on Individual Observations." *Quality Engineering* 15(2003):639-642.
11. Kruegel C, Valuer F and Vigna G. *Intrusion Detection and Correlation, Challenges and Solutions*, Springer Science + Business Media Inc. Boston (2005).
12. Ye N and Chen Q. "An Anomaly Detection Technique Based on a Chi Square Statistics for Detecting Intrusion into Information System." *Quality and Reliability Engineering* 17(2001):105-112.
13. Ye N, Chen Q and Borrer CM. "EWMA Forecast of Normal System Activity for Computer Intrusion Detection, IEEE Transactions on Reliability 53 (2004): 557-566.
14. Yang SF and Rahim RA. "Economic Statistical Process Control for Multivariate Quality Characteristics under Weibull shock model." *International Journal of Production Economics* 98 (2005): 215- 226.
15. Bersimis S, Psarakis S and Paneretos J. "Multivariate Statistical Process Control Charts: An Overview." *Quality & Reliability Engineering International* 23(2006):517-543.
16. Jarrett JE and Pan X. "The Quality Control Chart for Monitoring Multivariate Autocorrelated Processes." *Computational Statistics and Data Analysis* 51(2007a): 3861-3870.
17. Jarrett JE and Pan X. "Using Vector Autoregressive Residuals to Monitor Multivariate Processes in the Presence of Serial Correlation." *International Journal of Production Economics* 106 (2007b):204-216.
18. Jarrett JE and Pan X. "The Multivariate EWMA Model and Health Care Monitoring." *International Journal of Economics and Management Sciences* 3(2014): 2.
19. Jarrett JE. *Examining the Monitoring of Health Surveillance during a Pandemic: A Review of Methodology* (2016).
20. Jarrett JE. "Examining the Monitoring Health Surveillance during a Pandemic; A Review of Methodology." *Academy of Social Science Journals* 5(2020):1722-1728.
21. Jarrett JE. "Analyzing Data utilized in Process Control and Continuous Improvement." *International Journal of Economics Management Science* 5(2016): 328.

How to cite this article: Jeffrey E. Jarrett. Improving Data Analytics during a Pandemic episode; A Review. *Int J Econ Manag Sci*, 9 (2020) doi: 10.37421/ijems.2020.9.573