

2020

Prevalence of Depression in Gynecologic and Breast Cancer Patients Authors

Heather Dorich

E. Pawasauskas
University of Rhode Island, jaynep@uri.edu

Britny Rogala
University of Rhode Island, britny_rogala@uri.edu

Kate Lally

Follow this and additional works at: https://digitalcommons.uri.edu/php_facpubs

Citation/Publisher Attribution

Dorich, H., Pawasauskas, J., Rogala, B., & Lally, K. (2020). Prevalence of Depression in Gynecologic and Breast Cancer Patients. *Journal of Student Research*, 9(1). <https://doi.org/10.47611/jsr.v9i1.650>

This Article is brought to you by the University of Rhode Island. It has been accepted for inclusion in Pharmacy Practice and Clinical Research Faculty Publications by an authorized administrator of DigitalCommons@URI. For more information, please contact digitalcommons-group@uri.edu. For permission to reuse copyrighted content, contact the author directly.

Prevalence of Depression in Gynecologic and Breast Cancer Patients Authors

Creative Commons License



This work is licensed under a [Creative Commons Attribution-Noncommercial-Share Alike 4.0 License](https://creativecommons.org/licenses/by-nc-sa/4.0/).

Prevalence of Depression in Gynecologic and Breast Cancer Patients

Heather Dorich, PharmD Candidate Class of 2019^a, Jayne Pawasauskas PharmD, BCPS^b, Britny Rogala PharmD, BCOP^c, Kate Lally MD^d

^aThe University of Rhode Island College of Pharmacy, 7 Greenhouse Rd Kingston, RI 02881 USA
(hdorich13@gmail.com)

^bDepartment of Pharmacy Practice, University of Rhode Island College of Pharmacy, 7 Greenhouse Rd Kingston, RI 02881 USA

^cDepartment of Pharmacy Practice, University of Rhode Island College of Pharmacy, 7 Greenhouse Rd Kingston, RI 02881 USA; Women and Infants Hospital 101 Dudley St, Providence, RI 02905 USA

^dHarvard Medical School, Department of Psychosocial Oncology and Palliative Care, Dana Farber Cancer Institute, 450 Brookline Ave D-2016A Boston, MA 02215 USA

DOI: 10.47611/jsr.v9i1.650

Introduction

Patients with advanced cancer often face a high symptom burden including both physical and emotional symptoms